



ONE STOP SOLUTION TOOLS

LED WORK LIGHTS SOLUTIONS



HANGZHOU HAOHE TECHNOLOGY CO.,LTD.

Crystal Zhao / 13282376887

Email: crystal@hochtools.com

Add: No. 151 JianGong Road, GongShu District, HANGZHOU CITY, ZHEJIANG PROVINCE, CHINA

7000LUMEN TRIPOD LED WORK LIGHT (H695713TWL)

OSSTOOLS
ONE STOP SOLUTION TOOLS

Model: H695713TWL
MOQ: 2000pcs

Packaging: Color box
8pcs in Master carton



<https://youtu.be/TUa-OAsBeol?si=XOh1QgnJdow6dxva>

ONE STOP SOLUTION TOOLS 2

Crystal Zhao / +86 1328 2376 887 Email: crystal@hochtools.com HANGZHOU HAOHE TECHNOLOGY CO.,LTD.

COLOR COMBINATION- H695713TWL



**SUMMIT silk
printing logo white
ONLY**

SUMMIT REFLEX BLUE C



**SUMMIT silk printing
logo white ONLY**

SUMMIT REFLEX BLUE C

COMPARISON



ITEM #	H695713TWL	https://www.eastwood.com/nextled-rechargeable-and-removable-led-work-light-with-telescoping-tripod-stand-nt-6926.html
Price		Selling Price: \$179.99/UNIT
Lumen	7000	5000
Overall height	67"	75.5"
Li-ion batteries	21700 / 4000 mAh	21700 / 4000 mAh
Stable tripod	Yes	Yes
Setup steps	5 seconds	
Simple one hand assembly	Yes	
Small packaging	Yes	
Heavy duty design	Yes	
Charging	Type-C	
Power bank function	Yes	No



7000LUMEN TRIPOD LED WORK LIGHT (H695713TWL)


PORTABLE **TRIPOD** WORKLIGHT

Max brightness	Battery capacity	Weight (Excluded charger)	Max using time
7000 Lm	4000 mAh	1.9 KG	5 Hour



7000LUMEN TRIPOD LED WORK LIGHT (H695713TWL)

OSSTOOLS
ONE STOP SOLUTION TOOLS



Setup steps

5 SEC.



7000LUMEN TRIPOD LED WORK LIGHT (H695713TWL)

OSSTOOLS


ONE STOP SOLUTION TOOLS



• REPAIR SHOP



• CAMPING



• RENOVATION



• OUTDOOR PARTY



• FACTORY

3200 LUMEN TRIPOD LED WORK LIGHT - H136961WL

OSTOOLS
ONE STOP SOLUTION TOOLS



Bulb: White SMD LED (6000-7000K)
Battery : 3.7V 8000mAh & 3.7V 1000mAh

Modes:

- Button A on main lamp : ON/OFF
- Button B on main lamp : High - Low
- Button C on knock-down lamp : Low - High - Top LED OFF (Long press, dimming function)

Max output and Run time :

- Low mode for whole lamp , 1350 lm , 10 hrs
- High mode for whole lamp , 3200 lm , 3 hrs
- Low mode for knock down lamp, 250 lm , 5.5 hrs
- High mode for knock down lamp, 500 lm , 1.5 hrs

Adapter: 5V 2A
Charging port : USB-C
Charging time : 8 hrs
Power Bank Function: 5V 1A
Lamp dimension :327X286X343.5mm
Weight: 1250 g
Water Proof : IPX4
With metal hook on bottom
With Strong Magnet on bottom
Aluminium housing
Power indicator
Power bank function
With 1/4" connected hole
With small tripod by itself

MODEL NO.: H136961WL
MOQ: 1500pcs

20V 7000 LUMEN LED WORK LIGHT - H136947WL



Bulb: white SMD(6000-7000K) & warm SMD LED (3500-4500K)

Battery : battery pack

Max output : 2000 lm / 7000 lm (white)

2000 lm / 7000 lm (warm)

1000 lm / 3500 lm (AC)

Run time : 9 hrs / 2.5 hrs

9 hrs / 2.5 hrs

Charger: 18V 2A

Size:180x145x440 mm

Weight: 2850 g (without charger , battery pack)

Water proof : IPX4

The charger is only for the lighting power , not charge for the battery , please note.

Strong magnet on bottom

Hook on bottom

1/4" connect hole on bottom

The price is included one of the Battery convertors

Adaptor , choose 1 pcs below , total 6 options.

Milwaukee、BOSCH-PRO 、Bosch-Green、MAKITA、DEWALT、FLEX

MODEL NO.: H136947WL

MOQ: 1000pcs

20V 7000 LUMEN TRIPOD LED WORK LIGHT - H136947TWL

OSTOOLS
ONE STOP SOLUTION TOOLS



Height: 1.7 meters
Main Material : Aluminium + Plastic
Connect hole : 1/4" (change to M16)
Weight:3.4 kgs
Fold dimension : 148x215x600 mm

ONE STOP SOLUTION TOOLS 11

20V 6000LUMEN LED WORK LIGHT WITHOUT STAND - H687WL (LED LIGHT ONLY)

HOTECH 卓



Bulb: COB LED

Battery : battery pack

Modes: Low / OFF / High / OFF

Max output and Run time :

Low mode (battery pack) : 1800 lm @ 6 hrs

High mode (battery pack) : 6000 lm @ 3 hrs

Low mode (AC) : 1000 lm

High mode (AC) : 3200 lm

Charger: 18V 2A

Size:250x140x300 mm

Weight: 2460 g (without charger , battery pack)

Water proof : IPX4

The charger is only for the lighting power , not charge for the battery , please note.

Strong magnet on bottom
connect hole on bottom

The price is included one of the Battery convertors

MODLE NO.: H687WL

Without Battery and Charger

MOQ: 1000pcs

PACKAGING: COLOR BOX

Test with full charged 4.0AH

Battery

Suggest to use Battery: 4.0AH;

6.0AH; 7.5AH

20V 6000LUMEN LED WORK LIGHT **STAND ONLY** - H687WL STAND



MODLE NO.: H687WL STAND

Without LED Light

MOQ: 1000pcs

PACKAGING: COLOR BOX

Open Size: 740*1500mm
Close Size: 60*60*640mm

600 LUMEN LED WORK LIGHT - H13835WL

OSTOOLS
ONE STOP SOLUTION TOOLS



Bulb: COB white+SMD+Red Laser

Battery: 3.65V 4000mAh

Modes:

a. Short press : COB Low - COB high - Top LED - OFF

b. Long press : Laser

Max output & Run time :

High mode : 600 lumens , 3 hrs

Low mode : 200 lumens , 12 hrs

Top LED : 200 lumens , 9 hrs

Charging Port: type-c

Charging time: 3hrs

Adaptor: 5V 2A

IP/IK Rating: IPX6 / IK07

Dimension (mm): 205.5x56.8x34 mm

Weight (g): 289g

Power bank function

LCD display power levels

Matel hook on back side

Strong magnet on bottom

Rotate 180° Angles

MODEL NO.: H13835WL

MOQ: 1000pcs

ONE STOP SOLUTION TOOLS 14

1200 LUMEN Detachable Rechargeable LED Aluminum Underhood Light (H131992A)



Product Size: EACH WORK LIGHT: 4.7x4x46cm
Material: Aluminum main body + Plastic handle parts

LED type: 42pcs 2835 SMTLED for each head
Brightness: 600lm of each, total 1200 Lumen

Operating modes:

high 1200lm/mid 600lm/low 300lm(Connected), run time: 2-8hrs
high 600lm/mid 300lm/low 150lm(Detached), run time: 2-8hrs
Detachable design can split this work light as 2 single part
2 single part can be connect together & separate control by each switch

Rotating hook on 2 handles

Swivel handle with magnets on 2 sides

Battery: 3.7V 2200mA lithium battery in each lighting bar
1pc 2 in 1 USB charging cable included

MOQ: 2000pcs
Packaging: Color box



1200 Lumen Aluminum LED Rechargeable Underhood Light - H131991B

OSSTOOLS
ONE STOP SOLUTION TOOLS



180° rotating for adjustable wide lighting angle



Rotating hook on both handles



Charging Indicator



Magnet on both handles

Product Size: 4.7x4x58cm

.42pcs 5730 SMT LED worklight, up to 1200lm

.3 modes: High 1200lm, Mid 600lm, Low 300lm

.Run time: High 2hr, Mid 4hrs, Low 8hrs

.90°swivel handle for adjustable lighting angle

.Rotating hook & magnet on both handles

.3.7V 4400mAh Li-ion battery included

.50cm USB cable included (No AC & DC chargers)

.Size: 4.7x4x58cm


.Material: Aluminum main body + Plastic handle parts

MOQ: 2000pcs

Packaging: Color box

RECHARGEABLE WORK LIGHT WITH INDUCTION SWITCH - H913WLIS

HOTECH 卓



Technical Specification

1. LED: 10W COB, CCT: 6500k, Ra: 80
2. Rechargeable Li-ion battery : 3.7V 4400mAH (18650*2)
3. Lumen: 1000 Lumen on high mode
500 Lumen on low mode
3. Charging time: 2.5-3 H.
Working time: 2-2.5 H. (1000 Lumen)
4-5 H. (500 Lumen)
4. Button Switch: Low-High-Off.
5. Motion Sensor: Induction Switch
6. Input: 5V 2A.
7. Type-C USB for Charging
8. 2pcs Magnet on the bottom, 2 hooks with 360degree rotate.
9. Material: ABS+PC.
10. USB cable length: 60cm
11. Size: 510*43*43mm , weight: 0.5kg
Folded Size: 445*80*43mm

Features

1. 350 degrees with one handle and 360 degrees with another handle rotate
2. With Induction Switch, improve work efficiency
3. Type-C charging
4. Magnets for many applications
5. 2 Hooks with 360degree rotate.

MODEL NO.: H913WLIS

MOQ: 1500pcs

Mailbox: 450x84x47mm

Weight: 0.7kgs

Master carton: 480x380x270cm

20pcs / Carton

G. W. : 15kgs



<https://youtu.be/HyPuCxcJMrs?si=8nVCu6trOkAlnEly>

ONE STOP SOLUTION TOOLS 17

RECHARGEABLE WORK LIGHT WITH INDUCTION SWITCH - H913WLIS

HOTECH 卓



10000 Lumen AC LED Worklight with Power Station - H132727

OSSTOOLS
ONE STOP SOLUTION TOOLS

Product Size:

Fold size: 30.3x12.5x33.8cm

Unfold size: 58.8x10x33.8cm

Material: ABS + Aluminum + Metal tube

LED type: Front Center SMT + 2 sides swivel SMT LED panel

3 modes: Mid 6000lm, Each side 2000lm, All 10,000lm

Side panel with 180° swivel front and back and 90° swivel up and down

Whole LED panel can be rotated with outlet base

With 2 x output outlet (120V 12A 1440W)

With 2 x USB-A port + 1 x USB-C (2 x USB-A 5V 2.1A, 1 x USB-C / max.

10W)16AWG SJTW 3C 6FT power cord

.ETL, FCC, CEC, DOE certificated ready

MOQ: 2000pcs

Packaging: Color box



POWER STATION



Easy Portability




Ultimate Lighting Control

2500LM RECHARGEABLE ROLLCAGE UTILITY LIGHT - H135364WL

OSSTOOLS
ONE STOP SOLUTION TOOLS



Tripod supporting



MOQ: 2000pcs
Packaging: Color box

- . Product Size: 6.5*6.5*8.1 inch / 16.5*16.5*20.5cm
- . Rugged, durable, and portable design: Cordless with easy grip, anti-sweat, and anti-slip handles
- . Withstands drop of 6 ft (2 meters) and is IP4 rated against water slashes and dust
- . With power bank function
- . 360 degree rotating 2 powerful COB LED Panel with separate switch control
- . Various Light Modes with extended run time: High 2500lm-2hrs, mid 1500lm-4hrs, Low 750lm-7hrs
- . Charging time: 5V2A 3-4hrs / 5V1A 8-9hrs
- . Built in 3.7V 5200mAh li-ion battery
- . With battery indicator
- . Versatile and convenient: compact and lightweight at only 2.18 lbs
- . Multifunctional standing included



Power bank function



2 light panel with separate switch control



Bracket can be twisted and bent



Easy grip, anti-sweat & anti-slip handles

RECHARGEABLE FLOOD LIGHT WITH INDUCTION SWITCH – H613WLIS

HOTECH 



Technical Specification

1. LED: 10W, CCT: 6500k, Ra: 80
2. Rechargeable Li-ion battery : 3.7V 4400mAH (18650*2)
3. Lumen: 1000 lm on high mode
400 lm on low mode
100 lm on spot mode
4. Charging time: 2.5-3 hrs
Working time: 2-2.5 hrs (1000 lm)
4-5 hrs (400lm)
12-13 hrs (100 lm)
5. Function: low-high-spot light-off
6. Input: 5V 2A
7. Type-C USB
8. Material: **ABS+Aluminum**
9. Size: 120*43*130mm Weight: 0.4kg

Features

1. Motion sensor: induction switch
2. Light body rotates 360 °.
3. Bottom 2 magnets.
4. Rotating hook 180°
5. Type-C
6. 3 Functions: **LOW-HIGH-SPOT**

MODEL NO.: H613WLIS

MOQ: 1500pcs


Mailbox: 13x5.2x13.8cm

Weight: 0.5kgs

Master carton: 29x29x30cm

20pcs / Carton

G. W. : 11kgs



RECHARGEABLE FLOOD LIGHT WITH INDUCTION SWITCH – H713WLIS

HOTECH 卓



Technical Specification


1. LED: 10W, CCT: 6500k, Ra: 80
2. Rechargeable Li-ion battery : 3.7V 4400mAH (18650*2)
3. Lumen: 1000 lm on high mode
500 lm on medium mode
250 lm on low mode
4. Charging time: 2.5-3 hrs
Working time: 3-3.5 hrs (1000 lm)
5-6 hrs (500lm)
7-8 hrs (250 lm)
5. Function: low-medium-high-off
6. Material: **ABS+TPE**
Type-C USB cable length: 60cm
7. Input: 5V 2A
8. Size: 170*140*55mm, weight: 0.43kg

MODEL NO.: H713WLIS

MOQ: 1500pcs

Mailbox: 15x6.5x18.5cm
Weight: 0.5kgs

Master carton: 58x32x34cm
30pcs / Carton
G. W. : 16kgs



Features

1. Motion sensor: Induction switch
2. Magnetic Base rotate 360°
3. Handle rotate 120°
4. Type-C USB socket for Charging with power bank function.

RECHARGEABLE FLOOD LIGHT WITH INDUCTION SWITCH – H813WLIS

HOTECH 卓



Technical Specification


1. LED: 30W, CCT: 6500k, Ra: 80
2. Rechargeable Li-ion battery : 3.7V 8000mAH (18650*4)
3. Lumen: 3000 lm on high mode
2000 lm on medium mode
1000 lm on low mode
4. Charging time: 4-4.5 hrs
Working time: 2-2.5 hrs (3000 lm)
4-5 hrs (2000lm)
7-8 hrs (1000 lm)
5. Function: low-medium-high-off
6. Material: **Aluminum+ABS+TPE**
7. Type-C USB cable length: 60cm
8. Input: 5V 2A
9. Size: 20x8x24.5cm, weight: 1.15kg

MODEL NO.: H813WLIS

MOQ: 1500pcs

Mailbox: 21x25.5x9cm
Weight: 1.4kgs

Master carton: 44x27x36cm
8pcs / Carton
G. W. : 12kgs



Features


1. Motion sensor: Induction switch
2. Magnetic Base rotate 360°
3. Handle rotate 120°
4. Type-C USB socket for Charging with power bank function.

Features and Specifications

Bulb: COB LED & SMD
Battery: 3.7V 1200 mAh Li-Po battery
3 Modes: SMD ON - COB High - COB Low - OFF
Max output: 150 lumens / 350 lumens / 150 lumens
Run time: 5.5 hours(SMD), 2 hours(high) , 3.5 hours(low)
Charging port : Type C
Adapter : 5V 1A
Rechargeable time: 2.5 hours
Impact and water resistant
Product size: 19x180x34 mm
N.W.: 104g

Press sensor function button for sensor function , hand wave for controlling on/off.
4 Blue indicator shows battery Power level

MODEL NO.: H513HLIS
MOQ: 1500pcs
Packaging: Color Box



*Spot headlight can be rotated
and with induction switch*



Video
<https://youtu.be/Ro3Kx4LeUTY>

RECHARGEABLE NECK LIGHT- H8223NL

OSSTOOLS


ONE STOP SOLUTION TOOLS



1. Model No.: H8223NL
2. LED: 2W+2W, CCT: 6000-7000k, Ra: 80
3. Rechargeable Li-ion battery : 3.7V 1200mAH (16500*1)
4. Lumen: 100-150 lm on high mode
50-70 lm on low mode
5. Charging time: 3-3.5 hrs
Working time: 2.5 ± 0.5 hrs (100-150 lm)
5 ± 0.5 hrs (50-70 lm)
6. Switch: high-low-off
7. Input: 5V 1A
8. Type-c USB socket for Charging.
9. Magnetically fixed, can be disassembled separately.
10. The angle of the light head can be adjusted
11. Material: ABS+TPE
12. IP54, IK07
13. USB cable length: 60cm
14. Size: 150*285*35mm, weight: 0.21kg

- MODEL NO.: H8223NL
- MOQ: 2000pcs
- Packing: Double Blister + Card with hole
- 20pcs/ Master carton

COLOR COMBINATION



https://youtu.be/96dTYkX_b-l?si=vFmfstEM9VuEaZ0r

**SUMMIT REFLEX BLUE C
FOR SWITCH RING**

BLACK SWITCH

SUMMIT REFLEX BLUE C

BLACK

RECHARGEABLE NECK LIGHT- H8223NL



Operate separately



**Disassemble
And
Using as Work Lights
With 360 Degrees of
Angle adjustment**



HIGH-LOW Mode



On-Off switch separately



Adjust Angle easily

3 IN 1 QUICK CONNECT LED LIGHT KIT - HCHT-31

HOTECH

- MODEL NO.: HCHT-31
- MOQ: 2000pcs



<https://youtu.be/CVKatUTsYEw?si=mTqF7loidPZeDnY0>



3 IN 1 QUICK CONNECT LED LIGHT KIT - HCHT-31



Battery: 21700 Lithium-ion Battery
Charging time: 4-6 Hours
Charging type: Type-C USB
Six Mode:
HIGH-MIDDLE-LOW-FLASH-SOS-TACTICAL

Packaging: BMC + Color Sleeve

Including:
1x Light body
1x Work Light head
1x Flash Light head
1x Gooseneck Light head
1x BMC Case
1x Type-C cable


3 IN 1 AUTO REPAIR WORK LIGHT KIT - H7687ARWL

HOTECH 卓

TYPE-C USB CABLE



TYPE-C USB CABLE



STRONG MAGNETIC BASE



MAGNETIC HEAD FOR SCREWS OR BOLTS

ONE STOP SOLUTION TOOLS 30

Du bist neu bei QVC? Spare 10 Euro! Code: NEU2023 >



844102



Mein QVC

Warenkorb

OSSTOOLS 3in1 LED Licht-Kit Quick Connect bis max. 600 Lumen wiederaufladbar



NEU

€ 59,99

inkl. USt

Versand: € 5,95

★★★★★
5.0 (1)

✓ Lieferung in 2-4 Werktagen

Menge:

- 1 +

10€ Rabatt für Neukunden
Code: NEU2023
So geht's

In den Warenkorb

MODEL NO.: HCHT-31

MOQ: 2000pcs

Du bist neu bei QVC? Spare 10 Euro! Code: NEU2023 >



844102



Mein QVC

Warenkorb

OSSTOOLS 3in1 LED Licht-Kit Quick Connect bis max. 600 Lumen wiederaufladbar



NEU

€ 59,99

inkl. USt

Versand: € 5,95



✓ Lieferung in 2-4 Werktagen

Menge:

- 1 +

10€

Rabatt für Neukunden
Code: NEU2023
→ So geht's

In den Warenkorb



<https://www.qvc.de/OSSTOOLS-3in1-LED-Licht-Kit-Quick-Connect-bis-max-600-Lumen-wiederaufladbar.product.844102.html?productNumber=844102&sc=ISRC>

Rechargeable 150 Lumen Rubberized LED Emergency Flare - H131612EFWL

OSSTOOLS
ONE STOP SOLUTION TOOLS

MOQ: 2000pcs

Packaging: Blister Card

Product Size: Dia. 5*1.50in (Dia. 12.7x3.8cm)

Material: PP+TPR

.Front 6pcs white + Side 6pcs red SMT LED, with 6 modes:

- Worklight on top, up to 150 lumen
- Double blink
- Single blink - for long runtime
- Rotate - for high visibility
- Alternate - for Christmas/kids/recreational use
- Solid-on 50% Medium - somewhere in between the high and low

.IP Grade: IP67

.2 hooks and Magnet on bottom

.Fluorescent effect in dark

.Strip hang hole included for more function

.With 3.7V 2000mAh polymer battery

.With 1ft USB charge cable



Rechargeable 500 Lumen LED DETACHABLE HEAD Light - H131913HL

OSSTOOLS
ONE STOP SOLUTION TOOLS



**DETACHABLE
HEAD LIGHT**

Product Size: 2.4x1.3x1.7in (6.1x3.38x4.34cm)

Material: ABS + TPR

.CREE LED, up to 350lm, with 2hrs run time

.COB LED, up to 200lm, with 3hrs run time

.Both LED, up to 500lm, with 1hr run time

.Mini work light with magnet on back

.Head band included for more function

.Sensor function included

.Charging & battery indicator light included

.Adjustment lighting angle

.3.7V 1200mAh Polymer battery included

.1ft USB charging cable included

MOQ: 2000pcs

Packaging: Blister Card

ONE STOP SOLUTION TOOLS 34

Crystal Zhao / +86 1328 2376 887 Email: crystal@hochtools.com HANGZHOU HAOHE TECHNOLOGY CO.,LTD.

400 LUMEN LED DETACHED NECK LIGHT AND FLASHLIGHT - H13525NL

OSSTOOLS
ONE STOP SOLUTION TOOLS

MOQ: 2000pcs

Packaging: Color box

Product Size: Single head 8.4x3.4x1.8cm, with 45cm neck

Material: TPR + ABS

.3pcs LED on top as neck & flash light, with Both High 200lm, Mid 100lm, Low (Each head High 100lm, Mid 50lm, Low 25lm)

.COB LED on side as work light, with Both High 400lm, Low 200lm (Each head High 200lm, Mid 100lm, Low 50lm)

.Run time:

COB: High 1hr, Mid 2hrs, Low 4hrs

LED: High 2hr, Mid 4hrs, Low 8hrs


.Flexible arms as hanging hook and desk light, etc

.Each head can be detached use as flashlight, work light with magnet

.Type-C charging port on each head

.2pcs 3.7V 400mAh polymer battery included

.1pc 2 in 1 1ft USB charging cable included



LED Camping Lanterns - H6786CL

HOTECH 



MODEL NO.: H6786CL

MOQ: 1500pcs

Mailbox:
Weight: 0.7kgs

Master carton:
pcs / Carton
G. W. : 15kgs

Technical Specification

LED: SMD LED & COB & LED

Battery: 3.7V 200mAh

Power indicator : 4 LEDs

Mode:

1. COB modes: Low - High - Breathe function - OFF
2. SMD modes: Low - High - OFF
3. LED modes : Low - High - OFF

Light Output and Run time :

1. COB : 55 Lumens @ 22 hrs / 170 Lumens @ 6 hrs / 8 hrs
2. SMD : 150 Lumens @ 9 hrs / 500 Lumens @ 2.5 hrs
3. LED : 80 Lumens @ 12 hrs / 240 Lumens @ 3.5 hrs

Adapter: 5V 1A

Charging port: Type C port

Charging time: 3 hrs

Size: 134.5 x 53 mm

Weight: 189 g

Features

Hook on top

Magnet on bottom

Screw hole on bottom for connecting with other devices

LED Camping Lanterns - H6786CL

HOTECH 卓



ONE STOP SOLUTION TOOLS 37

THANK YOU