



ONE STOP SOLUTION TOOLS

## PRO CAR CARE SOLUTIONS

---



HANGZHOU HAOHE TECHNOLOGY CO.,LTD.

Crystal Zhao / 13282376887

Email: [crystal@hochtools.com](mailto:crystal@hochtools.com)

Add: No. 151 JianGong Road, GongShu District, HANGZHOU CITY, ZHEJIANG PROVINCE, CHINA



"Your Garage Deserves an Upgrade – From Chore to Championship"



## WET & DRY VACUUM CLEANER WITH AIR - H1357WDV

# WET & DRY VACUUM CLEANER WITH AIR - H1357WDV



GS, CE, ROHS, SAA, CLASS M  
PROFESSIONAL  
INDUSTRIAL USE

WITH BOTH  
ELECTRICAL &  
PNEUMATIC  
AUTOMATIC  
SYNCHRONIZATION

## FEATURES

1. Professional dry vacuum cleaner with automatic filter shacking for solving the ultrafine dust working with power tools together
2. Whole machine CLASS M with certificate
2. Stronger PP tank
3. With big rear wheels and big front wheels with brakes make it more stable in moving
4. With standard electrical socket for automatic synchronization function/ and pneumatic / battery tools automatic synchronization working
5. Professional 2 fans copper motor with longer life
6. Big folding HEPA to protect the motor
7. Wet /dry/blower function
8. Indication automatic cut off power when water is full
9. Hose collection on vacuum
10. Dust full indication
11. Optional tool brackets
12. Multi function switch
13. Remote control system



## SPECIFICATIONS

Power: 1600W  
(2 fans professional copper motor)  
Max 2000W for connect with power tools  
220-240V/ 50/60Hz  
>Vacuum: 21Kpa  
Cord length: 5m  
Capacity: 40L  
Material: PP  
Noise: 82db

## WHAT IS INCLUDED

Long-square brush-32mm,  
Crevice tool-32mm,  
2m 32mm hose,  
Metal extension wands-32mm  
Big folding HEPA filter  
Cloth filter bag

- **MOQ: 500 pcs**
- **COLOR BOX**
- **640x380x575cm/18KGS/20.5KGS**

## COMPARE WITH OTHER BRAND

HOTECH 卓



**Makita**

[Visit the Store](#)

4.3 ★★★★★ (212)

Makita VC4210L 11 Gallon Wet/Dry HEPA Filter Dust  
Extractor/Vacuum

Amazon's Choice

Overall Pick

50+ bought in past month



WITHOUT PNEUMATIC  
AUTOMATIC SYNCHRONIZATION



Unlock fast, free delivery on millions  
of Prime eligible items. [Join Prime](#)

\$729<sup>00</sup>

ONE STOP SOLUTION TOOLS 4

# INDUSTRIAL VACUUM CLEANER – H2913VC



22kPa vacuum  
4500l/min air flow volume,  
Ensure a dust free working environment!



SPEC.	OSSTOOLS <sup>®</sup> ONE STOP SOLUTION	MIRKA
Model No.	H2913VC	DE1242 L AFC
Power	1400W	1200W
Dust Container Volume	40L	42L
Vacuum	22kpa	21.5kPa
Air flow volume	4500.0 l/min	4500.0 l/min
Dimension	660*418*585mm	565*385*607 mm
Dust bag	700*500mm	700*500mm

**MOQ: 500PCS**



Manual mode, which activates the vacuum manually

AutoStart mode, which activates the vacuum automatically when the tool is running



Power switch

Automatic filter cleaning for convenience and consistent performance

Three step power control, choose the right vacuum power

# INDUSTRIAL VACUUM CLEANER – H2913VC



22kPa vacuum  
4500l/min air flow volume,  
Ensure a dust free working  
environment!

Automatic filter cleaning for convenience  
and consistent performance

AutoStart function increases lifetime of the  
motor and reduces noise, which activates  
the vacuum when the tool is running

Power socket for tools

Pneumatic tool connection

Wet/dry suction function ideal for  
allround usage(remove the dust bag  
before wet use and clean filter before  
and after wet use)



Convenient shelf for storage of tools  
and accessories



Hose and cable storage for convenient  
transportation.

large wheels increase  
maneuverability

# SURFACE CONDITION MACHINE

# NEW MODEL - Brushless Orbital Sander – H73867BOS



10.5cm only



Network sanding paper:4pcs

## Applications:

Automotive Sanding & Wood Sanding & Wall Sanding



## MODEL NO.: H73867BOS

MOQ: 500pcs

PACKAGING: COLOR BOX

Spec.	HAOHE	MIRKA
Model No.	H73867BOS	DEROS 5650CV
Power	350W	350W
Eccentric Motion Speed	4000-10000rpm	4000-10000rpm
Pad Dia.	125mm/150mm	125mm/150mm
Sanding Stroke	5.0mm/2.5mm	5.0mm/2.5mm
Weight	1.2kgs	1.0kgs
Vibration	3.07m/s	3.4m/s
Brushless Motor	Yes	Yes
Electronic Break	Yes	Yes
Mechanic Break	Yes	No
Detachable Cable	Yes	Yes



Qty. Per Packing	Master Pack Method	Carton Size (cm)	40' GP FCL	MOQ	N.W/G.W
6pcs	colour box	53.5*26.5*28.5	8700	500PCS	14.5/15kgs

## NEW MODEL - Brushless Orbital Sander

HOTECH 



Pad Size:  
**198\*70mm**

H733313BOS



Pad Size:  
**133\*81mm**

H733413BOS



Pad Size:  
**100\*152\*152mm**

H733513BOS

# 1 Specifications & Benefits

HOTECH 卓



01  
High  
Efficiency

02  
Low  
Noise

03  
Light  
Weight

04  
Ergonomic

05  
Brushless  
& Stable

06  
Low  
Vibration

07  
Brake  
Function

## 2 Applications

HOTECH 卓



Wall Sanding

Automobile Sheet Metal Sanding



Wood Sanding



### 3 Used as a Automobile Sheet Metal Sander

	<b>Brushless Orbital Sander</b>	<b>Common Pneumatic Sander</b>
<b>Light Weight</b>	Compact body,light weight.Quiet low fatigal feeling after long time working.	Aluminum body,heavy weight.
<b>Speed Adjustment</b>	With speed adjustment button,adjust the speed from 4000-10000rpm	Usually only one speed,cannot adjust.
<b>Constant Speed</b>	With speed constant control,speed is no change under different loading.	Speed is unstable because the unstable air pressure.
<b>Lower Noise</b>	Corded machine with brushless motor offers lower noisy working enviroment.	Connected to air compressor, working under noisy enviroment.

## 4 Used as a Drywall Sander

HOTECH 卓



### **Dust Free**

Connect with vacuum and network sanding paper to realize dust-free operation.



### **Close Operation Distance**


Great Lower height from the hand held part to the sanding surface giving you a lower center of gravity. Easier and comfortable to operate.



### **Safety Pad With Optimum Speed Control**

Optimum controlled speed of the pad for safety use and won't damage the sanding surface.

## 6 Packaging- COLOR BOX





**NEW MODEL – AIR ORBITAL SANDER – H13313AOS**

## NEW MODEL – AIR ORBITAL SANDER – H13313AOS

HOTECH 卓



### SPECIFICATIONS

Sander Pad: 6" (150mm)  
Net Weight: 2.04Lbs(0.93kg)  
Free Speed: 10000RPM  
Dimension: 235x15x\*89mm  
Air Inlet: 1/4"  
Air hose: 3/8"ID  
Sug.Air Comp: 3HP  
Avg.Air Consumption: 10l/min

### FEATURES

- Ergonomic Design:** The 6-inch pad efficiently extracts dust through its base, keeping your workspace clean and ensuring a high-quality, swirl-free finish.
- Vacuum-Ready:** Compatible with central and portable vacuum systems, it includes a 360-degree swivel vacuum adapter for enhanced maneuverability without tangled hoses.
- Lightweight and Durable:** Constructed with a low-vibration composite body, it is both sturdy and lightweight, measuring 9.3 inches in length and weighing only 2.04 lbs (0.93 kg).

**MODEL NO.: H13313AOS**

MOQ: 500pcs  
PACKAGING: COLOR BOX

# Cordless Multifunction Cleaner

CE/ROHS/EMC



Polishing  
Multi-purpose Cleaning

IPX5  
Easy to clean

MODEL NO.: H1314CMC  
MOQ: 2000pcs

Mailbox: 249x134x111mm  
Weight: 650g  
Master Carton: 52x42x25cm/12pcs/9kgs

### Technical Specification

Lithium battery capacity: 2000mAh  
Charging time: around 3 hours  
Voltage: 4V  
Max No Load Speed: 160rpm  
Disc diameter:  $\Phi$ 100MM / 4"  
Charging cable: USB Type-C

### Accessories:

1. 1 x Green scouring pad
2. 1 x Red scouring pad
3. 1 x Cleaning support disc
4. 1 x Charging cable( Type-C 25cm)
5. 1 x Manual instruction

### Features

All in One design, one Cleaner body, multi-functional

## Cordless Multifunction Cleaner– H1413CMC

HOTECH 卓

ALL IN ONE  
DESIGN



WE CAN  
CUSTOMIZE THE  
ACCESSORIES



### WHAT IS INCLUDED

1. 1 x Green scouring pad
2. 1 x Red scouring pad
3. 1 x Cleaning support disc
4. 1 x Charging cable( Type-C 25cm)
5. 1 x Manual instruction

## Cordless Multifunction Cleaner– H1413CMC

HOTECH 卓

HOW TO USE

WE CAN  
CUSTOMIZE THE  
ACCESSORIES



# HAND VACUUM CLEANER – H1386VC

# HAND VACUUM CLEANER – H1386VC



## FEATURES

- PERFECT FOR CARS
- LIGHTWEIGHT & VERSATILE
- VARIABLE POWER MULTI-SURFACE CLEANING
- PORTABLE WITH EASY ACCESSORIES
- FAST USB CHARGING
- DUAL ONBOARD ACCESSORY STORAGE
- TRIPLE FILTRATION FOR CLEAN AIR

## INCLUDES:

- 1X DRY HAND VACUUM CLEANER
- 1X STORAGE STAND
- 2X CLEANING BRUSHES
- 1X USB TYPE C CABLE
- 1X CHARGING ADAPTOR

MOQ: 2000PCS

Li Battery Spec.	18650, 3.7V, 2200mAh
Max. Power	120W ( -10%,+5%)
Vacuum High	≥16KPa
Vacuum Low	≥12KPa
Max. Suction Power	≥55W
Max.Suction Efficiency	≥18%
Noise	≤80dBA
Dust Capacity	0.2L
Filter System	Multiple filtering system
Work Time	Vacuum High: 12min Vacuum Low: 20min
Charging Time	4H (Adapter) / 2H (USB)
Product Size & Weight	420*80*80mm/0.66KG
Color Box Size & Weight	455x100x195mm/0.8KG
Master Carton Size & Weight	6pcs/465*320*400mm/5.5KGS

# HAND VACUUM CLEANER – H1386VC

HOTECH 



# STORM FAN & TURBO MINI FAN

## 20V STORM-X SUPER POWER BRUSHLESS DRYER BLOWER- H13773SDB

HOTECH 

**STORM-X20 is your go-to solution for car care, home use, and beyond.**



### SPECIFICATIONS

Air Flow Speed:0-127m/s  
Speed:35000rpm  
Air speed max.:50M/S  
Air Max.:11N  
Air qty max.:10.4m<sup>2</sup>/min  
2-Speed setting  
Working time: 7min. for High  
15min. for Low

### STORM-X20 SUPER POWER BRUSHLESS DRYER BLOWER

#### •Portable & Easy to Use:

Lightweight and compact design for ultimate convenience anywhere.

#### •Powered by Summit Racing 20V Batteries (4.0Ah recommended):

Enjoy extended usage with reliable, long-lasting power.

#### •Multi-Functional Versatility:

- Car wash dryer blower
- Clears snow from cars with ease.
- Blows away leaves, dust, and wood chips effortlessly.
- Works as a short-hair dryer

- **MOQ: 1000 pcs**
- **COLOR BOX**

## COMPARE WITH OTHER BRAND

HOTECH 卓

CAR INTERIOR CLEANING



STORAGE SHED DUST BLOWING



SNOW REMOVAL



CAR WASH AND BLOW DRY



## 20V POWER TOOLS LI-ION BATTERY FAST CHARGER 2.3A - H18BC23A

HOTECH 

### FEATURES

BIG CURRENT 2.3A  
FOR CHARGING ALL BATTERIES

### SPECIFICATION

VOLTAGE: 21V  
CURRENT: 2.3A  
CERTIFICATION: CE, CB, PSE,  
ETL

CHARGING RED LED INDICATOR  
FULL POWER GREEN LED INDICATOR



**MODEL NO.: H18BC23A**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

# 20V POWER TOOLS LI-ION BATTERY – 2000mAh - H1PLB2



## FEATURE AND SPECIFICATION

VOLTAGE: 20V  
CAPACITY: 2000mAh  
HIGH INDUSTRY PLASTIC HOUSING WITH RUBBER PROTECTION  
PASS DROP TEST WITH 1.8METER  
Dual light panel power display, linkage power display patented structure  
LED BATTERY INDICATOR

### PCB PROTECTION

- ① The highest standard in the PCB motherboard industry is 2.0S copper foil thickness, which can carry greater discharge capacity;
- ② 3Mos high current scheme;
- ③ Full package protection scheme: high current electronic overcurrent protection, mechanical fuse short circuit protection, single section high voltage protection, single section low voltage protection, single section differential pressure protection, dual charging MOS protection, charging temperature rise protection, discharge temperature rise protection, and other full protection schemes can improve the safety and market compatibility of the battery pack;
- ④ Pure nickel strip process, nickel strip protrusion welding process, nickel strip stamping shock absorption process, improving the reliability and stability of nickel strip under high-strength working conditions

POWER DISPLAY BUTTON

BATTERY STATES LED INDICATOR



**MODEL NO.: H1PLB2**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

POWER DISPLAY BUTTON



H131PC

BATTERY PROTECTIVE COVER

Optional + \$0.86

## 20V POWER TOOLS LI-ION BATTERY – 4000mAh - H2PLB4



### FEATURE AND SPECIFICATION

VOLTAGE: 20V  
CAPACITY: 4000mAh  
HIGH INDUSTRY PLASTIC HOUSING WITH RUBBER PROTECTION  
PASS DROP TEST WITH 1.8METER  
Dual light panel power display, linkage power display patented structure  
LED BATTERY INDICATOR

#### PCB PROTECTION

- ① The highest standard in the PCB motherboard industry is 2.0S copper foil thickness, which can carry greater discharge capacity;
- ② The 4Mos high current scheme, with the addition of a patented unique heat dissipation fin structure, can improve the heat dissipation capacity and overload capacity of the discharge MOS;
- ③ Full package protection scheme: high current electronic overcurrent protection, mechanical fuse short circuit protection, single section high voltage protection, single section low voltage protection, single section differential pressure protection, dual charging MOS protection, charging temperature rise protection, discharge temperature rise protection, and other full protection schemes can improve the safety and market compatibility of the battery pack;
- ④ Pure nickel strip process, nickel strip protrusion welding process, nickel strip stamping shock absorption process, improving the reliability and stability of nickel strip under high-strength working conditions

POWER DISPLAY BUTTON

BATTERY STATES LED INDICATOR



**MODEL NO.: H2PLB4**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

POWER DISPLAY BUTTON



**H131PC**

**BATTERY PROTECTIVE COVER**

**Optional + \$0.86**

# BRUSHLESS SUPER POWER TURBO FAN – H15SPTF

HOTECH 卓



## SEPC:

Wind pressure: 200g  
Motor Diameter: 29mm(11.4inch)  
Rotational speed:130000RPM  
Three adjustable speed:  
40000RPM/80000RPM/130000RPM  
Use Time: 100min/20min/10min  
Wind Flow:14m/s; 36m/s; 45+m/s  
Power: 22200mWh  
Battery capacity: 21700 7.4V 3000mAh  
Charging: Type-C  
Charging time: 2.5hours  
Product weight :305g  
Size: 146\*100\*39mm

- **MODEL NO.: H15SPTF**
- **MOQ: 2000 pcs**
- **COLOR BOX**



### Features:

- **Strong Output:** The Air Duster - reaches up to 130,000 RPM, delivering 280 G of blowing force with a maximum wind speed of 60 m/s. It effectively removes dust and debris, drying surfaces quickly. Three adjustable speed settings cater to different cleaning needs.
- **Portable and Versatile:** Weighing 310 g, the Electric Air Duster - is lightweight and easy to carry. It comes with multiple nozzles and is ideal for cleaning desktops and keyboards, drying pet hair, inflating air beds, etc.. It's also useful for outdoor activities ,such as picnics and fire-starting.
- **Fast Charging and Long Battery Life:** Supports fast charging up to 10W, Fully charged in about 2.5 h. First gear usage time: 100 minutes (1st gear). Over-temperature protection, current and short circuit protection for consistent performance.
- **Durable and Energy-Efficient:** Made from durable, lightweight materials with non-slip handles. Reusable and environmentally friendly compared to traditional compressed air tanks.
- **Tips:** Use a 5V 2A power adapter. Avoid overcharging and keep away from heat sources or flammable materials. For any questions, contact us for support within 24 hours.

# BRUSHLESS MOTOR

 Strong Drive  Energy Saving  Stable Operation



# COMPARE WITH OTHER BRAND



Electronics > Computers & Accessories > Computer Accessories & Peripherals > Cleaning & Repair > Compressed Air Dusters



## SDFM Compressed Air Duster - 180,000 RPM Electric Air Duster - with Brushless Motor, 3-Gear Adjustable Air Duster - for Keyboard, PC, Car, Air Bed, and Home Cleaning (X15)

Visit the SDFM Store

4.8 ★★★★★ 54 ratings | Search this page

Amazon's Choice

800+ bought in past month

-40% \$89<sup>99</sup>

List Price: \$149.99

FREE Returns

Join Prime to buy this item at \$79.99

Coupon:  Apply 15% coupon Shop items > | Terms

Save 8% on 5 select item(s) Shop items >

Apply now and get a \$10 Amazon Gift Card upon approval of the Amazon Store Card, or see if you pre-qualify with no impact to your credit bureau score.

Extra Savings Buy any 10, Save 10% 3 Applicable Promotion(s)

### Bundles with this item



Air Duster  
-31% \$129.99  
Was: \$189.98



Air Duster  
-53% \$129.99  
List: \$279.98



Air Duster  
-51% \$169.99  
List: \$349.98

# POLISHERS

## DUAL ACTION ORBITAL POLISHER - H7178OP

HOTECH 卓



1pc Sponge  
1pc Wrench

### Technical Specification

120V/60HZ  
710W  
2m PVC cable H05VV-F 2X 0.75mm<sup>2</sup> ,VDE plug  
No load speed: 4000-5500rpm  
Pad size: 75mm  
Orbit size:12mm

### Features

Protective type/Protective class:Double insulation/II  
●Professionally designed driving system realizes lower noise and stronger power.  
●Adjustable speed wheel  
●Eccentric action for better polishing result.

**MODEL NO.: H7178OP**

MOQ: 500pcs  
PACKAGING: Color Box

## DUAL ACTION POLISHER - H7198P

HOTECH 



1pc Wool Pad  
1pc Straight handle  
1pc Polishing disc

### Technical Specification

120V/60HZ  
1200W  
2m PVC cable H05VV-F 2X 1mm<sup>2</sup> ,VDE plug  
No load speed: 600-2100rpm  
Pad size: 150mm

### Features

Protective type/Protective class:Double insulation/II

- Soft grip for comfortable and energy-saving operation.
- Adjustable speed wheel
- Spindle-lock function for easy changing of polish pad

**MODEL NO.: H7198P**

MOQ: 500pcs

PACKAGING: Color Box

## DUAL ACTION ORBITAL POLISHER - H7176OP

HOTECH 



1pc Sponge  
1pc Wrench

### Technical Specification

120V/60HZ  
500W  
2m PVC cable H05VV-F 2X 0.75mm<sup>2</sup> ,VDE plug  
No load speed: 3000-4500rpm  
Pad size: 125mm  
Orbit size:15mm

### Features

Protective type/Protective class:Double insulation/II  
● Professionally designed driving system realizes lower noise and stronger power  
● Bigger eccentric diameter to realize higher efficiency and better polishing results  
● Soft start prevents uncontrolled start while constant speed control maintains same speed under different loadings.  
The on-off switch with speed adjustable function by pressing the button

**MODEL NO.: H7176OP**

MOQ: 500pcs

PACKAGING: Color Box

# 20V BRUSHLESS CORDLESS ORBITAL POLISHER - H7173OP



## Technical Specification

Voltage: 20V  
No load speed: 2000-4800rpm  
Pad size: 150mm  
Orbit size: 15mm

## Features

- Using perfect solution for polishing paintwork, surface finishing, waxing and descaling.
- Anti-dust switch to ensure longer lifetime.
- Attractive and ergonomic design for user comfort.
- Soft grip for comfortable use.
- 15mm eccentric diameter to realize higher efficiency and better polishing results

**MODEL NO.: H7173OP**

**(WITHOUT BATTERY AND CHARGER)**

MOQ: 500pcs  
PACKAGING: Color Box

1x Sponge  
1x Wrench  
**WITHOUT BATTERY AND CHARGER**



## Milwaukee M18 FUEL Variable Speed Polishers 2685-20

Polisher, M18 FUEL 21mm Random Orbital Polisher, Variable Speed, 6.0 in. Backing Plate, Battery Not included, Each

\$329.00

Part Number: MWT-2685-20

Not Yet Reviewed

In Stock (more than 10 available)

Estimated USA Ship Date: Today

Estimated International Ship Date: Today

**\$** Special Offer!

1

Add To Cart

Compare  Wish List

## 20V 6INCH BRUSHLESS VARIABLE SPEED ORBITAL SANDER POLISHER - H125BOP

**HOTECH** 卓

### FEATURES

HANDLE CAN BE ROTATED  
FOR LEFTHAND AND RIGHTHAND  
90 Degrees + 90 Degrees =180 Degrees  
VERY STRONG POWER  
BIG TORQUE

### SPECIFICATION

VOLTAGE: 20V  
MOTOR: **BRUSHLESS**  
Pad Size: 6"  
Eccentricity: 0.197" (5mm)  
Orbits Per Minute:  
**2500;3000;3600;4000;4600;5000RPM**  
Orbit Length: 5mm  
Handle Rotate Angle: 90 Degree  
Button: Lock-off  
Speed Adjustor: 6 Stage

Accessory: 1pc Polishing Pad  
1pc Finishing Pad  
1pc Wrench  
1pc Auxiliary Handle

PAD SIZE 6"



180° Rotated Handle Switch  
Six Speeds Settings  
Lock-off Button

**MODEL NO.: H125BOP**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

Test with full charged 4.0AH Battery  
Suggest to use Battery: 4.0AH; 6.0AH;  
7.5AH

# WALL-MOUNTED PRESSURE WASHER

## WALL-MOUNTED PRESSURE WASHER – H1354WMPW

HOTECH 



### Specifications

POWER: 1500W

5 Rated Pressure:1200PSI;1300PSI;1350PSI;1450PSI;1500PSI

Flow: 4.3L/Min

Voltage: 110V 60Hz

Waterproof grade: IP5X

G.W/N.W: 17/21Kg

Box Dimension: **64\*53\*29.4CM**

Load Quantity(40HQ):681PCS

### Standard Accessories

High pressure gun

High pressure hose

Power cord with plug

Inlet filter

Nozzle cleaning pin

User manual

### Optional Accessories

HPC Connector

Rotary brush

Metal lance

Turbo nozzle

Fixed brush

Inlet hose

Patio cleaner

**MODEL NO.: H1354WMPW**

**MOQ: 500pcs**

**Packaging: Color Box**

## Easy and Efficient Cleaning



### Features

- **Wall-Mounted Pressure Washer:** Keep your garage clutter-free and save on precious floor space with the wall-mounted pressure washer. The 180° swivel design allows for greater flexibility when cleaning, while storage is made hassle-free simply by fixing it to any wall with the included mounting bracket.
- **Advanced Remote Control:** The high-pressure washer innovates with an Bluetooth control on its gun, so you can conveniently control the start and stop of the washer's motor, the output pressure, and the retraction of the high-pressure hose.
- **Electric Retraction Saves Time & Energy:** No need to tug it back, the retractable pressure washer hose reel will stably and automatically rewind at the press of a button, protecting the pressure hose from tangling, kinking, and tearing. (Note: Before retracting the high-pressure hose, please shut off the motor and drain any water, otherwise the retraction system may not work optimally.)
- **Robust 90ft Replaceable High-Pressure Hose:** The pressure washer hose reel covers an impressively wide cleaning zone with a 90ft replaceable high-pressure hose (32°F-104°F). Built from triple-layer composite explosion-proof materials, it is designed to handle even the toughest cleaning jobs. The removable hose is retractable and reusable, minimizing product waste.
- **Integrated Storage Design and TSS:** The pressure washer is equipped with 4 quick-connect nozzles (0°, 15°, 25°, 40°) for different types of pressure. The pump automatically shuts off when the trigger is disengaged, saving energy and extending the pump's life. Each unit can be sequentially installed on the washer, and is completed with a 10-foot power cord with GFCI for safe use on exterior outlets.

## Advanced Retraction System



Note: Please turn off the motor remotely and drain the water in the high-pressure pipe so that the high-pressure pipe can be Retracted smoothly

## 21 cleaning modes to meet your cleaning needs

Cracks And Caked Stains



**0°**  
nozzles

Wheel & Wooden Surfaces



**15°**  
nozzles

Direways & Hard Surfaces



**25°**  
nozzles

Vehicles & Windows




**40°**  
nozzles



## WALL-MOUNTED PRESSURE WASHER – H1354WMPW

HOTECH 卓



ONE STOP SOLUTION TOOLS 45

## 5 Smart Cleaning Modes

●●●● Eco  
●●●● Soft  
●●●● Medium  
●●●● Strong  
●●●● Maximum

REVERSE ON/OFF

## Remote Control Operation Enhances Cleaning Efficiency



Remote Control



100°  
FT  
100ft  
hose




### 5 Rated Pressure:

1. 1200PSI
2. 1300PSI
3. 1350PSI
4. 1450PSI
5. 1500PSI

## Installation Steps

180°  
Swivel Design




Wall mounting expansion screws




Fixed the metal support



Disassemble the washer body



Connect the inlet pipe



Connect the pressure regulating water gun

High pressure gun will be changed from A to B






**Specifications:**

Battery Cell Capacity: 2000mAH  
Control: Bluetooth  
Charging port: TYPE C  
Charging current: 2A  
Charging time:2 Hours  
Size: 5.9"\*1.58"\*1.58"

**MODEL NO.: H64PWBC**  
**MOQ: 500pcs**  
**Packaging: Color Box**

## COMPARE WITH GIRAFFE TOOLS

HOTECH 卓



📌 Giraffe Tools Grandfalls Pressure Washer Plus+, Electric Wall Mount Power Washer with 100FT Retractable Pressure Hoses, 2400PSI, 2.0GPM, 4 Nozzles, Foam Cannon, Spray Gun for Cars/Patios, Dark Silver

Visit the Giraffe Tools Store  
4.2 ⭐⭐⭐⭐☆ 111 ratings  
300+ bought in past month

\$399<sup>99</sup>

FREE Returns  
Join Prime to buy this item at \$339.99

Coupon:  Apply 10% coupon Shop items > | Terms

Pay \$33.33/month for 12 months, interest-free upon approval for Amazon Visa

Size: Plus+ 100FT Retractable Hoses

Plus+ 100FT Retractable Hoses  
\$399.99

PRO 100FT Retractable Hoses  
\$699.99

Bundles with this item

1. The 180° swivel design allows for greater flexibility when cleaning.
2. Pressure Washer Control by Bluetooth or Host.
3. Robust 90ft Replaceable High-Pressure Hose.

# CLEANING TOWLS & BRUSHES



## COMPARE WITH GIRAFFE TOOLS

HOTECH 卓



# SANDING BLOCKS

## SANDING BLOCK- H-2SB-1

HOTECH 



LOGO & SANDING BLOCK

NEW

### FEATURES

- Material: **PU Environmental raw material**
- No Mess: Vacuum cleaning System removes more than 95% of the sanding dust
- Stay Clean: No dust on your clothes or tracked through your garage and house
- Flexibility Panels: Rotating bolts can be freely bended
- Save Money: Paper lasts longer because clogging and loading is greatly reduced
- Save Time: Less time cleaning and replacing paper because of clogging

### SPECIFICATION

1. Material: PU Environmental raw material
2. Size: 70\*400mm(2 3/4"\*15.748inch)
3. Vacuum Technology
4. Adjusting the radian
5. Include: 4m Vacuum Hose (13.12 Feet)

MODEL NO.: H-2SB-1

Package: Color Box



## SANDING BLOCK - H-3SB

HOTECH 



### FEATURES

- Material: [PU Environmental raw material](#)
- Flexibility Panels: The shape can be bent according to your needs

### SPECIFICATION

1. Size: 70\*198mm(2 3/4"\*7.795inch)

**MODEL NO.: H-3SB**

**Package: Color Box**

## SANDING BLOCK- H-3SB-2

HOTECH 




### SPECIFICATION

1. Material: **PU Environmental raw material**
2. Size: 70\*198mm(2 3/4"\*7.795inch)
3. The shape can bended according to your needs
4. 4 Rollers Sandpaper:  
Each Roll size: 2- 3/4 in. x 13 yd.  
P80, P180, P220 and P400 Grit  
(Cut the pre tangent line every **69mm**)

**MODEL NO.: H-3SB-2**

**Package: Color Box**

Blue Ceramic Hook & Loop Sanding Roll WITHOUT Holes



**P80**

**P180**

**P220**

**P400**

ONE STOP SOLUTION TOOLS 57

# SANDING BLOCK- H-4SB-2



LOGO & SANDING BLOCK




## SPECIFICATION

1. Material: **PU Environmental raw material**
2. Size: 6inch
3. Vacuum Technology
4. Include: 4m Vacuum Hose (13.12Feet)
5. **4 Boxes** Sandpaper: 50PCS each box of P80, P180, P220 and P400. (Diameter 6inch)

MODEL NO.: H-4SB-2

Package: Color Box

Blue Ceramic Hook & Loop Sanding Disc Multiple-holes



**P80**

**P180**

**P220**

**P400**

## SANDING BLOCK- H-5SB-2

HOTECH 卓



### LOGO & SANDING BLOCK




### SPECIFICATION

1. Size: 70\*125mm (2 3/4"\*4.921inch)  
70\*198mm (2 3/4"\*7.795inch)  
70\*400mm (2 3/4"\*15.748inch)
3. Vacuum Technology
4. Include: 4m Vacuum tube (13.12Feet)
5. 4 Rollers Sandpaper:  
Each Roll size: 2- 3/4 in. x 13 yd.  
P80, P180, P220 and P400 Grit  
(Cut the pre tangent line every 69mm)

MODEL NO.: H-5SB-2

Package: Color Box

### Blue Ceramic Hook & Loop Sanding Roll with Multiple-Holes



ONE STOP SOLUTION TOOLS 59

# SANDING BLOCK- H-6SB-2



## SPECIFICATION


1. Material: **PU Environmental raw material**
2. 7pcs Sanding Block
3. 4 Rollers Sandpaper:  
Each Roll size: 2- 3/4 in. x 13 yd.  
P80, P180, P220 and P400 Grit  
(Cut the pre tangent line every **69mm**)

**MODEL NO.: H-6SB-2**

**Package: Color Box**

Name	Photo	Size: (L*W*H)mm
Cuboid 30*272 Sanding block		272*33.6*20.3
Special-shaped 31*272 Sanding block		272*31.1*25.6
Water droplet 53*272 Sanding block		272*53.5*71.1
Cuboid 63*136 Sanding block		136.5*63.5*16
Cuboid 68*138 Sanding block		133*68*38.3
Cuboid 68*272 Sanding block		272*68*38.3

## Blue Ceramic Hook & Loop Sanding Roll WITHOUT Holes



**P80**


**P180**

**P220**

**P400**

ONE STOP SOLUTION TOOLS 60

# SANDING BLOCK- H-7SB-2



Magnetic

LOGO & SANDING BLOCK




## SPECIFICATION

1. Material: PU Environmental raw material
2. 4pcs Sanding Block
3. Size: 70\*198mm(2 ¾"\*7.795inch)
4. Magnetic Change
5. Vacuum Technology
6. Include: 4m Vacuum tube (13.12Feet)
7. 4 Rollers Sandpaper:  
Each Roll size: 2- 3/4 in. x 13 yd.  
P80, P180, P220 and P400 Grit  
(Cut the pre tangent line every 69mm)

MODEL NO.: H-7SB-2

Package: Color Box

Blue Ceramic Hook & Loop Sanding Roll with Multiple-Holes



P80

P180

P220



P400

ONE STOP SOLUTION TOOLS 61

## SANDING BLOCK- H-8SB-2

HOTECH 卓

### LOGO & SANDING BLOCK




### SPECIFICATION

1. Material: PU Environmental raw material
2. Size:70\*400mm(2 ¾”\*15.748inch)
3. Adjusting the radian
4. 4 Rollers Sandpaper:  
Each Roll size: 2- 3/4 in. x 13 yd.  
P80, P180, P220 and P400 Grit  
(Cut the pre tangent line every 69mm)

MODEL NO.: H-8SB-2

Package: Color Box

### Blue Ceramic Hook & Loop Sanding Roll WITHOUT Holes



P80

P180

P220

P400

ONE STOP SOLUTION TOOLS 62

## Blue Ceramic Hook & Loop Sanding Roll Multiple-holes 70mm\*12m (2 ¾"\*13 yd.)



Blue **Ceramic** Hook & Loop Sanding Roll Multiple-holes

### FEATURES

- Specializing in the automobile paint preparation industry.
- Fast sanding with a smooth surface finish saves you time and money.
- Consistent quality with a long-lasting lifetime.
- The effective multi-holes pattern delivers outstanding performance without clogging.


### SPECIFICATION

1. Size: Width\*Length 70mm\*12m(2 ¾"\*13 yd.) (Cut the pre tangent line every **69mm**)
2. Multiple-holes
3. Grits options: P80/P120/P150/P180/P220/P320/P400

**MODEL NO.: H-10CHLSRH**

**Package: Color Box**

# Blue Ceramic Hook & Loop Sanding Disc Multiple-holes $\Phi$ 150mm(6inch)



BEST

## 528 BLUE CERAMIC PAPER



<b>Grain</b>	Ceramic Mixed With Aluminum Oxide
<b>Bonding</b>	Resin Over Resin
<b>Backing</b>	Latex Paper
<b>Coating</b>	Semi-open
<b>Colour</b>	Blue
<b>Grit range</b>	P40-P800

**GRIT SIZES**  
40, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 500, 600, 800



- ▶ Specializing in the automobile paint preparation industry.
- ▶ Fast sanding with a smooth surface finish saves you time and money.
- ▶ Consistent quality with a long-lasting lifetime.
- ▶ The effective multi-hole pattern delivers outstanding performance without clogging.

### FEATURES



### APPLICATIONS



Blue **Ceramic** Hook & Loop Sanding Disc Multiple-holes

## FEATURES

- Specializing in the automobile paint preparation industry.
- Fast sanding with a smooth surface finish saves you time and money.
- Consistent quality with a long-lasting lifetime.
- The effective multi-hole pattern delivers outstanding performance without clogging.

## SPECIFICATION

1. Size:  $\Phi$  150mm (6 inch)
2. QTY: 50pcs each Box
3. Grits options: P80/P120/P150/P180/P220/P320/P400

## MODEL NO.: H-13CHLSD

Package: Color Box

## SANDING BLOCK HOSE- H-9SBH

HOTECH 



### SPECIFICATION

1. 4m (13.12Feet) Vacuum Hose
2. Internal Diameter: **22mm**

**MODEL NO.: H-9SBH**

**Package: Color Box**

## SCT 5 Gallon Dry Vacuum - H131DV

HOTECH 



3M metal hose/ HEPA filter& Cloth filter /15cm Aluminum tube/ Base& wheels

**MODEL NO.: H131DV**

MOQ: 720pcs

PACKAGING: Color Box

### FEATURES

- Double filtration-fire retardant HEPA filter and clothfilter
- Suitcase handle
- Accessories easy for storage
- Blowing function
- New GS standard

### SPECIFICATION

- (1) Voltage: 120V
- (2) Frequency: 60HZ
- (3) Power:1200W
- (4) Airflow rate:  $\geq 1.2\text{m}^3 / \text{min}$
- (5) Vacuity:  $\geq 19\text{KPA}$
- (6) Noise:  $\leq 76\text{dB(A)}$

### ACCESSORIES

- (1) Black painting drum
  - (2) 2.5M(8.2feet) Cable length
  - (3) 3M(9feet) Metal hose
  - (4) 15cm aluminum tube
  - (5) Fire retardant HEPA filter
  - (6) Cloth filter
- NW:4.3KGGW:4.9KG; Carton size: 28\*28\*35.5CM

### ETL CERTIFICATION



## TIRE PRESSURE GAUGE & TIRE INFLATORS

# TIRE INFLATOR- H8PROTI

HOTECH 

**HOT NEW**



**8.5 Min.  
for SUV**

## FEATURES

**Massive Display:** Ultra-large screen ensures clear, precise readings at a glance.

**Rapid and Accurate Inflation:** Delivers fast air-filling speed with high precision for reliable performance.

**Powerful Battery:** 7500mAh high-capacity battery supports extended usage.

**Multi-Mode Work light:** Features Flash, SOS, and Bursting light modes for versatile scenarios.

**Soft Touch Buttons:** Ergonomically designed for comfortable, seamless operation.

**Convenient Charging:** Equipped with a Type-C port for fast and efficient charging.

**Portable and Practical:** Compact, lightweight design makes it easy to carry and use anywhere.

This tire inflator combines speed, accuracy, and convenience, designed to exceed your expectations!

## SPECIFICATION

## LED WORK LIGHT POWER BANK

1. DC 12V, max current : 10A,
2. Battery pack: 18650X 3, **7500mAh** Battery life: 500cycles
3. Max pressure: **150PSI**
4. Charging cable length: USB type C charging cable: 11.80inches, type C, 5V 2A
5. VG8 screw nut& hose: 7.08 inches (Material : EPDM)..
6. Inflation time (0-35psi) p195/65/R15, below 4.5 minutes
7. Endurance operation: 500cycles
8. Digital gauge, LED display size: 2.88" x 1.38", accuracy: +/-1.5psi (5 models: free, Car, motorcycle, ball)
9. Lighting: led 0.5w x 4pcs, multi-function(flash, SOS, bursting) .
10. Overall size: 7.87"X 2.52" X 2.52" unit weight : 1.53pounds
11. Package size: 11.50" X 11.50" X 8.90" 16CPS/ PACK

**MOQ: 1200pcs**

# TIRE INFLATOR- H8PROT1



## WHAT IS INCLUDED



## Soft Touch Buttons



## LED Light



# 20V BRUSHED RAPID INFLATOR- H131618I



**2 Min. for SUV**

## Rapid and Accurate Inflation

Power source	DC 20V
Max pressure	150PSI/10.3BAR/1030KPA
Rate of Flow	50L/Min 1.7SCFM@0PSI 35L/Min 1.23SCFM@35PSI
Powered by	1 Battery Pack (NOT INCLUDED)
Accessories	1 x Ball Adaptor 1 x Tire Valve Adaptor 1 x Air Bed Adaptor

**BENCH MARK**



Milwaukee M18 Inflator 2848-20  
 Brand: Milwaukee  
 4.8 ★★★★★ 3,211 ratings | Search this page  
 4K+ bought in past month

\$159.00  
 FREE Returns

Get \$10 off instantly. Pay \$149.00 \$459.00 upon approval for:

Available at a lower price from other sellers that may not offer free

Brand Milwaukee  
 Voltage 18 Volts  
 Recommended Uses For Product Tire Inflation  
 Power Source Battery Powered  
 Noise Level 95 dB

**About this item**

- Fastest 18V Cordless Tire Inflator: Top off 33" Light Truck Tires in
- Optimized for Passenger, Light Truck and Other Medium Duty TI

**MOQ: 1000pcs**

## TIRE REPAIR KIT- H314TR

**OSSTOOLS**  
ONE STOP SOLUTION TOOLS



- **MODEL NO.:** H314TR
- **MOQ:** 1000 pcs

## TIRE REPAIR KIT- H314TR


**OSSTOOLS**  
ONE STOP SOLUTION TOOLS



1.Remove offending object from tire with included heavy duty pliers.



2.Apply lubricant to the spiral shaft of the reamer tool. This will help to probe the hole and temporarily separate the steel belts.



3.Insert  
push in  
hole. Re-

4.Using the T-handle insert tool, feed one plug through the hole and position it over the hole, leaving 1/2 inch of cord ends visible.

ONE STOP SOLUTION TOOLS 72



5. Slide the retaining platform until against the tire. Hold the retaining platform against the tire while quickly and firmly pulling the T-handle up leaving the plug in place.



6. Use the included knife to trim excess plug material and re-inflate tire recommended pressure.

# TIRE REPAIR and INFLATOR SET- H8675TRI

**OSSTOOLS**  
ONE STOP SOLUTION TOOLS



**H314TR**



**H8675TRI**



**H867TI**



- **MODEL NO.:** H8675TRI
- **MOQ:** 1000 pcs

## COLOR COMBINATION



SUMMIT REFLEX BLUE C OUTLINE  
INSIDE BLUE LED LIGHT

BLACK

## DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR- H191DTI

**HOTECH** 卓



- **FEATURES:** The Digital Tire Inflator Gauge inflates tires with ease. Compatible with 1/4" NPT air compressors outputs. Calibrated for accuracy, reading within 1% of the exact tire pressure. Accurately measures FOUR DIFFERENT UNITS in a range from 3-250 PSI (0.2-17.2 Bar; 0.21-1724 Kpa; 0.2-17.5 kg/cm<sup>2</sup>) in increments of 0.1 PSI
- **SUPERIOR CONSTRUCTION:** Solid heavy-duty brass air chuck makes it easier to lock onto stem valves stopping leaks. Quality stainless steel inflation trigger for lasting performance; And the 17" stainless braided hose is much stronger and flexible, protects the internal hose from damage, tough enough to endure high pressure.
- **EASY TO USE:** The large LCD screen is easy to read. The gauge is connected with 360° rotatable dial and chuck with a larger ergonomic handle for convenient use. No hard work and pumping, inflate the tire to the exact pressure you want, no adjusting or repeating. Simple trigger allows Single-Handed operation for Inflation/ Deflation-lightly squeeze the trigger to deflate, fully squeeze the trigger to inflate
- **ENERGY SAVING AND SAFE:** Battery Saver auto connects when pressurized air is detected, switches off after 15 seconds inactivity. Integrated flashlight switch control for emergency use. Simple trigger action eliminates risks of blow-outs. Gifts for men.
- **Perfect for all vehicles:** Cars, SUVs, Trucks, Motorcycles, Bicycles, RVs, Balls, Air pillows, Cushions, Mattresses etc.
- **Pressure range:** 3-250psi, 0-17bar, 0-1720kpa, 0-17.6kgf/cm<sup>2</sup>
- **Pressure unit:** psi, bar, kpa, kgf/cm<sup>2</sup>(optional)

# DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR- H191DTI

**HOTECH** 卓



- Rubber Protector
- 2 AAA Battery Included



Net weight: 615g  
Gross weight:825g  
Each in color box  
Dimensions of package: 34x13x5cm  
Dimensions of master carton:50x37x29cm 20pcs/ctn

**MODEL NO.: H191DTI**  
**MOQ: 1000pcs**

# DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR- H191DTI



## 3-IN-1 DIGITAL TIRE INFLATOR GAUGE

Automatically shut off in 15s to save power



## LARGE BACKLIT LCD DISPLAY

Automatically shut off in 15s to save power



## UPGRADED TO 0.1 RESOLUTION

It's a pressure gauge to accurately monitor tire pressure, giving quick and accurate readings in 0.1 increments.

# DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR WITH LONG HOSE - H131418AI

HOTECH 卓



**2-Tire Simultaneous Inflation  
with Perfect Pressure Balance**

- Quick-Connect Valve:** Fast, secure tire attachment.
- Anti-Kink Hoses:** Flexible, tangle-free design.
- Digital Gauge:** Clear, precise pressure readings.
- Quick-Disconnect Storage:** Easy disconnect for neat, compact storage.
- Versatile Connections:** Fits ARB and standard compressors.
- Carry Bag:** Durable, standard storage bag.
- Velcro Straps:** Secure, organized storage.
- 2-Tire Even Inflation:** Balanced pressure for 2 tires—ideal for modded cars.

Power: 2xAAA battery(include)

On/off key Auto shut off

Copper Bleed valve ,copper fast connector

Pressure range: 0-250psi,0-17bar,0-1720kpa,0-17.6kgf/cm<sup>2</sup>

Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm<sup>2</sup>

Pressure unit: psi,bar,kpa,kgf/cm<sup>2</sup>(optional)

Accuracy: ±2 psi F.S.

8.2FT/2.5M Hose\*2

2.5inch digital meter

1/4NPT connector

Net weight: 1289g

Gross weight: 1940g

Dimensions of color box: 35\*22\*12cm

Dimensions of master carton: 52\*36\*35.5cm/4pcs/ctn

G.W.: 8.5kgs N.W.: 6.5 kgs

Carry Bag + Color Box

**MOQ: 1000pcs**

# DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR WITH LONG HOSE - H131418BI

**HOTECH** 卓



**2 IN 1**

**2-Tire Simultaneous Inflation  
with Perfect Pressure Balance**

- **Quick-Connect Valve:** Fast, secure tire attachment.
- **Anti-Kink Hoses:** Flexible, tangle-free design.
- **Digital Gauge:** Clear, precise pressure readings.
- **Quick-Disconnect Storage:** Easy disconnect for neat, compact storage.
- **Versatile Connections:** Fits ARB and standard compressors.
- **Carry Bag:** Durable, standard storage bag.
- **Velcro Straps:** Secure, organized storage.
- **2-Tire Even Inflation:** Balanced pressure for 2 tires—ideal for modded cars.

Power: 2xAAA battery(include)  
On/off key Auto shut off  
Copper Bleed valve ,copper fast connector  
Pressure range: 0-250psi,0-17bar,0-1720kpa,0-17.6kgf/cm2  
Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm2  
Pressure unit: psi,bar,kpa,kgf/cm<sup>2</sup>(optional)  
Accuracy: ±2 psi F.S.  
8.2FT/2.5M Hose\*2  
2.5inch digital meter  
1/4NPT connector  
Net weight: 1341g  
Gross weight:1600g  
Dimensions of color box: 35\*22\*12cm  
Dimensions of master carton:52\*36\*35.5cm/4pcs/ctn  
G.W.: 7.5kgs N.W.: 6.5 kgs  
Carry Bag + Color Box

**MOQ: 1000pcs**

# DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR WITH LONG HOSE - H1314184AI

**HOTECH** 卓

4 IN 1



**4-Tire Simultaneous Inflation  
with Perfect Pressure Balance**

- **Quick-Connect Valve:** Fast, secure tire attachment.
- **Anti-Kink Hoses:** Flexible, tangle-free design.
- **Digital Gauge:** Clear, precise pressure readings.
- **Quick-Disconnect Storage:** Easy disconnect for neat, compact storage.
- **Versatile Connections:** Fits ARB and standard compressors.
- **Carry Bag:** Durable, standard storage bag.
- **Velcro Straps:** Secure, organized storage.
- **4-Tire Even Inflation:** Balanced pressure for all 4 tires—ideal for modded cars.

Power: 2xAAA battery(include)

On/off key Auto shut off

Copper Bleed valve ,copper fast connector

Pressure range: 0-250psi,0-17bar,0-1720kpa,0-17.6kgf/cm<sup>2</sup>

Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm<sup>2</sup>

Pressure unit: psi,bar,kpa,kgf/cm<sup>2</sup>(optional)

Accuracy: ±2 psi F.S.

13FT/4M long rubber hose\*2, 8.2FT/2.5M tube\*4

2.5inch digital meter

1/4NPT connector

Net weight: 3113g

Gross weight:3375g

Dimensions of color box: 35\*22\*12cm

Dimensions of master carton:52\*36\*35.5cm/4pcs/ctn

G.W.: 14.75kgs N.W.: 13.75 kgs

Carry Bag + Color Box

**MOQ: 1000pcs**

ONE STOP SOLUTION TOOLS 81

# DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR WITH LONG HOSE - H1314184BI

**HOTECH** 卓

4 IN 1



**4-Tire Simultaneous Inflation  
with Perfect Pressure Balance**

- **Quick-Connect Valve:** Fast, secure tire attachment.
- **Anti-Kink Hoses:** Flexible, tangle-free design.
- **Digital Gauge:** Clear, precise pressure readings.
- **Quick-Disconnect Storage:** Easy disconnect for neat, compact storage.
- **Versatile Connections:** Fits ARB and standard compressors.
- **Carry Bag:** Durable, standard storage bag.
- **Velcro Straps:** Secure, organized storage.
- **4-Tire Even Inflation:** Balanced pressure for all 4 tires—ideal for modded cars.

Power: 2xAAA battery (include)

On/off key Auto shut off

Copper Bleed valve, copper fast connector

Pressure range: 0-250psi, 0-17bar, 0-1720kpa, 0-17.6kgf/cm<sup>2</sup>

Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm<sup>2</sup>

Pressure unit: psi, bar, kpa, kgf/cm<sup>2</sup> (optional)

Accuracy: ±2 psi F.S.

13FT/4M long rubber hose\*2, 8.2FT/2.5M tube\*4

2.5inch digital meter

1/4NPT connector

Net weight: 3165g

Gross weight: 3427g

Dimensions of color box: 35\*22\*12cm

Dimensions of master carton: 52\*36\*35.5cm/4pcs/ctn

G.W.: 14.77kgs N.W.: 13.77 kgs

Carry Bag + Color Box

**MOQ: 1000pcs**

## DIGITAL TIRE PRESSURE AIR INFLATOR - H131422AI

HOTECH 



USB charging  
On/off key Auto shut off  
brass alloy hose connection  
3.5" dial type gauge with rubber protector  
brass alloy hose connection and release valve (medium)  
large LCD display with clear reading, digit height 25mm  
18" rubber hose  
Pressure range: 0-250psi, 0-17bar, 0-1720kpa, 0-17.6kgf/cm<sup>2</sup>  
Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm<sup>2</sup>  
Pressure unit: psi, bar, kpa, kgf/cm<sup>2</sup> (optional)  
Accuracy:  $\pm 2$  psi F.S.  
Net weight: 516g  
Each in color box  
Gross weight: 650g  
Dimensions of package: 34x13x5.5cm  
Dimensions of master carton: 50x39x30cm/20pcs/ctn  
G.W.: 14 kgs N.W.: 13kgs

**MOQ: 1000pcs**

# DIGITAL GAUGE COMBO WITH TIRE DEFLATORS - H13859TD



More colors more choices



## DIGITAL TIRE PRESSURE GAUGE

Pressure range: 0-150psi 0-10.3bar 0-1034kpa 0-10.5gf/cm<sup>2</sup>  
Pressure unit: psi, bar, kpa, kgf/cm<sup>2</sup> (optional)  
Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm<sup>2</sup>  
Back-Lit LCD and light on gauge's head for easy use in dark condition  
Power: 2xAAA battery (easy battery replacement)  
On/off key  
Auto shut off  
Accuracy: ±1 psi F.S.  
Product size: 13.8 x 5.6 x 2.5cm  
Net weight: 72g

## PREMIUM TIRE DEFLATORS

Range 10-30psi  
compatible with schrader valves  
Automatic exhaust  
100% gas test  
Maximum outer diameter 12mm  
Heavy Duty Designed  
Product size: 5.8X1.2X1.2cm  
Net weight: 30g

**MOQ: 1000pcs**

# POWER BOX

# 20V JOBSITE POWER BOX SPEAKER & RADIO - H213PBR



**USING  
SUMMIT RACING  
20V BATTERY**

**IPX3**

Peak power	100W
Bluetooth version	5.0
Speaker	2*3 inch full frequency speaker
Power supply voltage	100V-240V
Bluetooth connection distance	>30-31 meters
Features	<ol style="list-style-type: none"> <li>1. Three-proof construction site Bluetooth audio, anti-collision, waterproof and dustproof</li> <li>2. The adapter tool is powered by batteries and never cuts o the power supply</li> <li>3. 360-degree aluminum alloy anti-roll body</li> <li>4. DAB digital radio reception, FM tuner</li> </ol>
Product size(cm)	27.4*20.8*21.4cm
Certificate available	CE



**DEWALT**  
12V/20V MAX Portable Bluetooth Radio, Cordless, 100 ft R:  
(DCR028B)

★★★★☆ 3,326  
600+ bought in past month

\$188<sup>47</sup>

✓prime  
FREE delivery Sat, May 11  
Or fastest delivery Wed, May 8

Add to cart

**BENCH MARK**

- **MODEL NO.: H213PBR**
- **MOQ: 500 pcs**

THANK YOU