



ONE STOP SOLUTION TOOLS

## 20V POWER TOOLS SOLUTION

1 Battery System  
for 51+ SKUs =  
30%+ Resale Margin

**HANGZHOU HAOHE TECHNOLOGY CO.,LTD.**

Crystal Zhao / +86 1328 2376 887

Email: [crystal@hochtools.com](mailto:crystal@hochtools.com)

Add: No. 151 Jiangong Road, Gongshu District, Hangzhou City, Zhejiang Province, China

## 20V BRUSHLESS IMPACT SCREW DRIVER– H2186ISD

HOTECH 

### FEATURES

- LED lighting, no fear of working in dark places and dead corners
- High-quality speed control switch, sensitive on and off, long life
- Forward and reverse mode Change the direction of rotation to meet the needs of screwing
- Smart body, can work freely even in a small space
- High-quality Lithium battery, long battery life

### SPECIFICATION

VOLTAGE: 20V

Rated Speed: 1200/1900/2500 /3200rpm

Rated rate: 1400/2200/3000 /40001PM

Max tight torque:60/120/180/230Nm

Anvil size: 6.35mm (1/4 inch)

**Rated power: 500W**

Rated current: 25A

Net Weight: 1Kg

Overall dimension:11 Sx70x205 mm

### Hex socket females hole



**MODEL NO.: H2186ISD**

MOQ: 500pcs

PACKAGING: BMC+COLOR SLEEVE

Test with full charged 4.0AH Battery


Suggest to use Battery: 2.0AH; 4.0AH;  
6.0AH; 7.5AH

# 20V BRUSHLESS 3/8" IMPACT WRENCH 420NM - H806IW



## FEATURES

BRUSHLESS MOTOR  
HPP LEVEL  
HEAVY DUTY DESIGN  
ON-OFF SWITCH  
LED WORK LIGHT  
BATTERY INDICATOR



**MODEL NO.: H806IW**

**Battery and Charger**

**MOQ: 500pcs**

**PACKAGING:  
BMC+COLOR SLEEVE**

## SPECIFICATION

VOLTAGE: 20V  
NO LOAD SPEED: 1850 / 2450RPM  
3/8" IMPACT WRENCH: 420NM/240NM (Sample is for 3/8")  
MAX. LOSING TORQUE:600NM

Adjust the torque setting, the LED light is in **GREEN**.

Adjust to Reverse rotation Auto-Stop Mode, the LED light is in **RED**.

Test with full charged 4.0AH Battery  
Suggest to use Battery: 6.0AH;  
7.5AH

# 20V BRUSHLESS IMPACT DRIVER – 230NM - H2186ID



SAME SIZE AND SAME WEIGHT COMPARE WITH

**DEWALT DCF850 : 205NM**

**MAKITA TD173D: 180NM**

## FEATURES

- BRUSHLESS MOTOR
- HPP LEVEL
- HEAVY DUTY DESIGN
- ON-OFF SWITCH
- LED WORK LIGHT
- BATTERY INDICATOR

## SPECIFICATION

- VOLTAGE: 20V
- NO LOAD SPEED: 0-1200 / 1900 / 2500 / 3200RPM
- IMPACT RATE: 0-1400 / 2500 / 3500 / 4000BPM
- MAX. TORQUE: 230NM
- COLLET SIZE: ¼" (6.35MM)
- DRILLING CAPACITY: M5-M12

SQUARE DRIVE: 1/4"

FORWARD & REVERSE SETTINGS

VARIABLE SWITCH

LED LIGHT

REMOVABLE BELT CLIP



**MODEL NO.: H2186ID**


**Without Battery and Charger**

MOQ: 500pcs

PACKAGING: BMC+COLOR SLEEVE

Test with full charged 4.0AH Battery

Suggest to use Battery: 2.0AH; 4.0AH; 6.0AH; 7.5AH



Adjust the **speed setting**, the LED light is in **GREEN**.

Adjust to (Clockwise rotation)

1. Wood
2. Thin iron
3. Heavy iron
4. Reverse rotation Auto-Stop Mode  
the LED light is **in RED**.

# 20V BRUSHLESS 2-SPEED DRILL – 150NM - H212DSD



SAME SIZE AND SAME WEIGHT COMPARE WITH  
**DEWALT DCD999: 120NM**

## FEATURES

- BRUSHLESS MOTOR
- HPP LEVEL
- HEAVY DUTY DESIGN
- ON-OFF SWITCH
- LONG HANDLE
- LED WORK LIGHT
- BATTERY INDICATOR

**KICK-BACK STOP FUNCTION TO AVOID HAND INJURED**

## SPECIFICATION

- VOLTAGE: 20V
- NO LOAD SPEED: 0-500 / 0-2000RPM
- IMPACT RATE: 0-750 / 0-30000BPM
- MAX. TORQUE: 150NM
- TORQUE SETTING: 20+3
- CHUCK SIZE: 13MM
- DRILLING CAPACITY: 13MM STEEL  
40MM WOOD

TWO SPEED SELECTION(HIGH-LOW)

AUXILIARY HANDLE


CHUCK SIZE: 13MM

FORWARD & REVERSE  
SETTINGS

VARIABLE SWITCH

LED LIGHT

REMOVABLE BELT CLIP



**MODEL NO.: H212DSD**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING:  
BMC+COLOR SLEEVE**



Test with full charged 4.0AH Battery  
Suggest to use Battery: 4.0AH; 6.0AH;  
7.5AH

# 20V BRUSHLESS 1/2" IMPACT WRENCH- 550NM - H8913IW



SAME SIZE AND SAME WEIGHT COMPARE WITH  
**MAKITA DTW300: 350NM**

## FEATURES

BRUSHLESS MOTOR  
HPP LEVEL  
HEAVY DUTY DESIGN  
ON-OFF SWITCH  
LED WORK LIGHT  
BATTERY INDICATOR

## SPECIFICATION

VOLTAGE: 20V  
NO LOAD SPEED: 0-1800 / 0-2300 / 0-2800RPM  
IMPACT RATE: 0-3000 / 0-3500 / 0-4000BPM  
**MAX. TORQUE: 550NM**  
**MAX. LOOSING TORQUE: 800NM**  
SQUARE DRIVE: 1/2" (12.7MM)




**MODEL NO.: H8913IW**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING:  
BMC+COLOR SLEEVE**



Adjust the torque setting, the LED light is in **GREEN**.

Adjust to Reverse rotation Auto-Stop Mode, the LED light is in **RED**.

Test with full charged 4.0AH Battery  
Suggest to use Battery: 4.0AH; 6.0AH; 7.5AH

# 20V BRUSHLESS 1/2" IMPACT WRENCH 750NM - H813IW



SAME SIZE AND SAME WEIGHT COMPARE WITH

**MAKITA: DTW700: 700NM**

SQUARE DRIVE: 1/2"

FORWARD & REVERSE  
SETTINGS

VARIABLE SWITCH

## FEATURES

- BRUSHLESS MOTOR
- HPP LEVEL
- HEAVY DUTY DESIGN
- ON-OFF SWITCH
- LED WORK LIGHT
- BATTERY INDICATOR

## SPECIFICATION

- VOLTAGE: 20V
- NO LOAD SPEED: 0-1400 / 0-1900 / 0-2400RPM
- IMPACT RATE: 0-1500 / 0-2000 / 0-2500BPM
- MAX. TORQUE: 750NM**
- MAX. LOOSING TORQUE: 1000NM**
- SQUARE DRIVE: 1/2" (12.7MM)



LED LIGHT

**MODEL NO.: H813IW**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING:  
BMC+COLOR SLEEVE**



Adjust the torque setting, the LED light is in **GREEN**.

Adjust to Reverse rotation Auto-Stop Mode, the LED light is in **RED**.

Test with full charged 4.0AH Battery  
Suggest to use Battery: 4.0AH; 6.0AH; 7.5AH

# 20V BRUSHLESS 3/4" IMPACT WRENCH 1350NM - H819IW



SAME SIZE AND SAME WEIGHT COMPARE WITH

**MAKITA DTW1001: 1000NM**  
**MILWAUKEE 2767: 1050NM**

## FEATURES

BRUSHLESS MOTOR  
HPP LEVEL  
HEAVY DUTY DESIGN  
ON-OFF SWITCH  
LED WORK LIGHT  
BATTERY INDICATOR

## SPECIFICATION

VOLTAGE: 20V  
NO LOAD SPEED: 900 / 1200 / 1800RPM  
IMPACT RATE: 1750/1300/1100 RPM  
MAX. TORQUE:  
1/2" IMPACT WRENCH: 1000NM  
MAX. DISASSEMBLY TORQUE:1600NM  
3/4" IMPACT WRENCH: 1350NM (Sample is for 3/4" )  
MAX. LOOSING TORQUE: 2000NM

SQUARE DRIVE: 3/4"

FORWARD & REVERSE  
SETTINGS

VARIABLE SWITCH

LED LIGHT



**MODEL NO.: H819IW**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING:  
BMC+COLOR SLEEVE**



Adjust the torque setting, the LED light is in **GREEN**.

Adjust to Reverse rotation Auto-Stop Mode, the LED light is in **RED**.

Test with full charged 7.5AH Battery  
Suggest to use Battery: 6.0AH;  
7.5AH

# 20V BRUSHLESS 3/4" IMPACT WRENCH 1800NM - H828IW



## FEATURES

- BRUSHLESS MOTOR
- HPP LEVEL
- HEAVY DUTY DESIGN
- ON-OFF SWITCH
- LED WORK LIGHT
- BATTERY INDICATOR

## SPECIFICATION

- VOLTAGE: 20V
- NO LOAD SPEED: 1100 / 1300 / 1750RPM
- 3/4" IMPACT WRENCH: 900/1300/1800NM (Sample is for 3/4")
- MAX. LOOSING TORQUE: 2500NM



**MODEL NO.: H828IW**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING:  
BMC+COLOR SLEEVE**



Adjust the torque setting, the LED light is in **GREEN**.

Adjust to Reverse rotation Auto-Stop Mode, the LED light is in **RED**.

Test with full charged 7.5AH Battery  
Suggest to use Battery: 6.0AH;  
7.5AH

## 20V BRUSHLESS 1" IMPACT WRENCH 3000NM - H829IW

HOTECH 

**MODEL NO.: H829IW**

**MOQ: 500pcs**

**PACKAGING:  
BMC+COLOR SLEEVE**

Test with full charged 7.5AH Battery  
Suggest to use Battery: **Double 6.0AH;**  
**Double 7.5AH**

### FEATURES

- Brushless motors are energy efficient
- Super torque easy disassembly
- Wireless restraint for comfortable operation
- Quality battery lasts long

### SPECIFICATION

VOLTAGE: 20V

1" IMPACT WRENCH

**MAX. TORQUE: 3000NM**

**MAX. LOSING TORQUE: 3500NM**

Standard Bolt: M14-M42

High Strength Bolt: M14-M30

Recommended range of socket use:19-65mm



## 20V BRUSHLESS 1" IMPACT WRENCH 3000NM - H829IWL

HOTECH 卓

### FEATURES

- Brushless motors are energy efficient
- Super torque easy disassembly
- Wireless restraint for comfortable operation
- Quality battery lasts long

### SPECIFICATION

VOLTAGE: 20V

1" IMPACT WRENCH

**MAX. TORQUE: 3000NM**

**MAX. LOOSING TORQUE: 3500NM**

Standard Bolt: M14-M42

High Strength Bolt: M14-M30

Recommended range of socket use:19-65mm



**MODEL NO.: H829IWL**

**MOQ: 500pcs**

**PACKAGING:**

**BMC+COLOR SLEEVE**

Test with full charged 7.5AH Battery

Suggest to use Battery: **Double 6.0AH; Double 7.5AH**

ONE STOP SOLUTION TOOLS 11

## 20V BRUSHLESS RATCHET WRENCH – 100NM - H120RW


HOTECH 

MODEL NO.: H120RW

Without Battery and Charger

MOQ: 500pcs

PACKAGING: COLOR BOX



VOLTAGE: 20V

NO LOAD SPEED: 1000RPM / 1300RPM / 1600RPM

MAX. TORQUE: 100NM

MAX. LOOSING TORQUE: 120NM

SQUARE DRIVE: 1/2"

Test with full charged 4.0AH Battery

Suggest to use Battery: 2.0AH; 4.0AH; 6.0AH;  
7.5AH

ONE STOP SOLUTION TOOLS 12

## 20V BRUSHLESS LONG RATCHET WRENCH – 80NM- H122RW


**HOTECH** 卓

**MODEL NO.: H122RW**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**



VOLTAGE: 20V

NO LOAD SPEED: 150RPM/190RPM/220RPM

MAX. TORQUE: 80NM

MAX. LOOSING TORQUE: 100NM

**SQUARE DRIVE: 3/8" OR 1/2"**

Test with full charged 4.0AH Battery

Suggest to use Battery: 2.0AH; 4.0AH; 6.0AH;  
7.5AH

ONE STOP SOLUTION TOOLS 13

## 20V BRUSHLESS SHORT RATCHET WRENCH – 80NM - H121RW


**HOTECH** 卓

**MODEL NO.: H121RW**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**



VOLTAGE: 20V  
NO LOAD SPEED: 150RPM/190RPM/220RPM  
MAX. TORQUE: 80NM  
MAX. LOOSING TORQUE: 100NM

**SQUARE DRIVE: 3/8" OR 1/2"**

Test with full charged 4.0AH Battery  
Suggest to use Battery: 2.0AH; 4.0AH; 6.0AH;  
7.5AH

ONE STOP SOLUTION TOOLS 14

## 20V BRUSHLESS SCT - H9139SCT

HOTECH 



### FEATURE

- Heavy-Duty Industrial construction with a powerful brushless motor
- Gives old metal surfaces a like-new finish
- Constant power control adjustable speed from 1000-3700RPM
- Ergonomics design with straight body and soft grip handle provides comfortable operation.
- Variable speed and slow smooth start-up.
- Constant speed for high working efficiency.
- Ready for any paint, body fillers, wood, rust stripping project
- Lock-on button for continuous operation
- Applicable for wheel size:  $\varnothing$  4.5inch\*1inch ( $\varnothing$ 115\*25mm)

**MODLE NO.: H9139SCT**

**Without Accessory, Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

Test with full charged 4.0AH  
Battery  
Suggest to use Battery: 4.0AH;  
6.0AH; 7.5AH

# 20V BRUSHLESS METAL CUTTING SAW - H1815MS



**MODLE NO.: H1815MS**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**



**Durable Brushless Motor**

4100 RPM provides superior power for fast cutting speed

**Aluminum Dust Collector**

Protects workers from hazardous hot metal debris during cutting

**Soft Grip**

Less user fatigue and better control

**Large cut guide, transparent window and LED light**

Ensure superior view of cutting line

**Stainless steel base**

Reduces chip build-up to prevent surface marring

**Adjusting of cutting depth**

Easy adjusting simply by the adjusting lever

**Hanging hook**

For tool to hang on ladders or easy storage

**Compact design and lightweight**

For less fatigue and easy handling

Test with full charged 4.0AH Battery

Suggest to use Battery: 4.0AH; 6.0AH; 7.5AH

PRODUCT SPECIFICATIONS	
Voltage:	20V DC
No Load Speed	4100RPM
Blade	135*20(5-3/8")-150mm*20(5-7/8")
Max. Cutting Depth	49.5mm for 135mm(5-3/8") blade 57mm for 150mm(5-7/8") blade
Blade	135-150mm (20mm)
Laser Component	Optional*



## 20V BRUSHLESS METAL CUTTING SAW

**HOTECH** 卓

### Market Compo Spec. Comparison

Brand	MILWAUKEE	Hilti	Makita	HAOHE
Photo				
Model#	<b>2782-20 (166USD)</b>	SCM 22 (1,131.USD include battery)	<b>XSC04Z (274USD)</b>	<b>H1815MS</b>
Voltage	20V	20V	20V	20V
No Load Speed	3900RPM	3500RPM	4200RPM	4100RPM
Motor	Brushless	Brush	Brushless	Brushless
Blade Diameter	135-150mm	165mm	136-150mm	135-150mm
Max. cutting depth	150/57mm	165/57mm	150/57.5mm	150/57mm
Electric Brake	Yes	Yes	Yes	Yes
Hanger	Yes	/	/	Yes, Foldable
Position of blade	On the right of the Grip	On the Left of the Grip	On the right of the Grip	On the right of the Grip
Dust Collector	/	Y	Y (Plastic)	Y (AL, resistant to hot metal debris)
Laser component	/	/	/	Optional*

ONE STOP SOLUTION TOOLS 17

## 20V BRUSHLESS ANGLE GRINDER - H1314AG

HOTECH 

### FEATURES

BRUSHLESS MOTOR  
HPP LEVEL  
HEAVY DUTY DESIGN



**MODEL NO.: H1314AG**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING:  
BMC+COLOR SLEEVE**



Adjust the speed setting, the LED light is in **GREEN**.


Test with full charged 4.0AH Battery  
Suggest to use Battery: 4.0AH; 6.0AH;  
7.5AH

### SPECIFICATION

VOLTAGE: 20V  
NO LOAD SPEED: 8000/6500/5500RPM $\pm$ 5%  
DISC SIZE: 4-1/2"  
MAIN SPINDLE SIZE: M10/M14

## 20V BRUSHLESS CORDLESS POLISHER - H7121BP

HOTECH 卓



1x Polishing pad  
1x Sponge  
1x Wool pad  
**WITHOUT BATTERY AND CHARGER**

### Technical Specification

No load speed: 150-2200rpm  
Pad size: 150mm  
Shaft: 5/8-11 Thread

### Features

motor to provide longer life  
Spindle lock function for easy  
changing of polishing pad  
6-speed setting by adjustable wheel,  
adjusts the speed to meet different  
polishing needs.

**MODEL NO.: H7121BP  
(WITHOUT BATTERY AND CHARGER)**

MOQ: 500pcs  
PACKAGING: Color Box

## 20V 6INCH BRUSHLESS VARIABLE SPEED ORBITAL SANDER POLISHER - H125BOP



### FEATURES

HANDLE CAN BE ROTATED  
FOR LEFTHAND AND RIGHTHAND  
90 Degrees + 90 Degrees =180 Degrees  
VERY STRONG POWER  
BIG TORQUE

### SPECIFICATION

VOLTAGE: 20V  
MOTOR: **BRUSHLESS**  
Pad Size: 6"  
Eccentricity: 0.197" (5mm)  
Orbits Per Minute:  
**2500;3000;3600;4000;4600;5000RPM**  
Orbit Length: 5mm  
Handle Rotate Angle: 90 Degree  
Button: Lock-off  
Speed Adjustor: 6 Stage

Accessory: 1pc Polishing Pad  
1pc Finishing Pad  
1pc Wrench  
1pc Auxiliary Handle

PAD SIZE 6"



180° Rotated Handle Switch  
Six Speeds Settings  
Lock-off Button

**MODEL NO.: H125BOP**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

Test with full charged 4.0AH Battery  
Suggest to use Battery: 4.0AH; 6.0AH;  
7.5AH

# 20V BRUSHLESS LONG NOSE DIE GRINDER (NEW) - H6DG



## FEATURE

BRUSHLESS MOTOR FOR EFFICIENT PERFORMANCE AND RUNTIME OF THE DIE GRINDER

Size: 1/4" COLLET NUT

10,000/14,000/18,000/22,000/25,000/29,000RPM

HPP LEVEL

HEAVY DUTY DESIGN

LED NOSE LIGHT

AUTO LOCK

**MODEL NO.: H6DG**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**



2pcs LED Lights



1/4" COLLET NUT

2pcs LED Lights

LOCK-ON

SWITCH

SIX SPEEDS SETTINGS

RUBBER HANDLE

Maintain the same temperature

Soft grip handle



Lock Switch Changed Grinder

## SPECIFICATION

VOLTAGE: 20V

MOTOR: BRUSHLESS

NO LOAD SPEED

SIX SPEEDS SETTINGS: 10,000-29,000RPM

ACCESSORY: 1\*WRENCHES

Test with full charged 4.0AH Battery  
Suggest to use Battery: 2.0AH; 4.0AH;  
6.0AH; 7.5AH

## 20V VAC AND BLOWER- BRUSHED - H4B18VB

HOTECH

### COMPARE TO MAKITA



SIX SPEEDS SETTINGS  
LED LIGHT SWITCH  
180° ROTATED HANDLE SWITCH

VARIABLE SWITCH LOCK  
VARIABLE SWITCH

### FEATURES

VAC AND BLOWER FUNCTION  
CONVERTS TO VACUUM QUICK AND EASILY  
BODY CAN BE ROTATED 180 DEGREES  
6 SPEED SETTING  
LED WORK LIGHT CAN BE ROTATED  
COMPACT DESIGN  
SMALL PACKAGING AFTER ROTATION  
ERGONOMIC RUBBER GRIP PROVIDES  
INCREASED COMFORT

ROTATED LED LIGHT

RUBBER NOZZLE

**MODLE NO.: H4B18VB**

**Without Battery and Charger**


**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

Test with full charged Battery  
Suggest to use Battery: 2.0AH; 4.0AH;  
6.0AH; 7.5AH

**SPECIFICATION**

VOLTAGE: 20V  
MOTOR: BRUSHED  
Air Volume: 3.2m<sup>3</sup> /min  
Max. Power: 330W  
Handle Rotate Angle: 180 degrees  
Casing Rotate Angle: 180 degrees  
Speed Adjustor: 6-Stage  
Button: Lock-Off



# 20V LI-ION BRUSHLESS RIVETER TOOL— 4.0~6.4MM - H6413R



## SPECIFICATION

VOLTAGE: 20V  
NO LOAD SPEED:  
MAX. PULLING FORCE: 20,000N  
STROKE: 28mm  
Size: 1/4"  
BLIND RIVETS: 4.0mm(5/32),4.8mm(3/16),  
6.0mm, 6.4mm(1/4")



Automatic riveting and manual riveting:  
you only need to press the trigger for 10 seconds,  
the LED of the foot board starts to flash and the  
control mode switching is completed.

Extra slim front sleeve only 23mm

LED LIGHT  
TOUCH SWITCH

REPLACE RIVETS SIZE  
4.0mm(5/32),4.8mm(3/16),  
6.0mm,6.4mm(1/4")

REMOVABLE  
BELT CLIP



Transparent mandrel cup

**MODEL NO.: H6413R**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING:  
COLOR BOX**

## ALL MATERIALS

- Aluminium
- Steel
- Stainless Steel
- Copper alloys

Test with full charged 2.0AH Battery  
Suggest to use Battery: 2.0AH; 4.0AH;  
6.0AH; 7.5AH

# 20V LI-ION BRUSHLESS RIVETER TOOL- 4.0~6.4MM - H6413R



## FEATURES

ERGONOMY  
LOW WEIGHT

High performance  
Brushless motor. High efficiency, durability and longer life.

Set up rivets in second.  
Extra slim front sleeve only 23mm  
Quick-release mechanism easy to change jaw sets  
Quick-start one-click-to-run function trigger TOUCH SWITCH

Illuminate LED, also use for status reminder  
Soft grip ideal for all hand sizes.  
Belt clip for application plate  
LED control display, Green, Yellow, Red LEDs show the different

20V Li-ion rechargeable battery with state-of-charge indicator  
warning status

Auto or Manual control, tool has Auto mode, the tool will judge  
The mandrel broken precisely and auto return  
Manual Mode can do stroke control by trigger-press delays.

KEEP THE RIVETING CYCLES AS SHORT AS POSSIBLE.



Makita XVR02Z 18V  
Cordless Rivet Tool,

Visit the Makita Store  
5.0 ★★★★★ 1 rating

\$1,579<sup>00</sup>

FREE Returns

Pay \$131.58/month for 12 mon

Available at a lower price from ot

- Bl Brushless motor delivers 20
- Installs rivets up to 1/4" (6.4m
- 30mm Stroke sets most rivets i

Safety design if transparent mandrel cup missing tool  
show warning and cant's use avoid pin shot-out injuring.



RETENTION NOSEPIECE  
EXTENSION LONGER SLEEVE  
SHORTER REAR CAP

# 20V GREASE GUN – BRUSHED - H79131GG



COMPARE TO DEWALT



## FEATURES

- HIGH PRESSURE UP TO 10000psi
- VARIABLE SPEED
- STEEL GREASE TUBE
- BRIGHT LED LIGHT
- LOCK ON SWITCH

## SPECIFICATION

- VOLTAGE: 20V
- Max Pressure: 10000PSI
- Max flow rate: 9 oz/min, 282g/min
- Hose Length: 82cm / 32inch
- Barrel material: Stainless steel
- Barrel Capacity: 16 oz. bulk or 14 oz. cartridge
- 2.0Ah per charge pumps up to: 6.5pcs 14 oz grease Cartridges
- Variable speeds: 5 gears
- Should strap: optional

MODEL NO.: H79131GG

Without Battery and Charger

MOQ: 500pcs

PACKAGING: COLOR BOX

Five Speeds Settings

Lock-off Button Switch

LED Light

Exhaust Valve

32" Long and Flexible Hose

High-Volume Pump Pushes up to 9OZ/min

Pipe Buckle



Test with full charged 4.0AH Battery  
Suggest to use Battery: 4.0AH; 6.0AH; 7.5AH

## 20V BRUSHLESS METAL CUTTING SHEAR - H9122MS

**HOTECH** 卓



**MODLE NO.: H9122MS**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

VOLTAGE: 20V

**Shear can be rotated 360°  
to cut straight or irregular shapes**

STRIKES PER MINUTE: 0-3000SPM

MAXIMUM STEEL CUTTING: 1.5MM (16 gauge; 0.0598")

MAXIMUM ALUMINUM CUTTING: 1.9MM (13 gauge; 0.0897")

MAXIMUM STAINLESS CUTTING : 1.5MM

Test with full charged 4.0AH Battery  
Suggest to use Battery: 4.0AH; 6.0AH;  
7.5AH

ONE STOP SOLUTION TOOLS 26

# 20V JOBSITE POWER BOX SPEAKER & RADIO - H213PBR



**USING  
SUMMIT RACING  
20V BATTERY**

Peak power	100W
Bluetooth version	5.0
Speaker	2*3 inch full frequency speaker
Power supply voltage	100V-240V
Bluetooth connection distance	>30-31 meters
Features	<ol style="list-style-type: none"> <li>1. Three-proof construction site Bluetooth audio, anti-collision, waterproof and dustproof</li> <li>2. The adapter tool is powered by batteries and never cuts o the power supply</li> <li>3. 360-degree aluminum alloy anti-roll body</li> <li>4. DAB digital radio reception, FM tuner</li> </ol>
Product size(cm)	27.4*20.8*21.4cm
Certificate available	CE



**DEWALT**  
12V/20V MAX Portable Bluetooth Radio, Cordless, 100 ft R:  
(DCR028B)

★★★★☆ 3,326  
600+ bought in past month

\$188<sup>47</sup>

✓prime  
FREE delivery Sat, May 11  
Or fastest delivery Wed, May 8

Add to cart

**BENCH MARK**

- **MODEL NO.: H213PBR**
- **MOQ: 500 pcs**
- **NOT INCLUDING BATTERY & CHARGER**

# 20V DRY&WET VACUUM CLEANER – H7687DWVC



## BRUSHLESS



Cordless operation powered by 20V MAX battery. Specific uses: Dual action. Easily accessible, washable/reusable filter. Heavy-duty, crush-resistant, fully-integrated 5' hose provides durability, flexibility, and ease-of-use. On-board hose and accessory storage makes the vacuum easy to carry/transport. 10L tank capacity provides enough storage to empty a toilet or clogged pipe.

### PRODUCT SPECIFICATIONS

Working Voltage: 20Volt DC Max / 200W (recommended to use 2.0AH/4.0AH)  
 Motor: DC Brushless Motor  
 Maximum Airflow: 48.5 CFM  
 Low Suction Mode: 1.31 PSI, up to 40 minutes (4.0Ah)  
 High Suction Mode: 2.32 PSI, up to 20 minutes (4.0Ah)  
 Tank Capacity: 10L  
 Tank Material: PP



When the battery is fully charged, all three green LEDs will light up; when the battery is low, one green LED will blink; and when water level protection is activated, the LED will automatically TURN OFF.

## BENCHMARK



**20V** DEWALT 20V MAX Cordless Wet-Dry Vacuum, Tool Only (DCV580H), Black, Yellow, 17.10 Inch x 12.80 Inch x 12.30 Inch  
 Visit the DEWALT Store  
 4.5 ★★★★★ - 6,570 ratings  
 Amazon's Choice in Shop Wet Dry Vacuums by DEWALT  
 3K+ bought in past month

-2.1% **\$125.42**

List Price: \$129.00

FREE Returns

Get \$50 off instantly: Pay \$75.42 \$125.42 upon approval for Amazon Visa. No annual fee.

Available at a lower price from other sellers that may not offer free Prime shipping.

Brand DEWALT

**MODEL NO.: H7687DWVC**

MOQ: 500pcs

Color Box  
 400x270x270/4kgs



- |                  |                     |                             |                     |
|------------------|---------------------|-----------------------------|---------------------|
| 1. Battery Cover | 5. Switch           | 9. 6.56-ft Hose             | 13. Buckle          |
| 2. Handle        | 6. Crevice Nozzle   | 10. HEPA Filter             | 14. Hose Rack(3pcs) |
| 3. Hose Port     | 7. Wide Nozzle      | 11. Universal Wheels (4pcs) | 15. Top Cover       |
| 4. LED Light     | 8. Flat Nozzle Hose | 12. Plastic Barrel          |                     |

## 20V STORM-X SUPER POWER BRUSHLESS DRYER BLOWER- H13773SDB

HOTECH 

**STORM-X20 is your go-to solution for car care, home use, and beyond.**



### SPECIFICATIONS

Air Flow Speed:0-127m/s  
Speed:35000rpm  
Air speed max.:50M/S  
Air Max.:11N  
Air qty max.:10.4m2/min  
2-Speed setting  
Working time: 7min. for High  
15min. for Low

### STORM-X20 SUPER POWER BRUSHLESS DRYER BLOWER

#### •Portable & Easy to Use:

Lightweight and compact design for ultimate convenience anywhere.

#### •Powered by Summit Racing 20V Batteries (4.0Ah recommended):

Enjoy extended usage with reliable, long-lasting power.

#### •Multi-Functional Versatility:

- Car wash dryer blower
- Clears snow from cars with ease.
- Blows away leaves, dust, and wood chips effortlessly.
- Works as a short-hair dryer

- **MOQ: 1000 pcs**
- **COLOR BOX**

## COMPARE WITH OTHER BRAND

HOTECH 卓

CAR INTERIOR CLEANING



STORAGE SHED DUST BLOWING



SNOW REMOVAL



CAR WASH AND BLOW DRY



## 20V 7" JOBSITE FAN – H13718F

HOTECH 

**HOT SELLING**  
20,000/Year



**Power source:** 20V  
**Fan speed:** 1200-2000rpm  
**Wind Blade Diameter:** 7" (240mm)  
**Flow:** 2600/3600/4300CFM  
Working time with 4.0A battery:  
1. Setting: 10 Hours  
2. Setting: 5 Hours  
3. Setting: 4 Hours

**Features:** Three speed adjustable, timing function, 360 degree rotation, Antivibration feet, light weight, easy to carry

Unit packing: 27\*17\*29.5cm  
Master carton: 87.5\*55.5\*31.5cm/10pcs/9.4/11.7kgs

**MOQ: 500pcs**

## 20V BRUSHLESS RECIPROCATING SAW - H881502RS

**HOTECH** 卓



**MODEL NO.: H881502RS**  
**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

No load speed: 0-3000 SPM

Stroke: 22mm

Cutting capacity: wood: 100mm  
metal tube: 50mm

Variable speed trigger

Quick blade release

Soft grip handle

Test with full charged 4.0AH Battery

Suggest to use Battery: 4.0AH; 6.0AH;  
7.5AH

## 20V BRUSHLESS RECIPROCATING SAW - H145RS

**HOTECH** 卓



**MODLE NO.: H145RS**  
**Without Battery and Charger**

**MOQ: 500pcs**  
**PACKAGING: COLOR BOX**

Battery Voltage	20V
Battery Capacity	1.5/4.0Ah
Strokes Per Minute	0-3000spm
Charge Current	1.5/2.0A
Max.Cutting Capacity(tube)	50mm(2")
Max.Cutting Capacity(wood)	50mm(2")
Length of Stroke:	15mm
Case Qty:	5pcs/ctn
G.W./N.W	17/15kgs
Packing Size:	57x36x32cm
Container 20'/40'/40'HQ	2135/4420/5180pcs

Test with full charged 4.0AH Battery  
Suggest to use Battery: 4.0AH; 6.0AH;  
7.5AH

ONE STOP SOLUTION TOOLS 33

## 20V BRUSHLESS METAL CUTTING JIG SAW - H881603JS

**HOTECH** 卓



**MODLE NO.: H881603JS**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

VOLTAGE: 20V

NO LOAD SPEED: 800-3800SPM

STROKE: 26MM

ADJUSTABLE BASE: 45 DEGREE  
WITH LED LIGHT

MAXIMUM STEEL CUTTING: 10MM

MAXIMUM ALUMINUM CUTTING: 20MM

WOOD CUTTING : 135MM


Test with full charged 4.0AH Battery

Suggest to use Battery: 2.0AH; 4.0AH

# 20V CORDLESS HEAT GUN - H142HG



Accessories: 8pcs nozzle



Test with full charged 4.0AH Battery  
Suggest to use Battery: 2.0AH;  
4.0AH; 6.0AH; 7.5AH

**MODEL NO.: H142HG**  
**Without Battery and Charger**

**MOQ: 1000pcs**  
**PACKAGING: COLOR BOX**

## FEATURES

- 10seconds to heat up to 300°C, 50seconds to 550°C
- Brushed motor for longer lifetime and lower noise
- With soft grip on handle for comfortable grap during use.
- With LED light
- LCD display screen
- Run time: > 13min for 4.0AH Battery
- Foldable hanging hook
- **Ceramic heating**

Stage I: temperature 30-400°C;  
Air flow volume 100 L/min  
Stage II: temperature 30-550°C;  
Air flow volume 200 L/min

## 20V CORDLESS HEAT GUN - H1421HG

HOTECH 卓

### FEATURES

- Quick temperature rising (7 seconds)
- Stable temperature
- Big torque with small body
- With soft grip on handle for comfortable grasp during use
- With Belt hook
- With LED lighting

### SPECIFICATION

- Voltage: 20VDC
- Low: 280°C
- HIGH: 530°C
- 3 Nozzles included

- Packaging: Brown Box
- MOQ: 1000PCS



# 20V CORDLESS HEAT GUN - H1421HG




## FEATURES

Dual Power Output  
LCD Digital Display  
Fast Preheating & Cordless  
Non-Drip & Smooth Gluing  
Extensive Use: The heavy duty glue gun works with plastic, glass, paper, cotton and other materials. Ideal for DIY crafts, art, daily home repairs, making Christmas decorations and gifts and more crafting projects you are interested in

## SPECIFICATION

<b>Working Power</b>	100W
<b>Battery</b>	20V Lithium-ion Battery
<b>AC Input</b>	110-230V
<b>Glue Sticks</b>	11x150mm / 0.43x6 inch

Packaging: Brown Box  
MOQ: 2000PCS



## 20V BRUSHLESS BELT SANDER - H141BS

**HOTECH** 卓



**MODLE NO.: H141BS**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

**Belt Sander Size:**

457×15mm

**No load speed:**

8500 r/min;6500r/min; 4200r/min

**Linear speed:**

10m/s;7.5m/s;5m/s

**Soft grip handle**

**Test with full charged 4.0AH Battery**

**Suggest to use Battery: 4.0AH; 6.0AH;  
7.5AH**

## 20V AIR INFLATOR - BRUSHED

HOTECH 卓



VOLTAGE: 20V  
Max Pressure: 160PSI / 11Bar / 1100Kpa  
Air Flow: 12l/min  
Inflator Hose Length: 500mm  
Pressure Gauge: Digital  
Accessory: 1 x Ball Adaptor  
1 x Tire Valve Adaptor  
1 x Air Bed Adaptor

**MODEL NO: H991CI**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

## 20V BRUSHLESS ROTARY HAMMER – H5328RH

HOTECH 

### FEATURES

- SDS plus system
- KickBack Control
- Function switch with four function: Hammer and Rotate; Hammer Only; Rotate Only, chiselling adjustment
- 360-degree auxiliary handle for improved drilling control
- Chiselling angle adjustable by variable lock in 12-step
- Anti-Vibration system, ergonomic anti-vibration main handle
- Variable speed trigger for accurate hole starting
- LED job light with after-glow feature illuminates work area
- Ergonomic soft rubber grip design for vibration absorption and comfortable operation
- One-touch sliding SDS-PLUS chuck for easy bit installation and removal



### MODEL NO.: H5328RH

MOQ: 500pcs

PACKAGING: BMC+COLOR SLEEVE

Test with full charged 4.0AH Battery

Suggest to use Battery: 2.0AH; 4.0AH; 6.0AH; 7.5AH

### SPECIFICATION

VOLTAGE: 20V

No load speed: 1200RPM

Impact rate: 5200bpm

Max diameter (Steel ): 13mm

Max diameter (Concrete): 28mm

Max diameter (Wood): 40mm

**Rated power: 630W**

Rated current: 30A

### INCLUDE

1\* Grease Bottle

1\* Wrench

1\* Depth Gauge

ONE STOP SOLUTION TOOLS 40

## 20V BRUSHLESS ROTARY HAMMER - H26RH

HOTECH 卓

### FEATURES

- Portable brushless, easy to complete the drilling work
- Sprain prevention, protect user safety
- Three-speed function adjustment to meet the needs of different working conditions
- Step less autonomous speed regulation, tile drilling does not break

### MODEL NO.: H26RH

MOQ: 500pcs

PACKAGING: BMC+COLOR SLEEVE

Test with full charged 4.0AH Battery

Suggest to use Battery: 2.0AH; 4.0AH; 6.0AH; 7.5AH

### SPECIFICATION

VOLTAGE: 20V

Rated speed:1500RPM

Rated rate: 5500bpm

Max diameter (Steel ):13mm

Max diameter (Concrete):24mm

Max diameter (Wood):30m

**Rated power: 950W**

Rated current: 45A



## 20V BRUSHLESS THREADING MACHINE – H801TM

HOTECH 

### FEATURES

Building hydropower / Home improvement water and electricity Telecommunication/ Fire monitoring, etc.

- Brushless motor, high efficiency and energy saving
- Four-wheel direct drive strong torque
- Infinitely variable speed, easy covering
- Single-person work is easy and labor-saving
- Lithium battery threading, one key to bend easily

### SPECIFICATION

VOLTAGE: 20V

No-load speed: 2600 RPM

Max Pulling Pushing speed: 40 M/Min $\pm$ 5%

Max Pulling force: 80KG $\pm$ 10%

Max pushing length: 30M $\pm$ 5%

Rated power: 1050W

Rated current: SOA

Auto-pulling stop: YES

Net weight 4.7Kgs (bare machine )


**MODEL NO.: H801TM**

MOQ: 500pcs

PACKAGING: BMC+COLOR SLEEVE

Test with full charged 4.0AH Battery

Suggest to use Battery: 2.0AH; 4.0AH; 6.0AH; 7.5AH



## 20V BRUSHLESS CIRCULAR SAW – H140CS

HOTECH 

### FEATURES

- Brushless motor for efficient cutting 0-handle fully closed operating space
- Excellent balance and easy operation
- Small and light weight, suitable for climbing work
- LED work light for easy cutting



### SPECIFICATION

VOLTAGE: 20V

Rated current: 45A

Saw blade size:140mm(5.5")

**Cutting depth: 52mm**

Rated power: 900W

No-load speed:7000RPM

Maximum bevel angle:45 degree

Net weight-2.4Kgs

**MODEL NO.: H140CS**

MOQ: 500pcs

PACKAGING: BMC+COLOR SLEEVE

Test with full charged 4.0AH Battery

Suggest to use Battery: 2.0AH; 4.0AH;  
6.0AH; 7.5AH

## 20V Brushless Mini Circular Saw ( H88186MCS )

**OSTOOLS**  
ONE STOP SOLUTION TOOLS



### FEATURE

1. COMPACT LIGHTWEIGHT DESIGN
2. METAL GEAR CONSTRUCTION FOR IMPROVED LIFE AND DURABILITY
3. SAFETY SWITCH PREVENTING UNINTENTIONAL SWITCH-ON
4. ON/OFF SWITCH WITH QUICK STOP FUNCTION
5. EASY BEVEL ADJUSTMENTS TO CUT THE MOST COMMON ANGLES
6. EASY CUTTING DEPTH ADJUSTMENTS
7. LOCK ON SWITCH
8. REINFORCED SHOE WITH INTEGRATED DUST PORT AND UPPER GUARD FOR IMPROVED DURABILITY
9. SOFT GRIP HANDLE FOR COMFORT AND CONTROL



### SPECIFICATION

Power: Brushless Motor  
No load speed: 5000RPM  
Blade Dia: 115mm (4-1/2")  
Arbor Size: 9.5mm (3/8")  
Adjustable cutting angle: 0-45°  
Max. Cutting Depth: 42.8mm(1-11/16") -90°  
28mm(1-1/8")-45°

Plastic protective cover

Accessories:  
With 1pc (4-1/2") TCT blade (24T)  
1pc hex key  
1pc dust tube  
1pc guider

**Model: H88186MCS**

**(Price without battery and charger)**

**MOQ: 500pcs**

**Packaging: Color Box**

# BRUSHLESS ROUTER - H768BR

## BRUSHLESS MOTOR




SPECIFICATION	
Battery voltage(V)	20V
No load speed(r/min)	10000-30000 rpm
Collet Size	6mm
PACKING INFO RMATION	
Case Qty:	4pcs/ctn
G.W./N.W.	18/16kgs
Packing Size:	48x34x26cm

# BRUSHLESS ROUTER - H768BR-15 with Trimmer Base



Round base can achieve smoothly and fast cutting by a simple operation



Trimmer base



## Accessories:

- 1\* BRUSHLESS ROUTER body
- 1\* **Trimmer base**
- 1\* 22mm open end wrench
- 1\* 6mm collet
- 1\* Straight guide ruler
- 1\* Trimmer guiding
- 1\* Transparent cover
- 1\* M4x20 plastic handle screw
- 1\* Pair of carbon brush
- 1\* Tool bag


- MODEL NO.: H768BR-15
- MOQ: 500pcs
- **(WITHOUT BATTERY AND CHARGER)**
- PAYMENT: 30% ADVANCE, 70% BL COPY
- SAMPLE: 7DAYS
- LEAD TIME: 60DAYS

# BRUSHLESS ROUTER - H768BR-19 with Trimmer and Plunge Base

**OSTOOLS**  
ONE STOP SOLUTION TOOLS



Round base can achieve smoothly and fast cutting by a simple operation



Trimmer base

Round handle, precision cutting depth adjustment, Plunge capacity:0-35mm



Plunge base (Option)



Accessories:

- 1\* BRUSHLESS ROUTER body
- 1\* Trimmer base
- 1\* Plunge base
- 1\* 22mm open end wrench
- 1\* 6mm collet
- 1\* Straight guide ruler
- 1\* Trimmer guiding
- 1\* Transparent cover
- 1\* M4x20 plastic handle screw
- 1\* Pair of carbon brush
- 1\* Tool bag

- MODEL NO.: H768BR-19
- MOQ: 500pcs
- **(WITHOUT BATTERY AND CHARGER)**
- PAYMENT: 30% ADVANCE, 70% BL COPY
- SAMPLE: 7DAYS
- LEAD TIME: 60DAYS

## 20V 6000LUMEN LED WORK LIGHT WITHOUT STAND - H687WL (LED LIGHT ONLY)

**HOTECH** 卓



**Bulb: COB LED**

**Battery : battery pack**

**Modes: Low / OFF / High / OFF**

**Max output and Run time :**

**Low mode (battery pack) : 1800 lm @ 6 hrs**

**High mode (battery pack) : 6000 lm @ 3 hrs**

**Low mode (AC) : 1000 lm**

**High mode (AC) : 3200 lm**

**Charger: 18V 2A**

**Size: 250x140x300 mm**

**Weight: 2460 g (without charger , battery pack)**

**Water proof : IPX4**

The charger is only for the lighting power , not charge for the battery , please note.

Strong magnet on bottom  
connect hole on bottom

The price is included one of the Battery convertors

**MODLE NO.: H687WL**

**Without Battery and Charger**

**MOQ: 1000pcs**

**PACKAGING: COLOR BOX**

Test with full charged 4.0AH

Battery

Suggest to use Battery: 4.0AH;

6.0AH; 7.5AH

20V 6000LUMEN LED WORK LIGHT **STAND ONLY** - H687WL STAND



**MODLE NO.: H687WL STAND**

**Without LED Light**

**MOQ: 1000pcs**

**PACKAGING: COLOR BOX**

Open Size: 740\*1500mm  
Close Size: 60\*60\*640mm

# 20V 7000 LUMEN TRIPOD LED WORK LIGHT - H136947WL

**OSTOOLS**  
ONE STOP SOLUTION TOOLS



Bulb: white SMD(6000-7000K) & warm SMD LED (3500-4500K)

Battery : battery pack

Max output : 2000 lm / 7000 lm (white )  
2000 lm / 7000 lm (warm)  
1000 lm / 3500 lm ( AC )

Run time : 9 hrs / 2.5 hrs  
9 hrs / 2.5 hrs

Charger: 18V 2A

Size:180x145x440 mm

Weight: 2850 g (without charger , battery pack)

Water proof : IPX4

The charger is only for the lighting power , not charge for the battery , please note.

Strong magnet on bottom

Hook on bottom

1/4" connect hole on bottom

The price is included one of the Battery convertors

Adaptor , choose 1 pcs below , total 6 options.

Milwaukee、BOSCH-PRO 、Bosch-Green、MAKITA、DEWALT、FLEX

MODEL NO.: H136947WL

**MOQ: 1000pcs**

## 20V 7000 LUMEN TRIPOD LED WORK LIGHT - H136947WL

**OSTOOLS**  
ONE STOP SOLUTION TOOLS



Height: 1.7 meters  
Main Material : Aluminium + Plastic  
Connect hole : 1/4" (change to M16)  
Weight:3.4 kgs  
Fold dimension : 148x215x600 mm

ONE STOP SOLUTION TOOLS 51

## 20V BATTERY HOLDER - H1413BH

**HOTECH** 卓



Great idea for your 20V power tools battery storage rack for convenience and easy access to your most important garage instruments.

It has a stable design with heavy duty 2mm thickness metal sheet. We've added the Eastwood logo so everyone will know who's keeping your tools safe.

Holding for 5 EASTWOOD 20V batteries  
5 Battery covers (H131PC) are included

Overall Dimensions 21.6 " (550mm) L x 8" (205mm) W



Laser Cut EASTWOOD LOGO

**MODEL NO.: H1413BH**

**MOQ: 500pcs**

**PACKAGING: Brown Box**

ONE STOP SOLUTION TOOLS 52

## 20V POWER TOOLS LI-ION BATTERY FAST CHARGER 2.3A - H18BC23A



### FEATURES

BIG CURRENT 2.3A  
FOR CHARGING ALL BATTERIES

### SPECIFICATION

VOLTAGE: 21V  
CURRENT: 2.3A  
CERTIFICATION: CE, CB, PSE,  
ETL

CHARGING RED LED INDICATOR  
FULL POWER GREEN LED INDICATOR



**MODEL NO.: H18BC23A**

**Without Battery and Charger**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

## 20V POWER TOOLS LI-ION BATTERY **FAST CHARGER** 4.0A - H18FBC4A

**HOTECH** 卓

### FEATURES

BIG CURRENT 4.0A  
FOR CHARGING ALL BATTERIES  
For 2000mAH - H1PLB2 battery: 28Min.  
For 4000mAH - H2PLB4 battery: 60Min.  
For 6000mAH - H3PLB6 battery: 90Min.  
For 7500mAH - H3PLB75 battery: 100Min.

**MODEL NO.: H18FBC4A**

**Battery Charger ONLY**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

CHARGING RED LED INDICATOR  
FULL POWER GREEN LED INDICATOR



**RADIATING FAN**

### SPECIFICATION

VOLTAGE: 21V  
CURRENT: **4.0A FAST CHARGER**  
CERTIFICATION: CE, CB, PSE,  
ETL (we will do ETL certification, the  
time is around 70days)  
Wire Length: 1.8m

## 20V USB CHARGER ADAPTER - H131CA

**HOTECH** 卓

### VOLTAGE: 20V

USB OUTPUT VOLTAGE: 5.0V  
USB OUTPUT CURRENT: 2.0A  
2 \* 5.0V USB PORTS

WORK FOR 20V LITHIUM-ION BATTERY:  
**H1PLB2 / H2PLB4 / H3PLB 6 / H3PLB6 /  
H3PLB75**



**MODEL NO.: H131CA**

**Without Battery and Power cord**

**MOQ: 1000pcs**

**PACKAGING: COLOR BOX**

LED LIGHT



## 20V POWER TOOLS LI-ION BATTERY – 2000mAh - H1PLB2

HOTECH 卓

### FEATURE AND SPECIFICATION

VOLTAGE: 20V  
CAPACITY: 2000mAh  
HIGH INDUSTRY PLASTIC HOUSING WITH RUBBER PROTECTION  
PASS DROP TEST WITH 1.8METER  
Dual light panel power display, linkage power display patented structure  
LED BATTERY INDICATOR

### PCB PROTECTION

- ① The highest standard in the PCB motherboard industry is 2.0S copper foil thickness, which can carry greater discharge capacity;
- ② 3Mos high current scheme;
- ③ Full package protection scheme: high current electronic overcurrent protection, mechanical fuse short circuit protection, single section high voltage protection, single section low voltage protection, single section differential pressure protection, dual charging MOS protection, charging temperature rise protection, discharge temperature rise protection, and other full protection schemes can improve the safety and market compatibility of the battery pack;
- ④ Pure nickel strip process, nickel strip protrusion welding process, nickel strip stamping shock absorption process, improving the reliability and stability of nickel strip under high-strength working conditions

POWER DISPLAY BUTTON

BATTERY STATES LED INDICATOR



**MODEL NO.: H1PLB2**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

POWER DISPLAY BUTTON



H131PC

BATTERY PROTECTIVE COVER  
Optional

ONE STOP SOLUTION TOOLS 56

## 20V POWER TOOLS LI-ION BATTERY – 4000mAh - H2PLB4



### FEATURE AND SPECIFICATION

VOLTAGE: 20V  
CAPACITY: 4000mAh  
HIGH INDUSTRY PLASTIC HOUSING WITH RUBBER PROTECTION  
PASS DROP TEST WITH 1.8METER  
Dual light panel power display, linkage power display patented structure  
LED BATTERY INDICATOR

### PCB PROTECTION

- ① The highest standard in the PCB motherboard industry is 2.0S copper foil thickness, which can carry greater discharge capacity;
- ② The 4Mos high current scheme, with the addition of a patented unique heat dissipation fin structure, can improve the heat dissipation capacity and overload capacity of the discharge MOS;
- ③ Full package protection scheme: high current electronic overcurrent protection, mechanical fuse short circuit protection, single section high voltage protection, single section low voltage protection, single section differential pressure protection, dual charging MOS protection, charging temperature rise protection, discharge temperature rise protection, and other full protection schemes can improve the safety and market compatibility of the battery pack;
- ④ Pure nickel strip process, nickel strip protrusion welding process, nickel strip stamping shock absorption process, improving the reliability and stability of nickel strip under high-strength working conditions

POWER DISPLAY BUTTON

BATTERY STATES LED INDICATOR



**MODEL NO.: H2PLB4**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

POWER DISPLAY BUTTON



H131PC

BATTERY PROTECTIVE COVER

Optional

## 20V POWER TOOLS LI-ION BATTERY – 6000mAh - H3PLB6

HOTECH 卓

Suitable for 1350NM IMPACT WRENCH

### FEATURE AND SPECIFICATION

VOLTAGE: 20V

CAPACITY: 6000mAh

HIGH INDUSTRY PLASTIC HOUSING WITH RUBBER PROTECTION  
PASS DROP TEST WITH 1.8METER

Dual light panel power display, linkage power display patented structure  
LED BATTERY INDICATOR

### PCB PROTECTION

① The highest standard in the PCB motherboard industry is 2.0S copper foil thickness, which can carry greater discharge capacity;

② The 4Mos high current scheme, with the addition of a patented unique heat dissipation fin structure, can improve the heat dissipation capacity and overload capacity of the discharge MOS;

③ Full package protection scheme: high current electronic overcurrent protection, mechanical fuse short circuit protection, single section high voltage protection, single section low voltage protection, single section differential pressure protection, dual charging MOS protection, charging temperature rise protection, discharge temperature rise protection, and other full protection schemes can improve the safety and market compatibility of the battery pack;

④ Pure nickel strip process, nickel strip protrusion welding process, nickel strip stamping shock absorption process, improving the reliability and stability of nickel strip under high-strength working conditions

POWER DISPLAY BUTTON

BATTERY STATES LED INDICATOR



**MODEL NO.: H3PLB6**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**

POWER DISPLAY BUTTON



H131PC

BATTERY PROTECTIVE COVER  
Optional

ONE STOP SOLUTION TOOLS 58

# 20V POWER TOOLS LI-ION BATTERY – 7500mAh - H3PLB75




Suitable for 1350NM+ IMPACT WRENCH

## FEATURE AND SPECIFICATION

VOLTAGE: 20V  
CAPACITY: 7500mAh  
HIGH INDUSTRY PLASTIC HOUSING WITH RUBBER PROTECTION  
PASS DROP TEST WITH 1.8METER  
Dual light panel power display, linkage power display patented structure  
LED BATTERY INDICATOR

### PCB PROTECTION

- ① The highest standard in the PCB motherboard industry is 2.0S copper foil thickness, which can carry greater discharge capacity;
- ② The 4Mos high current scheme, with the addition of a patented unique heat dissipation fin structure, can improve the heat dissipation capacity and overload capacity of the discharge MOS;
- ③ Full package protection scheme: high current electronic overcurrent protection, mechanical fuse short circuit protection, single section high voltage protection, single section low voltage protection, single section differential pressure protection, dual charging MOS protection, charging temperature rise protection, discharge temperature rise protection, and other full protection schemes can improve the safety and market compatibility of the battery pack;
- ④ Pure nickel strip process, nickel strip protrusion welding process, nickel strip stamping shock absorption process, improving the reliability and stability of nickel strip under high-strength working conditions;



**MODEL NO.: H3PLB75**

**MOQ: 500pcs**

**PACKAGING: COLOR BOX**



## 20V TOOLS CABINET - H5TC

**HOTECH** 卓



### Feature

1. There are mainly two functions: Storage and Portable Handling
2. Can be installed in workshops, home garages, woodworking workshops
3. The main body of the product adopts SPCC high-quality cold rolled sheet, with strong ductility and high strength
4. Knock-Down system
5. Soft rubber rings are installed on both sides in order to offering comfortable feeling when move it.
6. The bottom hanging groove can simultaneously hang four electric tools and is equipped with soft rubber rings
7. Equipped with wire holes on both sides for convenient enclosed charging
8. Product size: 406\*280\*470mm
9. Package Size: 485\*420\*115mm
10. N.W: 7.8Kg; G.W: 8.8Kg

**MODEL NO.: H5TC**

**MOQ: 1400pcs**

**PACKAGING: COLOR BOX**

ONE STOP SOLUTION TOOLS 60


## 20V TOOLS CABINET - H6TC

HOTECH 



### Feature

1. There are mainly two functions: Storage and Portable Handling
2. Can be installed in workshops, home garages, woodworking workshops
3. The main body of the product adopts SPCC high-quality cold rolled sheet, with strong ductility and high strength
4. Knock-Down system
5. The cabinet door have side panel to provide space for tools
6. The bottom hanging groove can simultaneously hang four electric tools and is equipped with soft rubber rings
7. Product size: 430\*214\*310mm
8. Package Size: 450\*230\*105mm
9. N.W: 4.3Kg; G.W: 5.3Kg



Scratchproof powder coating,  
with environmental friendly material

**MODEL NO.: H6TC**

**MOQ: 3018pcs**

**PACKAGING: COLOR BOX**

THANK YOU