



ONE STOP SOLUTION TOOLS



AUTO BODY REPAIR & PAINT SOLUTION

HANGZHOU HAOHE TECHNOLOGY CO.,LTD.

Crystal Zhao / +86 1328 2376 887

Email: crystal@hochtools.com

Add: No. 151 Jiangong Road, Gongshu District, Hangzhou City, Zhejiang Province, China

Technical Edge → Buyer Value → End-User

Collision Repair, Perfected

One Catalog, 131+ Tools, Zero Vendor Chaos



EXCLUSIVE
USA



CNC PLASMA CUTTING MACHINES TABLES


Own Every Stage of Your Customers' Growth with 4 Sizes + Robot/Laser Hybrids

HOTECH 卓

2ft x 2ft



4ft x 4ft



Unified Tech Support for All Tables
+/-0.5mm Tolerance Guaranteed
18% Material Waste Reduction = Pure Profit

5ft x 5ft



4ft x 8ft





CNC SMART CUT 50A PLASMA CUTTER with CNC Machine TORCH - H135JCNCPC

- **Affordable Power:** Low-frequency tech keeps costs down, so you get a powerful 50A cutter without breaking the bank.
- **Easy to Use:** It's simpler to operate and maintain—perfect for DIYers and pros alike, no steep learning curve.
- **Safer Operation:** Less electrical interference means a more stable cut, keeping you safe while you work.
- **Reliable Performance:** Cuts up to 11/16" carbon steel smoothly, ideal for car repairs and metal projects.

CNC SMART CUT 50A PLASMA CUTTER with CNC Machine TORCH - H135JCNCPC

HOTECH 卓

LOW
FREQUENCY



FEATURES

- WORKS WITH 120V \pm 15%50/60 OR 220V \pm 15%50/60 AC INPUT FLEXIBLE FOR ANY SHOP
- 60% DUTY CYCLE @ 50 AMPS ON 240V (60% @ 30 AMPS ON 120V)
- EASILY SLICES THROUGH METAL UP TO 11/16" (18MM) THICK
- POWERFUL 50-AMP OUTPUT WITH 60% DUTY CYCLE
- BIG DIGITAL DISPLAY FOR EASY AMPERAGE CONTROL AND INCREASED PRECISION
- ADJUSTABLE SETTINGS: GAS PREFLOW AND 2T/4T MODES
- INCLUDES MACHINE TORCH FOR INCREASED ACCURACY CUT QUALITY AND CONSUMABLE LIFE WHEN USED WITH A CNC TABLE
- 16.4FT/5M TORCH CABLE; 5FT/1.5M GROUND CABLE WITH CLAMP
- LIGHTWEIGHT AND PORTABLE AT LESS THAN 21 LBS
- EASY AIR PRESSURE CONTROL WITH BUILT-IN GAUGE
- USES COMMON CONSUMABLES—EASY TO REPLACE
- OPTIONAL HANDHELD TORCH FOR VERSATILE CUTTING
- CNC-READY WITH EXTERNAL CONTROL PORT
- RELIABLE COOLING WITH BUILT-IN FAN

INPUT POWER CORD: XN650P-B (NEMA 6-50P) PLUG WITH TWO FLAT BLADES AND ONE ROUND PIN, 12AWG (3.3MM²), TOTAL LENGTH 2.4M/7.87FT

MOQ: 500pcs

Packaging: Brown Box

REMARK: WITHOUT CERTIFICATION

ONE STOP SOLUTION TOOLS 7

PRODUCT SPECIFICATION COMPARISON




Item	H135JCNCP		CUT-40	
Machine Picture				
Input Power Supply	120V±15%50/60Hz	220V±15%50/60Hz	120V±15%50/60Hz	220V±15%50/60Hz
Rated Input Capacity	4.3 Kva	7.8 kVA	4.3 kVA	6.1 kVA
Rated Input Current	38 A	34.9 A	38.4 A	27.4 A
Rated Output Current	20A to 30 A	20A to 50 A	15A to 30 A	15A to 40 A
Rated Output Voltage	88V to 92 V	88V to 100 V	86V to 92 V	86V to 96 V
Rated No-Load Voltage	350 V	350 V	339 V	339 V
Rated Duty Cycle	60% at 30A (104°F/40°C) 100% at 20A (104°F/40°C)	60% at 50A (104°F/40°C) 100% at 30A (104°F/40°C)	60% @ 16 Amps (104°F/40°C) 100% @ 15 Amps (104°F/40°C)	60% @ 40 Amps (104°F/40°C) 100% @ 31 Amps (104°F/40°C)
Output Current Adjustment Range	20-30 A	20-50 A	15-30 A	15-40 A
Arc Voltage Output Signal Ratio	1:1/1:20/1:50/1:100			
Quality Cutting Capacity	1/64" - 5/16" (0.3 - 8 mm)	1/64" - 1/2" (0.3 - 12 mm)	1/64" - 3/16" (0.3 - 5 mm)	1/64" - 1/4" (0.3 - 6 mm)
Instant Piercing Thickness	3/16" (5 mm)	1/2" (12 mm)	3/16" (5 mm)	5/16" (8 mm)
Severance Capacity (Maximum Material Thickness)	1/2" (12 mm)	11/16" (18 mm)	1/2" (12 mm)	9/16" (14 mm)
Plasma Gas	Compressed Air			
Gas Supply Pressure	30-50 PSI	30-65 PSI	30-50 PSI	30-60 PSI
Air Requirements	5 - 7 CFM @ 30-65 psi		5 - 7 CFM @ 60 psi	
Torch Cooling Method	Air-Cooled			
Power Source Cooling Method	Fan-Cooled			
Insulation Class	Class F			
Enclosure Protection Rating	IP21S			
Machine Size (LxWxH)	16.46" x 8.5" x 13.7" (418mm×216mm×348mm)		14.06" x 8.46" x 14.69" (357mm x 215mm x 373mm)	
Machine Net Weight	20.5 lbs. (9.3kgs)		24.47 lbs. (11.1kg)	



FRONT PANEL OVERVIEW

1. Air Pressure Regulator Valve
2. Air Pressure Gauge
3. Gas Preflow Time Setting
4. 2T/4T Cutting Mode Switch
5. Multi-function Display
6. Combined Torch Power/Gas Port
7. Torch Pilot Arc Port
8. Torch Control Cable Port
9. Workpiece Ground Clamp Port
10. Multi-function Knob:
 - A. Rotate to Adjust Current
 - B. Press for Gas Check
 - C. Rotate to Set Gas Preflow Time (in Gas Preflow Mode)



BACK PANEL OVERVIEW

1. Main ON/OFF Power Switch
2. Power Input Cable
3. External CNC Control Port (for cutting power)
4. High-Pressure Air Inlet
5. Main Unit Cooling Fan

CUTTING RESULT



VERY SMOOTH AT EDGE

CNC SMART CUT 50A PLASMA CUTTER with CNC Machine TORCH - H135JCNPC



WHAT IS INCLUDED

1. **CNC SMART CUT 50A PLASMA CUTTER**
2. **Plasma Cutter Machine Torch with 16.4ft/5M cable**
3. **Power Adapter Cable:** NEMA 5-15P to NEMA 6-50R adapter cable (flat wire, 12AWG, total length 0.33m/1.08ft)
4. **Air Hose Assembly:** IKH0876 air hose (2m/6.56ft, black rubber) 5/8-18 UNF threaded connector (D5.5×12mm) Includes one 20mm stainless steel hose clamp
5. **CNC Control Cable:** 0.5mm² 4-core sheathed cable (4m/13.12ft) Terminated with GX16-4 aviation connector on one end and Y2M-7TK industrial plug on the other
6. **300A heavy-duty Holland-style ground clamp + 10mm² × 1.5m (5ft) grounding cable**

MOQ: 500pcs

Packaging: Brown Box (51x31x41cm/14.6kgs)

ITEM # 98076 BRAND: EASTWOOD

ONE STOP



Eastwood Versa-Cut 40 CNC Plasma Cutter With Machine Torch

40 Amp Plasma Cutter designed to plug and play with the Versa Cut CNC Table

[View Full Description](#)

★★★★☆ 5.0 (1) Write a review

\$899.97 ~~+\$96.98~~ Save \$37.01

Starting at \$57/mo with [affirm](#). [Check your purchasing power](#)

✓ **In Stock** Get it as early as Friday, April 11 if you order in the next 16 hr(s) 43 min(s)

Ship To: Los Angeles, US

[See our Full Selection of CNC Plasma Tables](#)



CNC Machine TORCH FOR CNC SMART CUT 50A PLASMA CUTTER - H136JACNCMT



60A @ 80% DUTY CYCLE



LOW FREQUENCY

WHAT IS INCLUDED

- 1x CNC Machine Torch with 16.4ft/5M cable
- 2x Electrodes (1 assembled)
- 1x Cutting Tip, 0.9mm, 30-40A
- 1x Cutting Tip, 1.0mm, 40-50A (1 assembled)
- 1x Cutting Tip, 1.1mm, 50-60A
- 5m Cable

MOQ: 500PCS

PACKAGING: BROWN BOX (50x40x8.5cm/2.15kgs)

Master carton: 51x41x44cm/5pcs/11kgs

CNC Torch UPM 105 25' Fits Hypertherm Consumables

★★★★★ 7 Reviews

\$399.00

Starting at \$37/mo or 0% APR with Affirm. See if you qualify

1 **OUT OF STOCK**

CLICK HERE TO ADD YOUR EMAIL TO THE WAITLIST



Eastwood Versa-Cut 40 CNC Plasma Cutter Machine Torch

[View Description](#)

View review

\$328.99

Starting at \$30/mo with Affirm. [Check your purchase power](#)

✓ In Stock

Ship to [Hawaii, US](#)

We do not currently ship outside USA & Canada

- 1 +

Add to Cart

See It Later

ONE STOP SOLUTION TOOLS 13

HAND TORCH FOR CNC SMART CUT 50A PLASMA CUTTER - H136JAHT

HOTECH 卓

60A @ 80% DUTY CYCLE

**LOW
FREQUENCY**



WHAT IS INCLUDED

- 1x CNC HAND Torch with **16.4ft/5M cable**
- 2x Electrodes (1 assembled)
- 1x Cutting Tip, 0.9mm, 30-40A
- 1x Cutting Tip, 1.0mm, 40-50A (1 assembled)
- 1x Cutting Tip, 1.1mm, 50-60A
- 5m Cable

MOQ: 500PCS

PACKAGING: BROWN BOX (34x31x8.5cm/2kgs)

Master carton: 35x32x52cm/6pcs/13kgs

MIG TIG and Plasma Welding Cart - H41331WC



- **MODEL NO.: H41221WC**
- **MOQ: 1000 pcs**

SPECIFICATION

Overall Body Size: 110×50×106cm
Top Shelf Welder Max Size: 58. 5×39. 5cm
Bottom Shelf Plasma Cutter Max Size: 75×39. 5×45cm
Total Height of the Cart adjustable: 93. 5-106cm
Gas Bottle Max Size: 24cm
Rubber Wheel Dia: 20cm
Swivel Casters with Brake Dia: 6cm
Max. Loading Capacity: 170Kgs
Packaging Size: 990x755x177mm
Weight: 31kgs

FEATURES

This heavy-duty steel welding cart is designed to hold up to 170kgs of MIG, TIG, and plasma welding equipment. Key features include:

- **Top Shelf:** Accommodates a welder, with a design that allows side access doors on MIG welders to open without removal.
 - **Middle Shelf:** Provides storage for essential welding accessories.
 - **Bottom Shelf:** Fits a plasma cutter with maximum dimensions of 75×39. 5×45cm
 - **Gas Bottle Mount:** Includes a TIG rod holder capable of storing up to six tubes of filler rods, and supports large gas bottles securely up to 240mm .
 - **Mobility:** Equipped with heavy-duty front caster wheels and molded rear wheels with brakes for easy maneuverability and stability.
 - **Cable Management:** Features 6 hooks for organized cable storage and a rear cut-out to facilitate plasma cutter cable routing.
 - **Handle:** Front-mounted, and height adjustable higher-level handle with a rubber cover ensures comfortable movement around the workspace.
 - **Durability:** Constructed with sturdy formed steel and finished with a professional orange skin black powder coat for enhanced durability.
- This cart offers a practical and organized solution for transporting and storing your welding equipment and accessories.



MIG TIG and Plasma Welding Cart - H41331WC



ONE PASS METALWORKING DRUM SANDER FOR PLASMA CUTTING PARTS

HOTECH 卓

COMING
SOON...



Surface Conditioning Tool - H7687SCT

EASTWOOD Surface Conditioning Tool - H7687SCT



MODEL NO.: H7687SCT

MOQ: 2500pcs
 PACKAGING: Color Box
 Bare Tool Weight: 3.8kgs



Qty. Per Packing	Master Pack Method	Carton Size(cm)	Accessories	N.W/G.W
4pcs	colour box	49*46*28	1pc auxiliary handle 2pcs hex socket screws 2pcs flat pad 2pcs flat key 1pc Allen wrench S6 1pc hexagonal socket head cap screw 1pc dust adaptor Without drum	14/15kgs

EASTWOOD Surface Conditioning Tool - H7687SCT



SPECIFICATION	NEW MODEL	CURRENT SCT
Model No.	H7687SCT	
Power	1300W	1100W
No load Speed	900-3700rpm	1000-3700rpm
Gears	1	1
Drum Dia.	120mm	120mm
Adjustable Head Angle	Yes	No
Constant Speed Control	Yes	Yes
Soft Start	Yes	Yes

OPTOINAL DRUMS for Different Applications

HOTECH 卓



Eastwood CONTOUR SCT® Interleaf Stripping Drum 120 Grit (21174)

~~\$27.99~~ **\$25.97**



Eastwood CONTOUR SCT® Interleaf Stripping Drum 80 Grit (21173)

~~\$22.99~~ **\$19.97**



Eastwood CONTOUR SCT® Finishing Drum 320 Grit (21176)

~~\$21.99~~ **\$19.97**



Eastwood Contour SCT® Finishing Drum 240 Grit (21973)

\$22.99



Eastwood Contour SCT® Finishing Drum 60 Grit (21971)

\$21.99

Any Grit of Finishing drums – SAME PRICE

115*100*19

OPTIONAL DRUMS for Different Applications

HOTECH 卓



Eastwood Contour SCT® Scale Stripping Drum (21975)

\$47.99

Stripping drum (Level A):

120*100*19



Eastwood CONTOUR SCT® Buffing Drum (21172)

\$56.99

Wool drum:

120*100*19



Eastwood Contour SCT® Abrasive Drum 40 Grit (21970)

~~\$59.99~~ **\$49.97**

Abrasive Drum:

115*100*19



Eastwood Contour SCT® Steel Wire Drum (21974)

~~\$53.99~~ **\$48.97**

Steel Wire Drum:

115*100*19

SCT 5 Gallon Dry Vacuum - H131DV

HOTECH 



3M metal hose/ HEPA filter& Cloth filter /15cm Aluminum tube/ Base& wheels

MODEL NO.: H131DV

MOQ: 720pcs

PACKAGING: Color Box

Specification:

- (1) Voltage: 120V
- (2) Frequency: 60HZ
- (3) Power: 1200W
- (4) Airflow rate: $\geq 1.2\text{m}^3 / \text{min}$
- (5) Vacuity: $\geq 19\text{KPA}$
- (6) Noise: $\leq 76\text{dB(A)}$

Features:

- (1) Double filtration-fire retardant HEPA filter and clothfilter
- (2) Suitcase handle
- (3) Accessories easy for storage
- (4) Blowing function
- (5) New GS standard

Accessories:

- (1) Black painting drum
- (2) 2.5M(8.2feet) Cable length
- (3) 3M(9feet) Metal hose
- (4) 15cm aluminum tube
- (5) Fire retardant HEPA filter
- (6) Cloth filter

NW:4.3KGGW:4.9KG; Carton size: 28*28*35.5CM

ETL CERTIFICATION

Powder Coating System with Clear Bottle – H13149PCS

HOTECH 卓



SPECIFICATION:

- **POWDER COATING SYSTEM:** Haohe's DUAL-voltage powder coating system is a breakthrough refinishing system for the home hobbyist providing professional performance at a fraction of the cost of industrial equipment. The cured finish resists most chemicals, fuels, acids, thinners, brake fluid, UV light, and is much more durable than liquid coatings (up to ten times).
- **BEST USE:** Powder coating is a very popular type of finishing for steel and other metallic products. It protects the surface from scratches, chipping, and corrosion. Additionally, it is the most durable finish available today because it offers a high scratch resistance as well as weatherproofing to prevent corrosion.
- **HAOHE QUALITY:** Haohe offers solutions which combines our 4,000+ unique products with the know-how to "ONE STOP SOLUTION-EASY FOR WORK". With an In-house product design, development and testing and a strong track record of high-quality, innovative products. Used and trusted by top builders to beginners and also provides a Lifetime Tech Support.
- **WHAT'S IN THE PACKAGE:** DUAL Voltage Powder Coating Gun with power source, ground clamp and cable, empty 8-oz. clear bottle, and instructions.
- **WARRANTY:** Comes with a 1-year limited warranty
- **Weight:** 2Kg

MOQ: 1000PCS
COLOR BOX

Powder Coating System with Clear Bottle – H13149PCS

HOTECH 卓

- ✓ Easy to apply
- ✓ Extremely durable finish
- ✓ **Dual Voltage**
15,000-volt output
25,000-volt output
- ✓ Quick color changes
- ✓ Clear bottle allows you to see powder color, level and fluidizing action
- ✓ Refined power supply for more consistent coverage and powder-build
- ✓ Color-Coded cables for easy setup
- ✓ More trigger-room for additional comfort
- ✓ Larger ground clamp
- ✓ Larger internal passages for improved powder flow



Dual-voltage Powder Coating System

Great coverage in tight spots and large areas.



WHY POWDER COAT?

Because it gives you one of the most economical, color-durable and longest-lasting finishes available.



DUAL VOLTAGE POWDER COATING SYSTEM

This innovative, inexpensive powder-coat gun helps you do a professional-looking powder coating job right at home. All you need to add is compressed air (5-10psi), a dedicated electric oven and your favorite powder.





FEATURES

- Extremely durable finish
- Coat and cure in under an hour!
- Quick color changes
- Economical
- Operates on standard 120v / 60Hz household current
- Versatility with two settings for improved coverage
- Low 15,000-volt setting
- High 25,000-volt setting for multi-coat coverage over larger areas
- Increased powder adhesion
- Minimal overspray
- Color-Coded cables for easy setup
- More trigger-room for additional comfort

Powder Coating System with Clear Bottle – H13149PCS



WHY POWDER COAT?

Powder-coated surfaces provide an economical, long-lasting, and color-durable finish.

They offer superior resistance to chipping, scratches, fading, and wear.

Additionally, they are available in a wide range of colors, gloss levels, metallic, and clear options.



Powder Coating System with Clear Bottle – H13149PCS

HOTECH 卓



INCLUDES

- Dual Voltage Powder Coating Gun with power source
- Ground clamp and cable
- 8-oz. clear bottle

<https://www.eastwood.com/pcs250-dual-voltage-hotcoat-powder-gun.html>

NEW INNOVATION --- COMING SOON

HOTECH 



**POWDER COATING
BOOTH**

POWDER COATING OVEN-H13221PCO

POWDER COATING OVEN-H13221PCO

HOTECH 卓



Specifications:

Electrical Rating:	120V/220V / 50/60Hz / 1 Ph
Heating Power:	1600W
Heating Elements:	Top: 2x 400W / Bottom: 2x 400W
Minimum Ambient Temperature:	50°F
Oven Chamber Temperature Range:	150 - 400°F
Timer Range:	0-60 Minutes
Circulation Fan:	Yes
Rack Levels:	(Top / Middle / Bottom)
Internal Volume (W x D x H):	15.12-in. x 12.83-in. x 10.71-in. (384 x 326 x 272mm) 1.2 ft3 (34L)
Power Cord Length:	31.5-in. (0.80m)
Overall Dimensions:	20.55-in. x 15.47-in. x 13.19-in. (522 x 393 x 335mm)
Weight:	14.6 lbs (6.62kg)
Certification:	ELT; CE
Product Weight:	8.2 lbs

MOQ: 1000PCS
BROWN BOX

POWDER COATING OVEN-H13221PCO

HOTECH 卓



Description:

- The HAOHE Powder Coating Oven combines generous internal volume in a convenient, compact package with big oven features.
- Ideal Oven for Small to Mid-Size Powder Coating Projects
- Compact Design Easily Stores Under a Bench and is Ready When You Need It
- Heats Up Fast With Upper and Lower Heating Elements
- Air Circulation Fan Allow Optimum Control of Heat Distribution
- Built-In Timer for the Desired Cure Time
- This oven has selectable upper and lower Heating Elements, and air Circulation Fan allow optimum control of heat distribution inside the Oven. The Oven Door window presents a convenient view of parts during the critical “flow-out” stage, enabling proper setting of the built-in Timer for the desired cure time. Couple this oven with any of HAOHE’s Powder Coating Guns and start coating brackets, housings, and other small to medium-sized parts right in your home shop or garage.

POWDER COATING OVEN-H13221PCO

HOTECH 卓



ONE STOP SOLUTION TOOLS 36

POWDER COATING OVEN-H13221PCO

HOTECH 卓



POWDER COATING OVEN-H13221PCO

HOTECH 卓



POWDER COATING OVEN-H13221PCO

HOTECH 卓



Paintless Dent Repair Kit

Paintless Dent Repair Kit – H146PDR

Paintless Dent Repair Kit – H146PDR

HOTECH 卓



MOQ: 1000PCS
BMC+ Color Sleeve

Remove dents in automotive sheet metal quickly—avoid expensive paint work

Saves money on costly dent repairs
Removes dents without damage to the paint
Enhances the look and increases the value of your vehicle
Comes with professional-use components

Features of improved glue gun:
Comfortable and Long effort saving trigger
Precision nozzle for detail working
Comfortable handle
Larger flow of glue, working efficiency
High and low temperature settings
Sturdy base to help glue gun stay firmly on the working table.


Weight: 3.5Kg

Including:


- (1) Lever Type Dent Puller
- (1) Slide Hammer Dent Puller
- (1) Electric Hot Glue Gun
- (1) Knocking pen suit
- (16) Red Plastic Pull Buttons
- (5) Blue Plastic Pull Buttons
- (10) Glue stick
- (1) Red Wedge
- (1) Nylon Scraper
- (1) Water Bottle
- (5) Repair Pen
- (18) Blue pull tab

Paintless Dent Repair Kit – H146PDR INCLUDE

HOTECH 卓



▪ Slide hammer ▪



height:2.8cm




height:2.9cm



height:2.8cm

▪ Repair kit ▪



height:2.8cm



height:2.9cm
Lower diameter:1.9cm



height:2.8cm
Upper diameter:2cm



height:2.8cm




height:2.8cm



height:2.8cm

▪ Red wedge ▪



▪ Nylon blade ▪



▪ Repair pen set ▪



▪ **Tab(16pcs)** ▪

length3.2cm width1.7cm	diameter2.5cm	diameter1.2cm	length3.4cm width2.3cm
diameter3.6cm	diameter4.1cm	length5cm width3.5cm	length4.1cm width2.9cm
diameter3.2cm	diameter2cm	length2.5cm width1.2cm	diameter1.5cm

▪ **Tab(18pcs)** ▪

diameter: 3.7cm	diameter: 3cm	diameter: 2.5cm	diameter: 2cm
diameter: 1.8cm	diameter: 1.5cm	diameter: 2.8cm	diameter: 2.6cm
diameter: 2cm	diameter: 1.5cm	diameter: 1.2cm	diameter: 0.8cm
4*2.5CM	3.7*2.3CM	3*2CM	2.5*1.5CM
2*1.3CM	1.5*1CM		

▪ Tab(5pcs) ▪



▪ Glue stick (10pcs)+ Watering can ▪



Current One



HAOHE new One



Current One	HAOHE new One
Heat up slow	Heat up quickly
Small flow	Larger flow of glue
NA	Sturdy base to help glue gun stay firmly on the working table
NA	High and low temperature settings switch
NA	With Light

Paintless Dent Repair Kit – H145PDR

Paintless Dent Repair Kit – H145PDR

HOTECH 卓



Remove dents in automotive sheet metal quickly—avoid expensive paint work

Saves money on costly dent repairs
Removes dents without damage to the paint
Enhances the look and increases the value of your vehicle
Comes with professional-use components

Features of improved glue gun:
Comfortable and Long effort saving trigger
Precision nozzle for detail working
Comfortable handle
Larger flow of glue, working efficiency
High and low temperature settings
Sturdy base to help glue gun stay firmly on the working table.

Including:

- (1) Lever Type Dent Puller
- (1) Slide Hammer Dent Puller
- (9) Plastic Pull Buttons [Click here to purchase extra](#)
- (1) Electric Hot Glue Gun
- (8) Glue Sticks [Click here to purchase extra](#)
- (1) Nylon Scraper
- (1) Aluminum Spray Bottle
- (1) Blow Molded Case

MOQ: 1000PCS
BMC+ Color Sleeve

Current One



HAOHE new One



Current One	HAOHE new One
Heat up slow	Heat up quickly
Small flow	Larger flow of glue
NA	Sturdy base to help glue gun stay firmly on the working table
NA	High and low temperature settings switch
NA	With Light

Paintless Dent Repair Kit – H76887PDR-1

Paintless Dent Repair Kit – H76887PDR-1

HOTECH 卓

Including:

1x Mini Dent Lifter

1x Glue gun (H1916GG)

1x Hole Straightener Adaptor

77x Replacement Pull Buttons

1x Tool Bag + Color Box



MOQ: 500PCS

Color box

**HIGH TEMP GLUE GUN FULL WITH
SWITCH AND LIGHT**



Model No. H1916GG

Item Description: High temp glue gun full size with switch and light

Voltage:120V

Power:40W

Preheat time :3-5min

flow of glue :8-10g

glue stick :11.2mm

Shipping Port: Ningbo

Including 10pcs glue stick

Highlight for product:

Full size perfect for larger craft and repairs

Comfortable and Long effort saving trigger

Precision nozzle for detail working

Comfortable handle

Larger flow of glue ,working efficiency


High and low temperature settings

Sturdy base to help glue gun stay firmly on the working table.

Paintless Dent Repair Kit – H76887PDR-1

HOTECH 卓

HOT NEW DESIGN FOR 360° Rotate



HOLD ON AND LOCK



Paintless Dent Repair Kit – H76887PDR-1

HOTECH 卓

Fits to all
Pull Buttons



Paintless Dent Repair Kit – H76887PDR-1

HOTECH 卓



Including:

1x Mini Dent Lifter

1x Glue gun (H1916GG)

1x Hole Straightener Adaptor

77x Replacement Pull Buttons

1x Tool Bag + Color Box

FROM SAME FACTORY



Dent Lifter ONLY Without Replacement Pull Buttons Without Lock system Without Hole Straightener Adaptor :

US\$ 149.95

OLD VERSION IMPROVED!

ROBOLIFTER

NEW DESIGN

ONLY 11 LBS. SKG

- 360° base rotates to access hard-to-reach dents**
360° Sockel, um den Zugang drehbar zu erreichen
360° de base tourne à l'accès difficiles à atteindre
360° basis draait om de toegang moeilijk bereikbare deuken
- Rubber feet pivot 30° for precise alignment**
Gummifüße Gelenk 30° für eine präzise Ausrichtung
Les pieds en caoutchouc pivot de 30° pour un alignement précis
Rubberen voetjes pivot 30° voor nauwkeurige uitlijning
- Ball-and-socket joint produces contact on any complex surface**
Kugelgelenk produziert Kontakt auf jeder komplexe Oberflächen
Articulation à bille et douille produit un contact sur toute surface complexe
De bal - en - socket joint produceert contact op iedere complex oppervlak
- Wide, easy-to-grip knob for quick height adjustment**
Große, leicht zu Drehknopf für die schnelle Höhenverstellung
Large bouton, facile à poignée pour le réglage en hauteur rapide
Brede, easy-to-grip knob voor snelle hoogsteverstelling

KECOTABS.COM
KECO • 8100 SW 15th Street • Oklahoma City, OK 73128 • 405-745-2145 • info@keco.com

Our one whole Kit upgraded version with LOCK system of Robo Mini Dent Lifter + 1x Glue gun (H1916GG)

with 77tabs, Hole Straightener Adaptor, tool bag and color box



FROM SAME FACTORY

HOTECH 卓

Dent Lifter: US\$ 149.95

Hole Straightener Adaptor: US\$ 78.35

5pcs Tabs: US\$19.95

KECOTABS

What are you looking for?

Keco Tabs > Mini Lifter Dent Guns > Robo@ Mini Dent Lifter

Robo@ Mini Dent Lifter

57 reviews SKU: 410-8330

Best Seller Lifetime Warranty

\$149.95 USD

Quantity 1 Add to cart

kecotabs.com/collections/mini-lifters/products/pdr-hole-straightener-adaptor

KECOTABS

What are you looking for?

Glue Pulling > Blending > PDR > Lighting > Accessories > Training & Support

Keco Tabs > Mini Lifter Dent Guns > KECO Hole Straightener Adaptor for KECO Robo Lifter

KECO Hole Straightener Adaptor for KECO Robo Lifter

8 reviews SKU: 410-6037

\$78.35 USD

Quantity 1

Style: Adapter

Adapter Complete Unit

KECO Hole Straightener repairs and con repair.

- Hole straightener adaptor - compres finished look
- Fits KECO Robo@ Mini Lifter

KECO

kecotabs.com/collections/glue-tabs/products/crease-reaper-dead-center-12-mm-x-25-mm-purple-hex-tabs-5-tabs

KECOTABS

What are you looking for?

Glue Pulling > Blending > PDR > Lighting > Accessories > Training & Support

Keco Tabs > PDR and Collision Glue Tabs > Crease Reaper Dead Center 12 mm x 25 mm Purple Hex Tabs (5 Tabs)

Crease Reaper Dead Center 12 mm x 25 mm Purple Hex Tabs (5 Tabs)

1 review SKU: 192-DR-C12X25-5

\$19.95 USD

Quantity 1

Crease: 12 mm x 25 mm

Variety Pack 10 mm x 20 mm 12

15 mm x 30 mm

Hexagon

Variety Pack 8 mm 9 mm 1

13 mm 14 mm 15 mm 16 mm

Dent Reaper Dead Center Hex Tabs combine the developed by Keco with a design twist from Jon \ tab face increases the strength in the center of th power and flex at the tab edges.

- Patented Dead Center Technology - the spe

If with 11pcs Tabs, Adaptor and Dent Lifter the whole Kit will be

Paintless Dent Repair Kit – H76887PDR-13

Paintless Dent Repair Kit – H76887PDR-13

HOTECH 卓

Including:

- 1PC x ROTATING SMALL BRACKET
- 10PCS x RED SALAD
- 6PCS x PURPLE PULL ROW
- 2PCS x ALUMINUM ADAPTER
- 1PC x Color Box



MOQ: 500PCS

Color box

Paintless Dent Repair Kit – H76887PDR-13 INCLUDE



PRODUCT NAME: ROTATING SMALL BRACKET / 旋转小支架

model: H76887PDR-13

Product parameters / 产品参数:



• weight / 重量: 1.85kg
(Note: including packaging weight / 含包装重量)

packaging / 包装:



• packaging / 包装:
Colorful packaging box / 彩色包装盒



Product details / 产品细节:




usage method / 使用方法:



PRODUCT NAME: RED SALAD(10PCS) / 红色拉排(10件套)

model: H76887PDR-13

Product parameters / 产品参数:



• weight / 重量: 0.3kg
(Note: including packaging weight / 含包装重量)

packaging / 包装:



• packaging / 包装: OP bag / OP袋



Product details / 产品细节:



usage method / 使用方法:



Paintless Dent Repair Kit – H76887PDR-13 INCLUDE


HOTECH 卓

PRODUCT NAME:

PURPLE PULL ROW(6PCS) / 紫色拉排(6件套)

model: H76887PDR-13

Product parameters / 产品参数:




• weight / 重量: 0.15kg
(Note: including packaging weight / 含包装重量)

packaging / 包装:



• packaging / 包装: OP bag / OP袋

PC MATERIAL / PC材质



Product details / 产品细节:



usage method / 使用方法:



Paintless Dent Repair Kit – H76887PDR-14

Paintless Dent Repair Kit – H76887PDR-14


HOTECH 卓

Including:

1PC x ROTATING LARGE BRACKET
10PCS x RED SALAD
6PCS x PURPLE PULL ROW
24PCS x ASSEMBLING THE PULL
4PCS x ALUMINUM ADAPTER
1PC x Color Box

Aluminum alloy Length 85.7cm

Aluminum Adapter



MOQ: 500PCS

Color box

Paintless Dent Repair Kit – H76887PDR-14 INCLUDE




PRODUCT NAME:

ROTATING LARGE BRACKET

model: H76887PDR-14

Product parameters / 产品参数:



• weight / 重量: 2kg
(Note:including packaging weight / 含包装重量)

packaging / 包装:



• packaging / 包装:
Colorful packaging box / 彩色包装盒



Product details / 产品细节:



usage method / 使用方法:




PRODUCT NAME:

RED SALAD(10PCS)/ 红色拉排(10件套)

model: H76887PDR-14

Product parameters / 产品参数:




• weight / 重量: 0.3kg
(Note:including packaging weight / 含包装重量)

packaging / 包装:



• packaging / 包装: OP bag / OP袋

Product details / 产品细节:



usage method / 使用方法:



Paintless Dent Repair Kit – H76887PDR-14 INCLUDE




PRODUCT NAME:

PURPLE PULL ROW(6PCS) / 紫色拉排(6件套)

model: H76887PDR-14

Product parameters / 产品参数:



• weight / 重量: 0.15kg
(Note: including packaging weight / 含包装重量)

packaging / 包装:



• packaging / 包装: OP bag / OP袋

Product details / 产品细节:



PC MATERIAL / PC材质



usage method / 使用方法:



1. 在拉排上涂上胶
Glue the drawbar;

2. 使拉排粘贴在凹陷处
Make the rake stick to the Dent;

3. 拉排进行凹陷修复
The depression was repaired by drawing;


4. 如图所示
AS SHOWN IN THE FIGURE;

PRODUCT NAME:

ASSEMBLING THE PULL(24PCS) / 组装拉排(24PCS)

model: H76887PDR-14

Product parameters / 产品参数:




• weight / 重量: 0.13kg
(Note: including packaging weight / 含包装重量)

packaging / 包装:



• packaging / 包装: OP bag / OP袋

Product details / 产品细节:



usage method / 使用方法:



1. 把带有热熔胶的拉排粘在凹陷处;
Glue the pull strip with hot melt adhesive to the concave area;

2. 如图所示;
As shown in the figure;

3. 使用工具拉动拉排;
Use tools to pull the pull bar;

4. 如图所示;
As shown in the figure;

77pcs Replacement Pull Buttons Kit – H76887PBK77

77pcs Replacement Pull Buttons Kit – H76887PBK77



All
Pull Buttons
in one Box



PA6: 18pcs



PC: 12pcs



PC: 9pcs



PC: 12pcs



PC: 10pcs



PC: 10pcs



PC: 6pcs

MOQ: 500PCS

Color box

Paintless Dent Repair Carbon Fiber Hammer

Paintless Dent Repair Carbon Fiber Hammer– H76887CFH-5

HOTECH 



5pcs Heads in one hammer



Adjustable length



Extra Long with Carbon Fiber material
For extra light weight

MOQ: 500PCS

Color box

White ball handle for most convenience work

Paintless Dent Repair Carbon Fiber Hammer– H76887CFH-11



Extra Long with Carbon Fiber material
For extra light weight

11pcs Heads in one hammer

One piece Round Slapper Tip
Also included

White ball handle for most convenience work

MOQ: 1000PCS

Color box

Carbon Fiber Hammer on the market



kecotabs.com/collections/all/products/daniel-gromm-144-hammer

KECOTABS What are you looking for?

Glue Pulling ▾ Blending ▾ PDR ▾ Lighting ▾ Accessories ▾ Training & Support

Keeco Tabs > All > Carbon Tech The Daniel Gromm 144 Hammer

Carbon Tech The Daniel Gromm 144 Hammer



★★★★★ 2 reviews SKU: 410-144-GROMM

\$199.00 USD

Sold Out Request

Top In-Stock PDR Blending Hammers

 \$174.95 USD ★★★★★ (9 reviews)	 \$167.95 USD ★★★★★ (1 review)	 \$111.95 USD ★★★★★ (1 review)
---------------------------------------	--------------------------------------	--------------------------------------

Starting at \$68/mo with **affirm**. See if you qualify

NEW
CENTIPEDE COLI
[Shop Now](#)

This hammer was designed by Daniel Gromm spe 17-4 stainless steel and mirror polished to perfect than most designed to move lots of metal. Comes treated and polished 17-4 stainless steel, a Re-Gri carbon fiber shaft.



NEW METALWORKING HAMMER

HOTECH 卓

COMING
SOON...



ALUMINIUM HAMMER
- 8PCS KIT



STAINLESS STEEL HAMMER
- 10PCS KIT


Paint-less Dent Repair Rods Tools Kit

Paint-less Dent Repair Rods Tools Kit – H1413PDR






Material: SST 201

Material: SST 201



Paint-less Dent Repair Rods Tools Kit – H1413PDR

HOTECH 卓



MODEL NO.: H1413PDR

Include:

- 10pcs SST201 Paint-less Dent Repair Rods
- 2pcs SST304 O-Ring
- 2pcs SST304 S Hook
- 1pc SST304 Chain
- 1pc Rubber Hammer
- 1pc Red Wedge
- 1pc Flattening Pen
- 1pc Pen Head
- 1pc Bag
- G.W: 4.8Kg
- Bag size: 90*16*16cm

MOQ: 1000pcs

PACKAGING: BAG+CARTON

Paint-less Dent Repair Rods Tools Kit – H76887PDRRT

HOTECH 

MODEL NO.: H76887PDRRT

Include:

6pcs **Spring Steel** Paint-less Dent Repair Rods(SST materials are prone to deformation, while spring steel does not deform)
2pcs SST304 S Hook
1pc SST304 Chain
1pc Rubber Hammer
1pc Red Wedge
1pc Magnetic Flattening Pen
31pc Head
1pc Bag
G.W: 4.8Kg
Bag size: 90*16*16cm


MOQ: 500pcs

PACKAGING: TOOL BAG+CARTON



Magnetic Flattening Pen

Paint-less Dent Repair Rods Tools Kit Size – H76887PDRRT




PRODUCT SIZE

High quality and good experience





weight 113g



Paint-less Dent Repair Rods Tools Kit – H76887PDRRT



Magnetic Flattening Pen



Dent Repair



TUNGSTEN GRINDERS

8V Lithium Tungsten Grinder- H1334TG-2

HOTECH 卓



Power: 8V
Battery size: 2500 mAh
Charging time: 2.5 hours
Working: 45 mins
No-Load Speed: 5000-30000RPM
Packing: Color box
Size: 9*6.5*34.5
Weight: 980g

A Sharp Tungsten Will:
Increase arc control
Increase arc stability
Eliminate porosity with contaminated tungsten electrodes
Eliminate arc wander on outside corners
Create better looking, stronger and better penetrating welds with consistent and accurate tungsten prepared points

Better TIG Welds in Seconds! Works with 5 different 0.040", 1/16", 5/64", 3/32", 1/8" tungsten's.

**New Design of the head
5 brass nuts can be changed each angle**

Improved with More Power & Less Vibration than Ever!
Dust free design

**New Design of the head
5 brass nuts can be changed each angle**

Dustproof design

Installation Steps



MODEL NO.: H1334TG-2

MOQ: 1000pcs

8V Lithium Tungsten Grinder- H1334TG-2

HOTECH 卓



MODEL NO.: H1334TG-2

MOQ: 1000pcs



Eastwood Elite TG2000 Cordless TIG Welder Tungsten Grinder for TIG Welding

12 Volt Lithium Ion Cordless Portable Tungsten Grinder will Improve Your TIG Welding

★★★★★ 4.5 (23) Write a review

\$109.97 ~~\$149.99~~ Save \$40.02

Buy in monthly payments with Affirm on orders over \$50. [Learn more](#)

✓ In Stock

Ship To: [Hangzhou, CN](#)

We do not currently ship outside USA & Canada

- 1 +

 Add to Cart



Selling Price: US\$149.99

Promotion Price: US\$109.97

Yearly Quantity: 20000pcs



GRINDING TUNGSTEN
BENCH GRINDER vs TUNGSTEN GRINDER



EASY TO USE AND SHARPENS OVER 200 TUNGSTENS

Works with all color tungsten's
Works with 0.04"; 1/16"; 5/64 " , ; 3/32" and 1/8" tungsten
Grinds 10°; 15°; 20 °;22.5° and 25 ° angles

Designed to create the optimum rpm for the diamond sharpening wheel

Diamond wheel is double sided for long life

Sharpen over 200 tungsten's (100 each side)

New and improved unit with more power and less vibration for even better welds

12V Lithium Tungsten Grinder- H1334TG-12



Digital Display of Speed and Battery status



Power: 12V
Battery size: 2000mA
Charging time: 2.5 hours (Charging current $\geq 2A$)
Working: around 30mins
No-Load speed: 5000-30000RPM
Speed setting: 6
Weight: 630g

New Design of the head
5 brass screws can be changed each angle



Dustproof design

Installation Steps



Including:
1x 12V Tungsten Grinder
1x Tungsten Grinder HEAD with 5 brass screws
1x 2-sided diamond wheel installed
1x Mandrel installed
1x Type-C Cable
1x Storage Tool bag
Color box

A Sharp Tungsten Will:
Increase arc control
Increase arc stability
Eliminate porosity with contaminated tungsten electrodes
Eliminate arc wander on outside corners
Create better looking, stronger and better penetrating welds with consistent and accurate tungsten prepared points

Better TIG Welds in Seconds! Works with 5 different 0.040", 1/16", 5/64", 3/32", 1/8" tungsten's.

New Design of the head
5 brass nuts can be changed each angle

Improved with More Power & Less Vibration than Ever!
Dust free design

Start and Stop in one second
6 Speeds available

Easy and quick sharpen tungsten in 6-8 seconds
Hanger and tool bag for easy storage

MODEL NO.: H1334TG-2
MOQ: 1000pcs

12V Lithium MULTI Grinder WITH TUNGSTEN GRINDER- H1334TG-13M



Digital Display of Speed and Battery status



Power: 12V
Battery size: 2000mA
Charging time: 2.5 hours (Charging current $\geq 2A$)
Working: around 30mins
No-Load speed: 5000-30000RPM
Speed setting: 6
Weight: 630g

A Sharp Tungsten Will:
Increase arc control
Increase arc stability
Eliminate porosity with contaminated tungsten electrodes
Eliminate arc wander on outside corners
Create better looking, stronger and better penetrating welds with consistent and accurate tungsten prepared points

Better TIG Welds in Seconds! Works with 5 different 0.040", 1/16", 5/64", 3/32", 1/8" tungsten's.

**New Design of the head
5 brass nuts can be changed each angle**



Improved with More Power & Less Vibration than Ever!
Dust free design

Start and Stop in one second
6 Speeds available

Easy and quick sharpen tungsten in 6-8 seconds
Hanger and tool bag for easy storage



Including:
1x 12V Tungsten Grinder
1x Tungsten Grinder HEAD with 5 brass screws
1x 2-sided diamond wheel installed
1x Mandrel installed
42x Accessories
1x Type-C Cable
1x Storage Tool bag
Color box

MODEL NO.: H1334TG-13M
MOQ: 1000pcs

CORDLESS PLASTIC HOT STAPLER KIT- H221413HS

CORDLESS PLASTIC HOT STAPLER KIT- H221413HS

HOTECH 



The CORDLESS PLASTIC HOT STAPLER KIT will permanently repair cracks and tears on a wide assortment of hard and soft plastics. Simply place the staple against the part using the wand, press the button to heat the staple up with ONLY in 3 seconds, then push it into place. The staple fuses with the original part as it cools just in 10 seconds to reinforce the area and help prevent future damage.

It can fix dash panels, headlight assemblies, bumper covers and many other items. It's just as practical when working on boats or around the house. The CORDLESS PLASTIC HOT STAPLER KIT comes with 300 1/2-wide staples in six different styles for various applications. The Maximum temperature 550°C allows you to use all kind of plastics.

FEATURES- H221413HS

HOTECH 卓

FEATURES

- Small, light weight, simple to use with only 195x27x24mm, 88.5g
- Pre-heating time **3 seconds ONLY**
- **ONLY 1 second** for thin plastic with 0.6mm staple and **3 second** for hard plastic with 0.8mm staple. It cools within **10 seconds** to pull out the stapler.
- LED light for illuminating tight spaces and Low battery indicator
- LED battery charging indicator
- Simple, slide switch for safety protection and one button for operation
- DC rechargeable power allows use of up to **Max. 300 small staples** or **200 big staples** on a single charge
- Accommodates all staple sizes
- 6 types (1/2" wide — 50 each) stainless steel staples (flat, wave and corner) for wide, tight or corner applications. Wand holds the staple at 90°, or 180° angles.
- Plastic **Welding head with Special Soldering Tip** can make small welding projects
- **3 types of filler rod (PP&PE&ABS)** for fine repairs
- Type-C cable, batteries and rugged storage case included

BENEFITS

- Just a few hot staples can save hundreds in replacement-part costs
- Simple and small case for multi-functional using.
- For automotive, power sports, hobby and industrial applications
- Holds broken plastics together securely for weld repairs
- Makes plastic repairs stronger
- Simplifies aligning and reinforcing challenging repairs
- Improves shop productivity
- Holds headlight tabs in place while doing weld repairs



ONE STOP SOLUTION TOOLS 89

SPECIFICATION & ACCESSORIES- H221413HS

HOTECH 

SPECIFICATION:

Lithium Battery Capacity: 2000mAh
Charging Time: 3-4 Hours
Voltage: 4V
Maximum temperature: 550°C
Charging Cable: USB Type-C
Nail Diameter: 0.8mm & 0.6mm

ACCESSORIES:

1. 1* HOT STAPLER
2. 1* Plastic Welding head
3. 2* Special Soldering Tip
4. 5* PP200mm filler rod
5. 5* PE200mm filler rod
6. 5* ABS200mm filler rod
7. 50* 0.6mm M-staples
8. 50* 0.8mm V-staples
9. 50* 0.6mm Big wave staples
10. 50* 0.8mm Big wave staples
11. 50* 0.8mm Small wave staples
12. 50* 0.6mm Small wave staples
13. 1* Type-C Charging cable(25cm)
14. 1* Rugged storage case
15. 1* Manual instruction



ONE STOP SOLUTION TOOLS 90



Item # H221413HS


MOQ: 2500pcs

Packaging:
Black PP Case+EVA+Foam
36Units/ Carton
560*505*310mm/18kgs/19kgs
20': 9600 Sets

LEAD TIME: 45 Days

VIDEO:
<https://youtu.be/qXlaQ3ltwQo>

FOC COST FOR STAPLES



SPECIFICATION:

Material: Stainless Steel

Width: 15mm

Staple Diameter: 0.8mm & 0.6mm

Staple Type: Big Wave / Small Wave / M / V

Quantity: Each 50pcs, Total 300pcs/Case

COST:

Item # H221413-1S

MOQ: 1000pcs

Packaging: PP Case + Label

ANALYZE



HAOHE NEW MODEL

SIMPLE, EASY, COST SAVING
MULTI-FUNCTION



Item # H221413HS

ITEM # 7600
HOT STAPLE GUN KIT



Astro 7600 Hot Staple Gun Kit for Plastic Repair

Visit the Astro Pneumatic Tool Store
4.7 ★★★★★ 283 ratings

\$97²³

FREE Returns

Get \$60 off instantly: Pay \$37.23 upon approval for Amazon Visa. No annual fee.

Available at a lower price from other sellers that may not offer free Prime shipping.

Brand Astro Pneumatic Tool

ITEM # HOT STAPLER 13650



Eastwood Hot Stapler Plastic Repair System

Make strong repairs of damaged plastic parts

★★★★★ 4.7 (21) Write a review

Eastwood Hot Stapler Plastic Repair System

✗ Out Of Stock. Due back July 25

\$149.99

- 1 +

ITEM # 60302 BRAND: POLYVANCE



Polyvance Hot Spot Cordless Hot Stapler 6204

Hot Spot Cordless Plastic Stapler

★★★★★ (0) Write a review

\$243.99


INDUCTION HEATER

INDUCTION HEATER – 1250W

HOTECH 



Standard 5-piece Kit Heating



Kit comprises:

- ① ϕ 26mm heating coi (x1)
- ② ϕ 37mm heating coi (x1)
- ③ F shape heating coil (x1)
- ④ U shape heating coil (x1)
- ⑤ 1m Long heating coil (x1)



Induction Heater / Iron screw heater set
- Input voltage: AC 220-240V (50/60HZ)
- Input current: 6A (capacity)
- Maximum power **1250W**
- Plug type: Euro type
Product size: 370*82*67mm
CE/EMC,LVD certified



Standard Accessories:

- 26mm heating coil(600°C resistance)
- 37mm heating coil(600°C resistance)
- U-type heating coil(600°C resistance)
- Bearing heating coil,1000mm long(600°C resistance)
- Planar heating coil(600°C resistance)
- One plastic storage box for coils
- Blow case tool box + Sponge lining

Toolbox size: 465*340*125mm
Net weight for full set : Approx.3.60kgs
Heater weight: Approx.1.20 kgs

MOQ: 500PCS
BMC + COLOR SLEEVE

INDUCTION HEATER – 2250W



Standard 6-piece Kit Heating

1. Induction heater body	5. F shape heating coil
2. $\varnothing 20$ heating coil	6. U shape heating coil
3. $\varnothing 32$ heating coil	7. Long heating coil
4. $\varnothing 43$ heating coil	

- Induction Heater / Iron screw heater set
- Input voltage: AC 220-240V (50/60HZ)
 - Input current: 10A (capacity)
 - Maximum power 2250W
 - Plug type: Euro type
- Product size: 302.5*110*167.5mm
 CE/EMC,MD certified
 Standard Accessories:
- 20mm heating coil(600°C resistance)
 - 32mm heating coil(600°C resistance)
 - 43mm heating coil(600°C resistance)
 - U-type heating coil(600°C resistance)
 - Bearing heating coil(600°C resistance)
 - Planar heating coil 1000mm long(600°C resistance)
- Blow case tool box

Toolbox size: 465*340*125mm
 Net weight for full set : Approx.4.90kgs
 Heater weight: Approx.2.40kgs

MOQ: 500PCS
 BMC + COLOR SLEEVE

SANDING BLOCK

SANDING BLOCK- H-2SB-1

HOTECH 卓



NEW

FEATURES

- Material: PU Environmental raw material
- No Mess: Vacuum cleaning System removes more than 95% of the sanding dust
- Stay Clean: No dust on your clothes or tracked through your garage and house
- Flexibility Panels: Rotating bolts can be freely bended
- Save Money: Paper lasts longer because clogging and loading is greatly reduced
- Save Time: Less time cleaning and replacing paper because of clogging

SPECIFICATION

1. Material: PU Environmental raw material
2. Size: 70*400mm(2 3/4"*15.748inch)
3. Vacuum Technology
4. Adjusting the radian
5. Include: 4m Vacuum Hose (13.12 Feet)

MODEL NO.: H-2SB-1

Package: Color Box



SANDING BLOCK- H-2SB-2



LOGO & SANDING BLOCK

SPECIFICATION

- 1. Material: PU Environmental raw material
- 2. Size: 70*400mm(2 3/4"*15.748inch)
- 3. Vacuum Technology
- 4. Adjusting the radian
- 5. Include: 4m Vacuum tube (13.12Feet)
- 6. 4 Rollers Sandpaper:
Each Roll size: 2- 3/4 in. x 13 yd.
P80, P180, P220 and P400 Grit
(Cut the pre tangent line every 69mm)

MODEL NO.: H-2SB-2

Package: Color Box

Blue Ceramic Hook & Loop Sanding Roll with Multiple-Holes



P80

P180

P220

P400

SANDING BLOCK - H-3SB

HOTECH 



FEATURES

- Material: [PU Environmental raw material](#)
- Flexibility Panels: The shape can be bent according to your needs

SPECIFICATION

1. Size: 70*198mm(2 ¾"*7.795inch)

MODEL NO.: H-3SB
Package: Color Box

SANDING BLOCK- H-3SB-2

HOTECH 


SPECIFICATION

1. Material: **PU Environmental raw material**
2. Size: 70*198mm(2 3/4"*7.795inch)
3. The shape can bended according to your needs
4. 4 Rollers Sandpaper:
Each Roll size: 2- 3/4 in. x 13 yd.
P80, P180, P220 and P400 Grit
(Cut the pre tangent line every **69mm**)

MODEL NO.: H-3SB-2

Package: Color Box

Blue Ceramic Hook & Loop Sanding Roll WITHOUT Holes



P80

P180

P220

P400



LOGO & SANDING BLOCK

ONE STOP SOLUTION TOOLS 101

SANDING BLOCK- H-4SB-1

HOTECH 



LOGO & SANDING BLOCK



FEATURES

- Material: [PU Environmental raw material](#)
- No Mess: Vacuum cleaning System removes more than 95% of the sanding dust
- Stay Clean: No dust on your clothes or tracked through your garage and house
- Save Money: Paper lasts longer because clogging and loading is greatly reduced
- Save Time: Less time cleaning and replacing paper because of clogging

SPECIFICATION

1. Size: 6inch
2. Vacuum Technology
3. Include: 4m Vacuum Hose (13.12Feet)

MODEL NO.: H-4SB-1

Package: Color Box

SANDING BLOCK- H-4SB-2



LOGO & SANDING BLOCK




SPECIFICATION

1. Material: PU Environmental raw material
2. Size: 6inch
3. Vacuum Technology
4. Include: 4m Vacuum Hose (13.12Feet)
5. 4 Boxes Sandpaper: 50PCS each box of P80, P180, P220 and P400. (Diameter 6inch)

MODEL NO.: H-4SB-2

Package: Color Box

Blue Ceramic Hook & Loop Sanding Disc Multiple-holes



P80

P180

P220

P400

SANDING BLOCK- H-5SB-1



LOGO & SANDING BLOCK

FEATURES

- No Mess: Vacuum cleaning System removes more than 95% of the sanding dust
- Stay Clean: No dust on your clothes or tracked through your garage and house
- Save Money: Paper lasts longer because clogging and loading is greatly reduced
- Save Time: Less time cleaning and replacing paper because of clogging

SPECIFICATION

1. Size: 70*125mm(2 3/4"*4.921inch)
70*198mm(2 3/4"*7.795inch)
70*400mm(2 3/4"*15.748inch)
3. Vacuum Technology
4. Include: 4m Vacuum Hose (13.12Feet)

MODEL NO.: H-5SB-1

Package: Color Box



SANDING BLOCK- H-5SB-2



SPECIFICATION

1. Size: 70*125mm (2 3/4"*4.921inch)
70*198mm (2 3/4"*7.795inch)
70*400mm (2 3/4"*15.748inch)
3. Vacuum Technology
4. Include: 4m Vacuum tube (13.12Feet)
5. 4 Rollers Sandpaper:
Each Roll size: 2- 3/4 in. x 13 yd.
P80, P180, P220 and P400 Grit
(Cut the pre tangent line every 69mm)

MODEL NO.: H-5SB-2

Package: Color Box


LOGO & SANDING BLOCK



Blue Ceramic Hook & Loop Sanding Roll with Multiple-Holes



SANDING BLOCK- H-6SB-1



FEATURES

- Material: PU Environmental raw material
- Flexibility Panels: Free bending

SPECIFICATION

1. 7pcs Sanding Block

Name	Photo	Size: (L*W*H)mm
Cuboid 30*272 Sanding block		272*33.6*20.3
Special-shaped 31*272 Sanding block		272*31.1*25.6
Water droplet 53*272 Sanding block		272*53.5*71.1
Cuboid 63*136 Sanding block		136.5*63.5*16
Cuboid 68*138 Sanding block		133*68*38.3
Cuboid 68*272 Sanding block		272*68*38.3

LOGO & SANDING BLOCK

MODEL NO.: H-6SB-1

Package: Color Box

SANDING BLOCK- H-6SB-2



SPECIFICATION


1. Material: **PU Environmental raw material**
2. 7pcs Sanding Block
3. 4 Rollers Sandpaper:
Each Roll size: 2- 3/4 in. x 13 yd.
P80, P180, P220 and P400 Grit
(Cut the pre tangent line every **69mm**)

MODEL NO.: H-6SB-2

Package: Color Box

Name	Photo	Size: (L*W*H)mm
Cuboid 30*272 Sanding block		272*33.6*20.3
Special-shaped 31*272 Sanding block		272*31.1*25.6
Water droplet 53*272 Sanding block		272*53.5*71.1
Cuboid 63*136 Sanding block		136.5*63.5*16
Cuboid 68*138 Sanding block		133*68*38.3
Cuboid 68*272 Sanding block		272*68*38.3

Blue Ceramic Hook & Loop Sanding Roll WITHOUT Holes



P80

P180

P220


P400

ONE STOP SOLUTION TOOLS 107

SANDING BLOCK- H-7SB-1

HOTECH 

NEW



Magnetic

LOGO & SANDING BLOCK



FEATURES

- Material: **PU Environmental raw material**
- No Mess: Vacuum cleaning System removes more than 95% of the sanding dust
- Stay Clean: No dust on your clothes or tracked through your garage and house
- Save Money: Paper lasts longer because clogging and loading is greatly reduced
- Save Time: Less time cleaning and replacing paper because of clogging


SPECIFICATION

1. 4pcs Sanding Block
2. Size: 70*198mm(2 3/4"*7.795inch)
3. Magnetic Quick clamp
4. Vacuum Technology
5. Include: 4m Vacuum Hose (13.12Feet)

MODEL NO.: H-7SB-1

Package: Color Box

SANDING BLOCK- H-7SB-2



Magnetic

LOGO & SANDING BLOCK




SPECIFICATION

1. Material: PU Environmental raw material
2. 4pcs Sanding Block
3. Size: 70*198mm(2 ¾"*7.795inch)
4. Magnetic Change
5. Vacuum Technology
6. Include: 4m Vacuum tube (13.12Feet)
7. 4 Rollers Sandpaper:
Each Roll size: 2- 3/4 in. x 13 yd.
P80, P180, P220 and P400 Grit
(Cut the pre tangent line every 69mm)

MODEL NO.: H-7SB-2

Package: Color Box

Blue Ceramic Hook & Loop Sanding Roll with Multiple-Holes



P80

P180



P220

P400

ONE STOP SOLUTION TOOLS 109

SANDING BLOCK- H-8SB-1

LOGO & SANDING BLOCK



FEATURES

- Material: [PU Environmental raw material](#)
- Flexibility Panels: Rotating bolts can be freely bended

SPECIFICATION

1. Size:70*400mm(2 ¾"*15.748inch)



MODEL NO.: H-8SB-1

Package: Color Box

SANDING BLOCK- H-8SB-2

HOTECH 卓

LOGO & SANDING BLOCK




SPECIFICATION

1. Material: PU Environmental raw material
2. Size:70*400mm(2 ¾”*15.748inch)
3. Adjusting the radian
4. 4 Rollers Sandpaper:
Each Roll size: 2- 3/4 in. x 13 yd.
P80, P180, P220 and P400 Grit
(Cut the pre tangent line every 69mm)

MODEL NO.: H-8SB-2

Package: Color Box

Blue Ceramic Hook & Loop Sanding Roll WITHOUT Holes



P80

P180

P220

P400

ONE STOP SOLUTION TOOLS 111

Blue Ceramic Hook & Loop Sanding Roll Multiple-holes 70mm*12m (2 ¾"*13 yd.)



Blue **Ceramic** Hook & Loop Sanding Roll Multiple-holes

FEATURES

- Specializing in the automobile paint preparation industry.
- Fast sanding with a smooth surface finish saves you time and money.
- Consistent quality with a long-lasting lifetime.
- The effective multi-holes pattern delivers outstanding performance without clogging.


SPECIFICATION

1. Size: Width*Length 70mm*12m(2 ¾"*13 yd.) (Cut the pre tangent line every **69mm**)
2. Multiple-holes
3. Grits options: P80/P120/P150/P180/P220/P320/P400

MODEL NO.: H-10CHLSRH

Package: Color Box

Blue Ceramic Hook & Loop Sanding Disc Multiple-holes Φ 150mm(6inch)



BEST

528 BLUE CERAMIC PAPER



Grain	Ceramic Mixed With Aluminum Oxide
Bonding	Resin Over Resin
Backing	Latex Paper
Coating	Semi-open
Colour	Blue
Grit range	P40-P800

GRIT SIZES
40, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 500, 600, 800

PRODUCT FORM



- ▶ Specializing in the automobile paint preparation industry.
- ▶ Fast sanding with a smooth surface finish saves you time and money.
- ▶ Consistent quality with a long-lasting lifetime.
- ▶ The effective multi-hole pattern delivers outstanding performance without clogging.

FEATURES



APPLICATIONS



Blue **Ceramic** Hook & Loop Sanding Disc Multiple-holes

FEATURES

- Specializing in the automobile paint preparation industry.
- Fast sanding with a smooth surface finish saves you time and money.
- Consistent quality with a long-lasting lifetime.
- The effective multi-hole pattern delivers outstanding performance without clogging.

SPECIFICATION

1. Size: Φ 150mm (6 inch)
2. QTY: 50pcs each Box
3. Grits options: P80/P120/P150/P180/P220/P320/P400

MODEL NO.: H-13CHLSD

Package: Color Box

SANDING BLOCK HOSE- H-9SBH

HOTECH 



SPECIFICATION

1. 4m (13.12Feet) Vacuum Hose
2. Internal Diameter: **22mm**

MODEL NO.: H-9SBH

Package: Color Box



CAR PAINT RELATED PRODUCTS

BASE COAT SPRAY GUN - H1314BCSG

HOTECH 



Specification:

Standard Nozzle:φ1.5mm

Operating Pressure:2.0-3.5bar

Pattern Width:180-280mm

Air Consumption:3.0-3.9cfm

Paint Capacity:600cc

Feature:

S.S nozzle and needle ,brass air cap;

Corrosion resistant PE cup;

Gun body can bear quadrupling working pressure;

Paint utilization rate can reach 65%;

Trigger with 2 gears, the first for dust cleaning, second for painting.

MODEL NO.: H1314BCSG

MOQ: 1000pcs

PACKAGE: COLOR BOX

PREMIER SPRAY GUN – H1314PSG

HOTECH 



Specification:

Type of Feed: Gravity
Standard Nozzle: $\phi 1.3\text{mm}$
Operating Pressure: 2.0bar
Pattern Width: 180-260mm
Air Consumption: 4.1-4.5cfm
Paint Capacity: 500cc

Feature:

Aluminum forged gun body with precise machined air cap set.
Stainless steel needle and nozzle accommodate a variety of coating.
Even better surface quality for spotless finish.
Ensure excellent painting results.

MODEL NO.: H1314PSG

MOQ: 1000pcs

PACKAGE: COLOR BOX

REFINE SPRAY GUN – H1314RSG

HOTECH 



Specification:

Type of Feed: Gravity
Standard Nozzle: $\phi 1.0\text{mm}$
Operating Pressure: 2.0bar
Pattern Width: 130-180mm
Air Consumption: 2.8-4.6cfm
Paint Capacity: 100cc

Feature:

Aluminum forged gun body with precise machined air cap set.
Stainless steel needle and nozzle accommodate a variety of coating.
Excellent surface quality for spotless finish.
Mainly used automobile finish painting.

MODEL NO.: H1314RSG

MOQ: 1000pcs

PACKAGE: COLOR BOX

LED SPRAY GUN LIGHT- H13PGL



Feature:

With help of spray gun light, it ensures not only even application of paint coatings but also brightens up low level light areas to ensure proper coverage of paint coatings. Our spray gun light will brighten up the painting area to ensure even application while showing out defects and ensuring color matching, ultimately reducing rework. In automotive painting work, painters always feel headache with the problems which affect their painting quality and efficiency: 1, bad lighting environment inside spray booth so they can not see clearly while painting. 2, no high CRI light so can not see the real colors especially for metallic and pearl paint. LED spray gun light will brighten up the painting area to ensure even application while showing out defects and ensuring color matching, ultimately reducing re-paint. Our spray gun lights can fit one all different models of spray guns in market from SATA, to IWATA, DEVILBISS, WAGNER, etc. It is simple to install and easy to operate.

SPECIFICATION:

Battery: built-in batteries 3.7V, 100mAh and Type-C cable
Charging time: **0.5 hours**
Service life for LED bulb: 50,000Hours
Color temperature: 4000K
Brightness: **80Lumens / 8Lumens** Mode: **Low-High-Off**
CRI: RA≥90
Weight: **95g** Material: Aluminum
Suitable spray gun size: **29-44mm** (High: 80mm; Lights distance: 60mm)



MODEL NO.: H13PGL

MOQ: 1000pcs

Packaging: Color Box



BATTERY CHARGERS & JUMP STARTERS

Battery Charger - H12125BC

HOTECH 



Spark proof, has protection for reverse polarity, short circuit, overcharge, overheat and overcurrent.

- Designed for charging all types of 6V /12V lead-acid batteries (WET/MF/EFB/GEL/AGM...).
- Independent selection mode for 6V /12V battery, and memory function.
- Built-in intelligent microprocessor makes charging faster, easier and safer.
- 10 steps, full-automatic charging cycle.
- LED Display.
- Warning light to remind the abnormal processes.
- Accessories: Clamps; 1.85 meters AC cable and 1.5 meters DC cable.
- IP65(MAX) Housing Protection.

Battery Charger - H245BC

HOTECH 



Spark proof, has protection for reverse polarity, short circuit, overcharge, overheat and overcurrent.

- Designed for charging all types of 6V /12V lead-acid batteries (WET/MF/EFB/GEL/AGM...).
- Independent selection mode for 6V /12V battery, and memory function.
- Built-in intelligent microprocessor makes charging faster, easier and safer.
- 10 steps, full-automatic charging cycle.
- LED Display.
- Warning light to remind the abnormal processes.
- Accessories: Clamps; 1.85 meters AC cable and 1.5 meters DC cable.
- IP65(MAX) Housing Protection.

Battery Charger - H1625BC

HOTECH 卓



Input: 110-120VAC, 50/60Hz, voltage:12-16
Amperage Rating:5/15/25
New design, LED display for Voltage and Current

Battery Charger - H12125BC2



Spark proof, has protection for reverse polarity, short circuit, overcharge, overheat and overcurrent.

- Designed for charging all types of 6V /12V lead-acid batteries (WET/MF/EFB/GEL/AGM...).
- Independent selection mode for 6V /12V battery, and memory function.
- Built-in intelligent microprocessor makes charging faster, easier and safer.
- 10 steps, full-automatic charging cycle.
- LED Display.
- Warning light to remind the abnormal processes.
- Accessories: Clamps; 1.85 meters AC cable and 1.5 meters DC cable.
- IP65(MAX) Housing Protection.



- Spark proof, has protection for reverse polarity, short circuit, overcharge, overheat and overcurrent.
- Designed for charging all types of 6V /12V lead-acid batteries (WET/MF/EFB/GEL/AGM...).
- Automatically detect 6V/12V voltage.
- Built-in intelligent microprocessor makes charging faster, easier and safer.
- 8/10 steps, full-automatic charging cycle.
- Digital Display.
- Detailed error codes to remind the abnormal processes.
- Accessories: Clamps; 1.85 meters AC cable and 1.5 meters DC cable.
- IP33 Housing Protection

Battery Charger - H126BC



- A 6-volt and 12-volt 4-bank battery charger and maintainer for lead-acid and lithium-ion batteries up to 60 AH
- An ultra-safe design featuring spark-proof technology, as well as reverse polarity and overcharge protection
- Safely charge automotive, marine, RV, powersport and lawn & garden batteries, as well as, AGM and deep-cycle batteries
- Actively monitor the batteries health and repairs discharged and sulfated batteries for improved battery life
- Charge a motorcycle, snowmobile, ATV, personal watercraft, lawn mower and more, or simply maintain all types of vehicles

Battery Charger - H12125BC

HOTECH 卓



Input: 110-120V AC, 50/60Hz.

Output: 6V/12VDC, 1.25A ; Temperature Controlled.

Start Voltage: > 3V.

Charger Type: 8 steps, Full-automatic Charging Cycle.

Battery Type: All type of 12V & 6V lead-acid batteries

(WET/MF/GEL/AGM/EFB/CA).

Battery Capacity: 2-30Ah (12V), 2-30Ah (6V), all type of lead-acid batteries

Ambient Temperature: -20°C ~ +50°C.

Housing Protection: IP54.

package: color box

Certificate:CE & RoHS,EMC,ETL,CETL



- Spark proof, has protection for reverse polarity, short circuit, overcharge, overheat and overcurrent.
- Designed for charging all types of 6V /12V lead-acid batteries (WET/MF/EFB/GEL/AGM...).
- Automatically detect 6V/12V voltage.
- Built-in intelligent microprocessor makes charging faster, easier and safer.
- 8/10 steps, full-automatic charging cycle.
- Digital Display.
- Detailed error codes to remind the abnormal processes.
- Accessories: Clamps; 1.85 meters AC cable and 1.5 meters DC cable.
- IP33 Housing Protection



- Spark proof, has protection for reverse polarity, short circuit, overcharge, overheat and overcurrent.
- Designed for charging all types of 6V /12V lead-acid batteries (WET/MF/EFB/GEL/AGM...).
- Automatically detect 6V/12V voltage.
- Built-in intelligent microprocessor makes charging faster, easier and safer.
- 8/10 steps, full-automatic charging cycle.
- Digital Display.
- Detailed error codes to remind the abnormal processes.
- Accessories: Clamps; 1.85 meters AC cable and 1.5 meters DC cable.
- IP33 Housing Protection



- Spark proof, has protection for reverse polarity, short circuit, overcharge, overheat and overcurrent.
- Designed for charging all types of 6V /12V lead-acid batteries (WET/MF/EFB/GEL/AGM...).
- Automatically detect 6V/12V voltage.
- Built-in intelligent microprocessor makes charging faster, easier and safer.
- 8/10 steps, full-automatic charging cycle.
- Digital Display.
- Detailed error codes to remind the abnormal processes.
- Accessories: Clamps; 1.85 meters AC cable and 1.5 meters DC cable.
- IP33 Housing Protection



- Spark proof, has protection for reverse polarity, short circuit, overcharge, overheat and overcurrent.
- Designed for charging all types of 6V /12V lead-acid batteries (WET/MF/EFB/GEL/AGM...).
- Automatically detect 6V/12V voltage.
- Built-in intelligent microprocessor makes charging faster, easier and safer.
- 8/10 steps, full-automatic charging cycle.
- Digital Display.
- Detailed error codes to remind the abnormal processes.
- Accessories: Clamps; 1.85 meters AC cable and 1.5 meters DC cable.
- IP33 Housing Protection



AUTO SPECIALTY TOOLS SOLUTIONS

BRAKE BLEED KIT



COMPARE TO



VACUUM BRAKE BLEED KIT
Lincoln Industrial Vacuum Brake Bleeder Kit MV6835

★★★★★ 5.0 (1) [Write a review](#)

\$299.99

Starting at \$28/mo with [affirm](#) [Prequalify now](#)

✓ In Stock

Ship To: [Hangzhou, CN](#)

We do not currently ship outside USA

- 1 + [Add](#)

[Save for](#)

[Questions? Talk to an Expert: 800-](#)

90 Day Warranty Included

激活 Winc
800.228.1118

SPRING COMPRESSOR KIT

HOTECH 卓

COMPARE WITH



Powerbuilt 2PC STRUT SPRING COMPRESSOR KIT1
648627

Powerbuilt 2 Piece Strut Spring Compressor Kit

★★★★★ (0) Write a review

\$36.99

✓ In Stock

Ship To: [Hangzhou, CN](#)

We do not currently ship outside USA & Canada.

- 1 +

Add to Cart

[Save for Later](#)

Questions? Talk to an Expert: 800-343-9353



100% Satisfaction Guarantee Since 1978
We stand behind our solutions and customers.



Ball Joint Service Set



COMPARE WITH



Ball Joint Service Set
Removes, installs press-fit parts (ball joints, univer

★★★★★ 5.0 (1) [Write a review](#)

\$254.99

Starting at \$24/mo with [affirm](#). [Prequalify now](#)

✓ **In Stock**

Ship To: [Hangzhou, CN](#)

We do not currently ship outs



100% Satisfaction Guarante
We stand behind our solutions and i
• 90 Day Returns • Lifetime Tech S

Ball Joint/U Joint Service Kit



COMPARE WITH



Powerbuilt 23 Piece Ball Joint/U Joint Service Kit46
648617

23 Piece Ball Joint & U-Joint Service Kit

★★★★☆ 4.0 (1) Write a review

\$219.99

Starting at \$20/mo with [affirm](#). [Prequalify now](#)

✓ In Stock

Ship To: [Hangzhou, CN](#)

We do not currently ship outside USA & Canada.

- 1 +

Add to Cart

[Save for Later](#)

Questions? Talk to an Expert: 800-343-9353

激活 Windows
转到设置以激活 Windows
100% Satisfaction Guarantee Since 1978

BEARING REMOVE & INSTALL



COMPARE WITH



Powerbuilt FWD BEARING REMOVE & INSTALL SET KIT27 648741

23 Piece FWD Bearing Removal And Installer Kit

★★★★★ (0) Write a review

\$118.99

Loading...

✓ In Stock

Ship To: Hangzhou, CN

We do not currently ship outside USA & Canada.

- 1 +

Add to Cart

[Save for Later](#)

Questions? Talk to an Expert: 800-343-9353

100% Satisfaction Guarantee Since 1978

VALVE SPRING COMPRESSOR KIT



COMPARE WITH



Powerbuilt VALVE SPRING COMPRESSOR KIT6
648615

Valve Spring Compressor Kit

★★★★★ (0) Write a review

\$62.99

Loading...

✓ In Stock

Ship To: [Hangzhou, CN](#)

We do not currently ship outside USA & Canada.

- 1 +

Add to Cart

[Save for Later](#)



100% Satisfaction Guarantee Since 1978

We stand behind our solutions and customers.
• 90 Day Returns • Lifetime Tech Support 可以激活 Windows.



TIRE PRESSURE GAUGE & TIRE INFLATORS

HOT NEW

FEATURES

Massive Display: Ultra-large screen ensures clear, precise readings at a glance.

Rapid and Accurate Inflation: Delivers fast air-filling speed with high precision for reliable performance.

Powerful Battery: 7500mAh high-capacity battery supports extended usage.

Multi-Mode Work light: Features Flash, SOS, and Bursting light modes for versatile scenarios.

Soft Touch Buttons: Ergonomically designed for comfortable, seamless operation.

Convenient Charging: Equipped with a Type-C port for fast and efficient charging.

Portable and Practical: Compact, lightweight design makes it easy to carry and use anywhere.

This tire inflator combines speed, accuracy, and convenience, designed to exceed your expectations!

SPECIFICATION

1. DC 12V, max current : 10A,
2. Battery pack: 18650X 3, **7500mAh** Battery life: 500cycles
3. Max pressure: **150PSI**
4. Charging cable length: USB type C charging cable: 11.80inches, type C, 5V 2A
5. VG8 screw nut& hose: 7.08 inches (Material : EPDM)..
6. Inflation time (0-35psi) p195/65/R15, below 4.5 minutes
7. Endurance operation: 500cycles
8. Digital gauge, LED display size: 2.88" x 1.38", accuracy: +/-1.5psi (5 models: free, Car,motorcycle, ball)
9. Lighting: led 0.5w x 4pcs, multi-function(flash, SOS, bursting) .
10. Overall size: 7.87"X 2.52" X 2.52" unit weight : 1.53pounds
11. Package size: 11.50" X 11.50" X 8.90" 16CPS/ PACK

Rapid and Accurate Inflation

MOQ: 1200pcs

TIRE INFLATOR- H8PROT1



WHAT IS INCLUDED



Soft Touch Buttons



LED Light



TIRE INFLATOR- H867TI



Small, lightweight and flexible storage

Put it anywhere, let you inflate more conveniently and easily




Car Door

Armrest Box

Built-in lithium battery Wireless endurance long standby time

Powered by 2600mAh 18650 battery, the inflation does not need external power supply, get rid of the cord bondage



Lydsto Car Inflatable 1S performance parameters

Inflatable object	inflatable pressure	Quantity of full charge	Charging speed
Car tire (205/55 R16)	2.5Bar	2 strips	8 minutes
Motorcycle tire (110/70 R17)	2.4Bar	8 strips	2 minutes 35 seconds
Road Bike Tire (700x23C)	120PSI	10 strips	2 minutes 20 seconds
Mountain Bike Tire (2.75x1.95)	50PSI	11 strips	1 minutes 50 seconds
Electric Scooter Tire (8" x 2)	40PSI	80 strips	17 s
Balance car tires (70/65-6.5)	30PSI	66 strips	22 s
Basketball # 7	8psi	85	32 s
No. 5 football	10psi	50	27 s
No. 5 Volleyball	4psi	90	22 s

Product description

- Inflatable Jack
- LED Light
- Power Indicator
- Screen display
- Decrease key
- Increase key
- Light key
- Mode key
- Decrease key
- Type-C interface

TIRE INFLATOR- H867TI

Preset tire pressure

Preset pressure, full automatic stop, no need to watch the tire pressure gauge whole time

36PSI

Car tire pressure

45PSI

Bicycle tire pressure

35PSI

Motorcycle tire pressure

8PSI

Ball tire pressure



Reasons to choose us

MAX

Surging power



No fear of high pressure



Stop inflate when full



Type-C interface



Accurate pressure measurement



Type-C interface



Built-in battery



Lighting pattern

TIRE INFLATOR- H867TI

Double increase in speed and volume

10 seconds quick replenishment

Optimize the performance of the movement, feel the surging energy in 1 second, and the performance far exceeds the 160W virtual standard product of insomnia

Double increase in speed and volume Farewell to feet and hands

Upgraded to a digital chip air pressure sensor, the tire pressure detection accuracy is increased to $\pm 1\text{psi}$ *, the error is smaller, and there is no need to repeatedly check whether it is fully charged by stepping on your feet and pinching your hands



Save effort and worry :

Set the pressure value according to the required pressure before aeration, and stop automatically after aeration. Pressure value can be memorized, repeated pumping without repeated setting

High precision cylinder Can charge up to 150PSI

High-precision alloy die-casting cylinder block, pressurized from 0psi to 150psi, meeting the high air pressure required by mountain bike air pressure reducers and road bicycle tires

TIRE INFLATOR- H867TI



MODEL NO.: H867TI
MOQ: 1200pcs

Mailbox: 26*15*6cm
Mailbox weight: 700g/Unit

Master Carton:
20pcs/54*32*32cm
14kgs/15kgs

TIRE REPAIR KIT- H314TR

OSSTOOLS
ONE STOP SOLUTION TOOLS



- **MODEL NO.:** H314TR
- **MOQ:** 1000 pcs

TIRE REPAIR KIT- H314TR


OSSTOOLS
ONE STOP SOLUTION TOOLS



1.Remove offending object from tire with included heavy duty pliers.



2.Apply lubricant to the spiral shaft of the reamer tool. This will help to probe the hole and temporarily separate the steel belts.



3.Insert
push in
hole. Re-

4.Using the T-handle insert tool, feed one plug through the hole and position it over the hole, leaving 1/2 inch of cord ends visible.

ONE STOP SOLUTION TOOLS 147



5. Slide the retaining platform until against the tire. Hold the retaining platform against the tire while quickly and firmly pulling the T-handle up leaving the plug in place.



6. Use the included knife to trim excess plug material and re-inflate tire recommended pressure.

TIRE REPAIR and INFLATOR SET- H8675TRI

OSSTOOLS
ONE STOP SOLUTION TOOLS



H314TR



H8675TRI



H867TI



- **MODEL NO.: H8675TRI**
- **MOQ: 1000 pcs**

COLOR COMBINATION



**SUMMIT REFLEX BLUE C OUTLINE
INSIDE BLUE LED LIGHT**

BLACK

DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR- H191DTI

HOTECH 卓



- **FEATURES:** The Digital Tire Inflator Gauge inflates tires with ease. Compatible with 1/4" NPT air compressors outputs. Calibrated for accuracy, reading within 1% of the exact tire pressure. Accurately measures FOUR DIFFERENT UNITS in a range from 3-250 PSI (0.2-17.2 Bar; 0.21-1724 Kpa; 0.2-17.5 kg/cm²) in increments of 0.1 PSI
- **SUPERIOR CONSTRUCTION:** Solid heavy-duty brass air chuck makes it easier to lock onto stem valves stopping leaks. Quality stainless steel inflation trigger for lasting performance; And the 17" stainless braided hose is much stronger and flexible, protects the internal hose from damage, tough enough to endure high pressure.
- **EASY TO USE:** The large LCD screen is easy to read. The gauge is connected with 360° rotatable dial and chuck with a larger ergonomic handle for convenient use. No hard work and pumping, inflate the tire to the exact pressure you want, no adjusting or repeating. Simple trigger allows Single-Handed operation for Inflation/ Deflation-lightly squeeze the trigger to deflate, fully squeeze the trigger to inflate
- **ENERGY SAVING AND SAFE:** Battery Saver auto connects when pressurized air is detected, switches off after 15 seconds inactivity. Integrated flashlight switch control for emergency use. Simple trigger action eliminates risks of blow-outs. Gifts for men.
- Perfect for all vehicles: Cars, SUVs, Trucks, Motorcycles, Bicycles, RVs, Balls, Air pillows, Cushions, Mattresses etc.
- Pressure range: 3-250psi, 0-17bar, 0-1720kpa, 0-17.6kgf/cm²
- Pressure unit: psi, bar, kpa, kgf/cm²(optional)

DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR- H191DTI



- Rubber Protector
- 2 AAA Battery Included



Net weight: 615g
Gross weight:825g
Each in color box
Dimensions of package: 34x13x5cm
Dimensions of master carton:50x37x29cm 20pcs/ctn

MODEL NO.: H191DTI
MOQ: 1000pcs

DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR- H191DTI



3-IN-1 DIGITAL TIRE INFLATOR GAUGE

Automatically shut off in 15s to save power



LARGE BACKLIT LCD DISPLAY

Automatically shut off in 15s to save power



UPGRADED TO 0.1 RESOLUTION

It's a pressure gauge to accurately monitor tire pressure, giving quick and accurate readings in 0.1 increments.

DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR WITH LONG HOSE - H131418AI

HOTECH 卓



**2-Tire Simultaneous Inflation
with Perfect Pressure Balance**

- Quick-Connect Valve:** Fast, secure tire attachment.
- Anti-Kink Hoses:** Flexible, tangle-free design.
- Digital Gauge:** Clear, precise pressure readings.
- Quick-Disconnect Storage:** Easy disconnect for neat, compact storage.
- Versatile Connections:** Fits ARB and standard compressors.
- Carry Bag:** Durable, standard storage bag.
- Velcro Straps:** Secure, organized storage.
- 2-Tire Even Inflation:** Balanced pressure for 2 tires—ideal for modded cars.

Power: 2xAAA battery(include)

On/off key Auto shut off

Copper Bleed valve ,copper fast connector

Pressure range: 0-250psi,0-17bar,0-1720kpa,0-17.6kgf/cm²

Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm²

Pressure unit: psi,bar,kpa,kgf/cm²(optional)

Accuracy: ±2 psi F.S.

8.2FT/2.5M Hose*2

2.5inch digital meter

1/4NPT connector

Net weight: 1289g

Gross weight: 1940g

Dimensions of color box: 35*22*12cm

Dimensions of master carton: 52*36*35.5cm/4pcs/ctn

G.W.: 8.5kgs N.W.: 6.5 kgs

Carry Bag + Color Box

MOQ: 1000pcs

DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR WITH LONG HOSE - H131418BI



**2-Tire Simultaneous Inflation
with Perfect Pressure Balance**

- Quick-Connect Valve:** Fast, secure tire attachment.
- Anti-Kink Hoses:** Flexible, tangle-free design.
- Digital Gauge:** Clear, precise pressure readings.
- Quick-Disconnect Storage:** Easy disconnect for neat, compact storage.
- Versatile Connections:** Fits ARB and standard compressors.
- Carry Bag:** Durable, standard storage bag.
- Velcro Straps:** Secure, organized storage.
- 2-Tire Even Inflation:** Balanced pressure for 2 tires—ideal for modded cars.

Power: 2xAAA battery(include)
On/off key Auto shut off
Copper Bleed valve ,copper fast connector
Pressure range: 0-250psi,0-17bar,0-1720kpa,0-17.6kgf/cm2
Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm2
Pressure unit: psi,bar,kpa,kgf/cm²(optional)
Accuracy: ±2 psi F.S.
8.2FT/2.5M Hose*2
2.5inch digital meter
1/4NPT connector
Net weight: 1341g
Gross weight:1600g
Dimensions of color box: 35*22*12cm
Dimensions of master carton:52*36*35.5cm/4pcs/ctn
G.W.: 7.5kgs N.W.: 6.5 kgs
Carry Bag + Color Box

MOQ: 1000pcs

DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR WITH LONG HOSE - H1314184AI

HOTECH 卓

4 IN 1



**4-Tire Simultaneous Inflation
with Perfect Pressure Balance**

- **Quick-Connect Valve:** Fast, secure tire attachment.
- **Anti-Kink Hoses:** Flexible, tangle-free design.
- **Digital Gauge:** Clear, precise pressure readings.
- **Quick-Disconnect Storage:** Easy disconnect for neat, compact storage.
- **Versatile Connections:** Fits ARB and standard compressors.
- **Carry Bag:** Durable, standard storage bag.
- **Velcro Straps:** Secure, organized storage.
- **4-Tire Even Inflation:** Balanced pressure for all 4 tires—ideal for modded cars.

Power: 2xAAA battery(include)

On/off key Auto shut off

Copper Bleed valve ,copper fast connector

Pressure range: 0-250psi,0-17bar,0-1720kpa,0-17.6kgf/cm²

Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm²

Pressure unit: psi,bar,kpa,kgf/cm²(optional)

Accuracy: ±2 psi F.S.

13FT/4M long rubber hose*2, 8.2FT/2.5M tube*4

2.5inch digital meter

1/4NPT connector

Net weight: 3113g

Gross weight:3375g

Dimensions of color box: 35*22*12cm

Dimensions of master carton:52*36*35.5cm/4pcs/ctn

G.W.: 14.75kgs N.W.: 13.75 kgs

Carry Bag + Color Box

MOQ: 1000pcs

ONE STOP SOLUTION TOOLS 156

DIGITAL TIRE PRESSURE GAUGE AIR INFLATOR WITH LONG HOSE - H1314184BI

HOTECH 卓

4 IN 1



**4-Tire Simultaneous Inflation
with Perfect Pressure Balance**

- **Quick-Connect Valve:** Fast, secure tire attachment.
- **Anti-Kink Hoses:** Flexible, tangle-free design.
- **Digital Gauge:** Clear, precise pressure readings.
- **Quick-Disconnect Storage:** Easy disconnect for neat, compact storage.
- **Versatile Connections:** Fits ARB and standard compressors.
- **Carry Bag:** Durable, standard storage bag.
- **Velcro Straps:** Secure, organized storage.
- **4-Tire Even Inflation:** Balanced pressure for all 4 tires—ideal for modded cars.

Power: 2xAAA battery (include)
On/off key Auto shut off
Copper Bleed valve, copper fast connector
Pressure range: 0-250psi, 0-17bar, 0-1720kpa, 0-17.6kgf/cm²
Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm²
Pressure unit: psi, bar, kpa, kgf/cm² (optional)
Accuracy: ±2 psi F.S.
13FT/4M long rubber hose*2, 8.2FT/2.5M tube*4
2.5inch digital meter
1/4NPT connector
Net weight: 3165g
Gross weight: 3427g
Dimensions of color box: 35*22*12cm
Dimensions of master carton: 52*36*35.5cm/4pcs/ctn
G.W.: 14.77kgs N.W.: 13.77 kgs
Carry Bag + Color Box

MOQ: 1000pcs

DIGITAL TIRE PRESSURE AIR INFLATOR - H131422AI

HOTECH 



USB charging
On/off key Auto shut off
brass alloy hose connection
3.5" dial type gauge with rubber protector
brass alloy hose connection and release valve (medium)
large LCD display with clear reading, digit height 25mm
18" rubber hose
Pressure range: 0-250psi, 0-17bar, 0-1720kpa, 0-17.6kgf/cm²
Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm²
Pressure unit: psi, bar, kpa, kgf/cm² (optional)
Accuracy: ±2 psi F.S.
Net weight: 516g
Each in color box
Gross weight: 650g
Dimensions of package: 34x13x5.5cm
Dimensions of master carton: 50x39x30cm/20pcs/ctn
G.W.: 14 kgs N.W.: 13kgs

MOQ: 1000pcs

DIGITAL GAUGE COMBO WITH TIRE DEFLATORS - H13859TD



More colors more choices



DIGITAL TIRE PRESSURE GAUGE

Pressure range: 0-150psi 0-10.3bar 0-1034kpa 0-10.5gf/cm²
Pressure unit: psi, bar, kpa, kgf/cm² (optional)
Resolution: 0.1psi/0.01bar/1kpa/0.01kgf/cm²
Back-Lit LCD and light on gauge's head for easy use in dark condition
Power: 2xAAA battery (easy battery replacement)
On/off key
Auto shut off
Accuracy: ±1 psi F.S.
Product size: 13.8 x 5.6 x 2.5cm
Net weight: 72g

PREMIUM TIRE DEFLATORS

Range 10-30psi
compatible with schrader valves
Automatic exhaust
100% gas test
Maximum outer diameter 12mm
Heavy Duty Designed
Product size: 5.8X1.2X1.2cm
Net weight: 30g

MOQ: 1000pcs



HEATED JACKET AND VEST

HEATED JACKET - H131HJ

OSSTOOLS
ONE STOP SOLUTION TOOLS



Model: H131HJ
MOQ: 1000pcs
6 Sizes available: S/M/L/XL/XXL/XXXL

Including: Heated Jacket + Battery + Type-C cable

Packaging: Brown box
10pcs in Master carton

HEATED JACKET - H131HJ



S	26 1/4	25 3/4	42	15 1/2	41 1/2
M	27 3/8	26 7/8	45	16 1/4	44 1/2
L	28 1/2	28	48	17	47 1/2
XL	29 5/8	29 1/8	51	17 3/4	50 1/2
2XL	30 3/4	30 1/4	54	18 1/2	53 1/2
3XL	31 7/8	31 3/8	57	19 1/2	56 1/2



HEATED VEST - H244HV

OSSTOOLS
ONE STOP SOLUTION TOOLS



Model: H244HV
MOQ: 1000pcs
6 Sizes available: S/M/L/XL/XXL/XXXL

Including: Heated Vest + Battery + Type-C cable
Packaging: Brown box
10pcs in Master carton

HEATED VEST – H131HV

OSSTOOLS

ONE STOP SOLUTION TOOLS



ALL
YKK
ZIPPERS



DC
CHARGING



8
HEAT
ZONE



Low-Middle-High
45/55/65°C

Model: H131HV
MOQ: 1000pcs
5 Sizes available: S/M/L/XL/XXL
Battery Capacity: 10000mAh
Output: 7.4V 2A DC
Input: 5V 2A Type-C
USB: 5V 2A

Including: Heated VEST + Battery + Type-C cable

Packaging: Brown Mailbox: 35x30x7cm/1.1kgs
5pcs in Master carton: 37x32x37cm/6kgs

HEATED VEST – H131HV

OSTOOLS
ONE STOP SOLUTION TOOLS



HEATED GLOVES – H131HG

OSSTOOLS
ONE STOP SOLUTION TOOLS

**TWO
DESIGN
AVAILABLE**



Model: H131HG
MOQ: 1000pcs
3 Sizes available: S/M/L

**Including: Heated Gloves + 2Batteries +
Charger+ Type-C cable**

Packaging: Brown Mailbox: 27x15x6cm/0.68kgs
20pcs in Master carton: 56x32x32cm/15.6kgs



Low-Middle-High
45/55/65°C



RECHARGEABLE HAND WARMER - H76RHW

HOTECH 



- **MODEL NO.:** H76RHW
- **MOQ:** 2000pcs
- **Packaging:** Color Box

Feature:

- Hand warmer is also a charging treasure (double-sided heating)
- 10000mAh large capacity.
- Adjustable temperature, with lanyard, easy to carry.
- Meets the air transport standards and can be used as a charging bank to carry on the plane.
- LED intelligent digital display, display temperature and electricity
- Temperature over 65 degrees automatic protection shutdown, over charge and over discharge protection

Specification:

- Product Model: **H76RHW** Hand warmer
- Product Material: ABS/Aluminum
- Charging Voltage: 5V/2A
- Battery Model: Cylindrical li-ion cell 21700
- Charging Time: 3.5-5H
- Working Time: 45° 10.5H/50° 8.5H/55° 6.5H ([Depending on the Using temperaure](#))
- Product Size: 87mm*64mm*33mm
- Product Weight: 190g
- Color box: 70*35*130mm/250g
- Carton size: 370*270*170mm/40pcs
- Gross weight: 10/11kgs/CTN
- Packing list : Hand warm*1、Type-c Cable*1(30cm)、Instruction*1

ONE STOP SOLUTION TOOLS 167

THANK YOU