



ONE STOP SOLUTION TOOLS

CNC PLASMA CUTTING SOLUTIONS



HANGZHOU HAOHE TECHNOLOGY CO.,LTD.

Crystal Zhao / +86 1328 2376 887

Email: crystal@hochtools.com

Add: No. 151 Jiangong Road, Gongshu District, Hangzhou City, Zhejiang Province, China



EXCLUSIVE
USA



CNC PLASMA CUTTING MACHINES TABLES


Own Every Stage of Your Customers' Growth with 4 Sizes + Robot/Laser Hybrids

HOTECH 卓

2ft x 2ft



4ft x 4ft



Unified Tech Support for All Tables
+/-0.5mm Tolerance Guaranteed
18% Material Waste Reduction = Pure Profit

5ft x 5ft



4ft x 8ft



Own Every Stage of Your Customers' Growth with 4 Sizes



HOTECH 卓

TABLE SIZE	YOUR COST	MSRP ADVICE	GM %	Market Price
2ft x 2ft	US\$1113	US\$2999	62%	US\$3200
4ft x 4ft	US\$1658	US\$4999	66%	US\$12,995
5ft x 5ft	US\$1999	US\$5999	66%	US\$14995
4ft x 8ft	US\$2687	US\$7999	66%	US\$15995

PREMIER PLASMA CNC
REG22 SERIES
2' X 2'

All premier plasma cnc tables are designed and manufactured with high precision at Premier plasma CNC in Glendale Arizona, USA

Premier Plasma CNC
Premier Plasma CNC REG22 Series 2'x2' CNC Table **\$3,200.00**



* Ready to operate. Just attach your plasma cutter and [control panel](#)



Arc Pro Ultra 4x4 CNC Plasma Table

\$12,995.00

AS LOW AS **\$281 /mo**

[CLICK TO APPLY](#)



Arc Pro Ultra 5x5 CNC Plasma Table

\$14,995.00

AS LOW AS **\$324 /mo**

[CLICK TO APPLY](#)



Arc Pro Ultra 4x8 CNC Plasma Table

\$15,995.00

AS LOW AS **\$345 /mo**

[CLICK TO APPLY](#)



**EXCLUSIVE
USA**

2' X 2' CNC PLASMA TABLE- HT-2200DCCM

2' X 2' CNC PLASMA TABLE- HT-2200DCCM

HOTECH 卓

- Designed for the hobbyist
- Loaded with professional features
- Integrated Cut controller, Water Table, Teeth Slats, Swivel Casters with Locking, Torch Height Control, and limit Switches
- All in one low price package



SPECIFICATIONS

Plasma Table Power Requirements:	120±10% VAC, 50/60 Hz, 5A
Plate Capacity:	24" x 36" x 0.25" thick
Weight Capacity (Includes workpiece and full Waterbed):	200 lbs. [90kg]
Waterbed Fluid Capacity:	10.4 gal [39.4L]
CNC Torch Travel:	
X-Axis:	24.0" [610mm]
Y-Axis:	24.0" [610mm]
Z-Axis:	1.96" [50mm]
Waterbed Dimensions:	
X-Axis:	27.75" [705mm]
Y-Axis:	40.06" [1018mm]
Z-Axis:	2.17" [55mm]
Overall Assembled Dimensions (W x D x H):	52.5" [1333mm] x 55.0" [1397mm] x 60.5" [1536mm]
Overall Assembled Unit Weight:	158.7 lbs. [72kg]
Movement Accuracy:	±0.2mm
Cutting Accuracy:	±0.5mm

MODEL NO.: HT-2200DCCM

MOQ: 168pcs

WHAT IS DIFFERENT



OURS

**2x40HQ/
each Month**

**ON THE
MARKET**

Integrated limit Switches

Additional X-Axis Gantry Support Roller Assembly

Integrated Torch Height Control

19pcs Teeth Slats

Water Table

Integrated Emergency Stop

Integrated Cut controller

4pcs Ø64mm (2.52") Casters
80kg Weight capacity
Swivel with Locking (Wheel Brake)

**EXCLUSIVE
USA**

ONE STOP SOLUTION

They need to use laptop
We have intergrated CNC system controller



NO height adjustment

NO CNC system controller

No support

No water tray



PRICE LEVEL



MODEL NO.: HT-2200DCM

MOQ: 168pcs



EXCLUSIVE
USA

With this cost still NO Integrated Cut controller

No Additional X-Axis Gantry Support Roller Assembly

No Integrated Torch Height Control

No Integrated Emergency Stop

No Teeth Slats



[ORDER NOW](#)

\$2375

+\$149 flat rate shipping to contiguous USA.
Shipping 1 week

ONE STOP

Heavy Duty Packaging – Strong carton + Inside Overall Foam Protection



Box A



Box A Cover



Box B First Layer




Box B Top Layer



Box B Cover



DROP TEST
PASS



168pcs / 40HQ



EXCLUSIVE
USA




4' X 4' CNC PLASMA TABLE- HT-44CPCT

4' X 4' CNC PLASMA TABLE- HT-44CPCT



- Designed for the hobbyist
- Loaded with professional features
- Integrated Cut controller, Water Table, Teeth Slats, Swivel Casters with Locking, Torch Height Control, Emergency Stop and limit Switches
- All in one low price package



SPECIFICATIONS

Plasma Table Power Requirements:	120±10% VAC, 50/60 Hz, 5A
Plate Capacity:	48" x 48" x 0.25" thick
Weight Capacity (Includes workpiece and full Waterbed):	474 lbs. [215kg]
Waterbed Fluid Capacity:	33.0 gal [125L]
CNC Torch Travel:	
X-Axis:	49.2" [1250mm]
Y-Axis:	43.3" [1100mm]
Z-Axis:	2.1" [54mm]
Assembled Waterbed Dimensions:	
X-Axis:	52.5" [1335mm]
Y-Axis:	52.8" [1340mm]
Z-Axis:	2.75" [70mm]
Overall Assembled Dimensions (W x D x H):	77" [1955mm] x 71" [1800mm] x 50.0" [1270mm] (55.1" [1400mm] with casters)
Overall Assembled Unit Weight:	355 lbs. [161kg]
Movement Accuracy:	±0.2mm
Cutting Accuracy:	±0.5mm



MODEL NO.: HT-44CPCT


MOQ: 75pcs

FEATURES

HOTECH 卓

- Oversized waterbed accepts standard 4-ft. x 4-ft. pre-cut sheet materials
- Intuitive color LCD screen interface and USB drive for ease of use
- Dedicated CNC controller eliminates the need for a separate laptop
- User-friendly controller is easy for beginners, but packed with pro features
- Robust stepper motors for long life and accurate cut movements
- Large waterbed holds up to 33 gallons of cutting fluid
- Ready to assemble, all hardware included
- Includes locking casters for convenient movement and storage
- Strong steel frame assures a rock-solid foundation
- Rigid design for precise gantry movements and cutting accuracy
- CNC cutting table operates on 120V AC / 230V AC
- Torch travel is 49.2-in. X-Axis; 43.3-in. Y-Axis

EXCLUSIVE
USA



FEATURES



Overview




Integrated limit Switches




Integrated Torch Height Control



Drag Chain



FEATURES



Torch Holder



Top View



Integrated Cut controller



**EXCLUSIVE
USA**




Emergency Stop




Heavy duty cables and plugs



Teeth Slats



Gearing



4 Casters Swivel with Locking

PRICE LEVEL

HOTECH 卓

MODEL NO.: HT-44CPCT

MOQ: 150pcs

With this cost still **NO** Integrated Cut controller
Size **ONLY** 4x3 Feet
No Drag Chain
No Integrated Torch Height Control
No Integrated Emergency Stop
No Teeth Slats
No 4 Casters Swivel with Locking



**EXCLUSIVE
USA**



ORDER NOW

~~\$3580~~ **\$3329**
+\$249 flat rate shipping to contiguous USA.

ONE

Heavy Duty Packaging - **Wooden Crate + Inside Overall Foam Protection**



First Layer



Cover



Top Layer



Wooden Crate



Metal Strips

**EXCLUSIVE
USA**

**DROP TEST
PASS**



EXCLUSIVE
USA

75 Units/40HQ



**EXCLUSIVE
USA**

4' x 8' FEET CNC PLASMA CUTTING TABLE – H48PCT

4x8 FEET CNC PLASMA CUTTING TABLE – H48PCT



Remote Control



EXCLUSIVE USA

X&Y Axis Chain Drag



LED Light with Logo



6pcs Adjustable feet



Same Features as 4X4 CNC Plasma Table

With laser cut **LOGO & LED Light** for more industrial looking

Integrated Cut controller, Water Table with **Teeth Slats**, Torch Height Control, limit Switches, Emergency Stop, 6pcs Adjustable feet, Big LCD screen interface and USB drive,


Robust stepper motors

Overall Size: 10' * 6.4' * 4' (3172*1951*1237mm)


Cutting Capacity: 8' * 4' Feet (2450*1220mm)

MOQ: 44PCS

3pcs Water Tray Included



**EXCLUSIVE
USA**



WITH ALL FEATURES THAT **4' X 4' CNC PLASMA TABLE HT-44CPCT** HAS

HOTECH 

- Oversized waterbed accepts standard 4-ft. x 8-ft. pre-cut sheet materials
- Intuitive color LCD screen interface and USB drive for ease of use
- Dedicated CNC controller eliminates the need for a separate laptop
- User-friendly controller is easy for beginners, but packed with pro features
- Robust stepper motors for long life and accurate cut movements
- Large waterbed 3pcs for easy transportation
- Ready to assemble, all hardware included
- Includes locking casters for convenient movement and storage
- Strong steel frame assures a rock-solid foundation
- Rigid design for precise gantry movements and cutting accuracy
- CNC cutting table operates on 120V AC / 230V AC
- Overall Size: 10' * 6.4' * 4' (3172*1951*1237mm)
- Cutting Capacity: 8' * 4' Feet (2450*1220mm)

**EXCLUSIVE
USA**



Heavy Duty Packaging - **Wooden Crate + Inside Overall Foam Protection**



First Layer



Cover




Top Layer



Wooden Crate



Metal Strips



44pcs / 40HQ





**EXCLUSIVE
USA**

5ft x 5ft CNC PLASMA CUTTING TABLE – H1355PCT

CNC Plasma Cutting table 5x5feet - H1355PCT

HOTECH 卓



MOQ: 60PCS

Same Features as 66726 Eastwood Versa Cut 4X4 CNC Plasma Table

With **EASTWOOD laser cut LOGO** for more industrial looking

Integrated Cut controller, Water Table,
Torch Height Control, limit Switches, Emergency Stop, **6pcs** Casters with Lock, Big
LCD screen interface and USB drive, Robust stepper motors

With X-Axis & Y-Axis Chain drag

Strong frame for breaking into 2 sections to ship in one wooden crate

Overall Size: 7.38'x 7.38'x4.4' (2250x2250x1340mm)

Cutting Capacity (X-Axis & Y-Axis) : **5' x5' Feet** (1524x1524 mm)

•**Torch Lifter Z-Axis Travel:** 54 mm

•**Machine Weight :** 240 kg

(Without Wooden Crate, After Installation)

Machine Weight (Including Wooden Crate): 302 kg

•**Machine Precision:** ± 0.2 mm

•**Maximum Load Capacity:**

•Supports up to 350 kg (based on a 20mmx1500mmx1500mm steel plate)

•**Two casters closeable:**

•Polyurethane Casters (Single-Wheel Load Capacity):

•Single Wheel Capacity: 500 kg



•Total Load Capacity (6-Wheel Configurations): **1000 kg**

•Threaded Stem Casters (Single-Wheel Load Capacity):


•Single Wheel Capacity: 250 kg

•Total Load Capacity (6-Wheel Configurations): **750 kg**

CNC Plasma Cutting table 5x5feet - H1355PCT



Heavy Duty Packaging - Wooden Crate + Inside Overall Foam Protection



60pcs / 40HQ

Wooden Crate Size: 2100*970*530mm
Gross Weight: 302kgs
40HQ Quantity: 60Units





CNC Tube cutting plasma table attachment - H4413TCA

CNC Tube cutting plasma table attachment - H4413TCA

HOTECH 卓



SPECIFICATIONS


Cuttible Pipe Diameter: 1-4 inches
Single Cut Length: 4 feet
Maximum Cut Length: 5 feet
Cutting Wall Thickness: Determined by the plasma cutter
Maximum Cut Weight: 45KG
Net Weight of the Accessory: 23.5KG
Longitudinal Fixed Bevel Angle: ± 45 degrees
Include System Software Upgrade

EXCLUSIVE
USA

FEATURES

Most brands of the CNC tube cutting plasma table attachments are using timing belts for transmission, but we have adopted a chuck structure, which allows for higher cutting precision.

The machine is equipped with common pipe cutting patterns, and only simple parameter settings are required to start cutting. Hardware and software upgrades are very convenient; you just need to add accessories and update the software, which can be completed in 10 minutes.



MODEL NO.: H4413TCA

MOQ: 50 piece

Packaging: Strong Brown box + inner protection

Box size: 180x20x27cm

Box weight: 26kgs

MOQ: 50pcs

MOQ: 200pcs

ONE STOP SOLUTION TOOLS 28

Bench Mark

ARCLIGHT DYNAMICS CNC Plasma Tables ▾ About ▾ Testimonials ▾ Support ▾ Contact [Get a Quote](#)

CNC Pipe and Tube Cutter with Pipefit Pro Software

Arclight Dynamics CNC tables are versatile machines allowing for use as a rotary 3 axis pipe and tube cutter through a quick 15 minute change over process. With the addition of the CNC Pipe and Tube Cutter, your CNC Plasma Table will become a multi-purpose machine, effectively saving you thousands of dollars and precious shop space.

Popular among automotive, off-road fabrication, exhaust systems, hand and guardrails, pipe fabrication, decorative gate and fencing, plumbing, mechanical contractors, facilities maintenance, food and beverage industry, musical instruments and more.

Works with both Arc Pro and Arc Max CNC Plasma Tables.

Includes Pipefit Pro Software at this price.

\$1,750.00

Select Your Table Size *

Choose an option ▾
Please indicate if your table size.






CNC Tube cutting plasma table attachment - H4413TCA

HOTECH 卓



EXCLUSIVE
USA







CNC Tube cutting plasma table attachment - H4413TCA



DXF Library Preview – Pre-Engineered DXF = 8 Hours+ Saved Per Custom Order

HOTECH 卓

OVER 200+
DESIGNS



DXF Library Preview – Pre-Engineered DXF = 8 Hours+ Saved Per Custom Order





CNC SMART CUT 50A PLASMA CUTTER with CNC Machine TORCH - H135JCNCPC

- **Affordable Power:** Low-frequency tech keeps costs down, so you get a powerful 50A cutter without breaking the bank.
- **Easy to Use:** It's simpler to operate and maintain—perfect for DIYers and pros alike, no steep learning curve.
- **Safer Operation:** Less electrical interference means a more stable cut, keeping you safe while you work.
- **Reliable Performance:** Cuts up to 11/16" carbon steel smoothly, ideal for car repairs and metal projects.

CNC SMART CUT 50A PLASMA CUTTER with CNC Machine TORCH - H135JCNCPC

HOTECH 卓

LOW
FREQUENCY



FEATURES

- WORKS WITH 120V \pm 15%50/60 OR 220V \pm 15%50/60 AC INPUT FLEXIBLE FOR ANY SHOP
- 60% DUTY CYCLE @ 50 AMPS ON 240V (60% @ 30 AMPS ON 120V)
- EASILY SLICES THROUGH METAL UP TO 11/16" (18MM) THICK
- POWERFUL 50-AMP OUTPUT WITH 60% DUTY CYCLE
- BIG DIGITAL DISPLAY FOR EASY AMPERAGE CONTROL AND INCREASED PRECISION
- ADJUSTABLE SETTINGS: GAS PREFLOW AND 2T/4T MODES
- INCLUDES MACHINE TORCH FOR INCREASED ACCURACY CUT QUALITY AND CONSUMABLE LIFE WHEN USED WITH A CNC TABLE
- 16.4FT/5M TORCH CABLE; 5FT/1.5M GROUND CABLE WITH CLAMP
- LIGHTWEIGHT AND PORTABLE AT LESS THAN 21 LBS
- EASY AIR PRESSURE CONTROL WITH BUILT-IN GAUGE
- USES COMMON CONSUMABLES—EASY TO REPLACE
- OPTIONAL HANDHELD TORCH FOR VERSATILE CUTTING
- CNC-READY WITH EXTERNAL CONTROL PORT
- RELIABLE COOLING WITH BUILT-IN FAN

INPUT POWER CORD: XN650P-B (NEMA 6-50P) PLUG WITH TWO FLAT BLADES AND ONE ROUND PIN, 12AWG (3.3MM²), TOTAL LENGTH 2.4M/7.87FT

MOQ: 500pcs

Packaging: Brown Box

REMARK: WITHOUT CERTIFICATION

ONE STOP SOLUTION TOOLS 36

PRODUCT SPECIFICATION COMPARISON




Item	H135JCNCP		CUT-40	
Machine Picture				
Input Power Supply	120V±15%50/60Hz	220V±15%50/60Hz	120V±15%50/60Hz	220V±15%50/60Hz
Rated Input Capacity	4.3 Kva	7.8 kVA	4.3 kVA	6.1 kVA
Rated Input Current	38 A	34.9 A	38.4 A	27.4 A
Rated Output Current	20A to 30 A	20A to 50 A	15A to 30 A	15A to 40 A
Rated Output Voltage	88V to 92 V	88V to 100 V	86V to 92 V	86V to 96 V
Rated No-Load Voltage	350 V	350 V	339 V	339 V
Rated Duty Cycle	60% at 30A (104°F/40°C) 100% at 20A (104°F/40°C)	60% at 50A (104°F/40°C) 100% at 30A (104°F/40°C)	60% @ 16 Amps (104°F/40°C) 100% @ 15 Amps (104°F/40°C)	60% @ 40 Amps (104°F/40°C) 100% @ 31 Amps (104°F/40°C)
Output Current Adjustment Range	20-30 A	20-50 A	15-30 A	15-40 A
Arc Voltage Output Signal Ratio	1:1/1:20/1:50/1:100			
Quality Cutting Capacity	1/64" - 5/16" (0.3 - 8 mm)	1/64" - 1/2" (0.3 - 12 mm)	1/64" - 3/16" (0.3 - 5 mm)	1/64" - 1/4" (0.3 - 6 mm)
Instant Piercing Thickness	3/16" (5 mm)	1/2" (12 mm)	3/16" (5 mm)	5/16" (8 mm)
Severance Capacity (Maximum Material Thickness)	1/2" (12 mm)	11/16" (18 mm)	1/2" (12 mm)	9/16" (14 mm)
Plasma Gas	Compressed Air			
Gas Supply Pressure	30-50 PSI	30-65 PSI	30-50 PSI	30-60 PSI
Air Requirements	5 - 7 CFM @ 30-65 psi		5 - 7 CFM @ 60 psi	
Torch Cooling Method	Air-Cooled			
Power Source Cooling Method	Fan-Cooled			
Insulation Class	Class F			
Enclosure Protection Rating	IP21S			
Machine Size (LxWxH)	16.46" x 8.5" x 13.7" (418mm×216mm×348mm)		14.06" x 8.46" x 14.69" (357mm x 215mm x 373mm)	
Machine Net Weight	20.5 lbs. (9.3kgs)		24.47 lbs. (11.1kg)	



FRONT PANEL OVERVIEW

1. Air Pressure Regulator Valve
2. Air Pressure Gauge
3. Gas Preflow Time Setting
4. 2T/4T Cutting Mode Switch
5. Multi-function Display
6. Combined Torch Power/Gas Port
7. Torch Pilot Arc Port
8. Torch Control Cable Port
9. Workpiece Ground Clamp Port
10. Multi-function Knob:
 - A. Rotate to Adjust Current
 - B. Press for Gas Check
 - C. Rotate to Set Gas Preflow Time (in Gas Preflow Mode)



BACK PANEL OVERVIEW

1. Main ON/OFF Power Switch
2. Power Input Cable
3. External CNC Control Port (for cutting power)
4. High-Pressure Air Inlet
5. Main Unit Cooling Fan

CUTTING RESULT



VERY SMOOTH AT EDGE

CNC SMART CUT 50A PLASMA CUTTER with CNC Machine TORCH - H135JCNPC



WHAT IS INCLUDED

1. **CNC SMART CUT 50A PLASMA CUTTER**
2. **Plasma Cutter Machine Torch with 16.4ft/5M cable**
3. **Power Adapter Cable:** NEMA 5-15P to NEMA 6-50R adapter cable (flat wire, 12AWG, total length 0.33m/1.08ft)
4. **Air Hose Assembly:** IKH0876 air hose (2m/6.56ft, black rubber) 5/8-18 UNF threaded connector (D5.5×12mm) Includes one 20mm stainless steel hose clamp
5. **CNC Control Cable:** 0.5mm² 4-core sheathed cable (4m/13.12ft) Terminated with GX16-4 aviation connector on one end and Y2M-7TK industrial plug on the other
6. **300A heavy-duty Holland-style ground clamp + 10mm² × 1.5m (5ft) grounding cable**

MOQ: 500pcs

Packaging: Brown Box (51x31x41cm/14.6kgs)

ITEM # 98076 BRAND: EASTWOOD

ONE STOP



Eastwood Versa-Cut 40 CNC Plasma Cutter With Machine Torch
40 Amp Plasma Cutter designed to plug and play with the Versa Cut CNC Table
[View Full Description](#)

★★★★☆ 5.0 (1) Write a review

\$899.97 ~~+\$96.98~~ Save \$37.01

Starting at \$57/mo with [affirm](#). [Check your purchasing power](#)

✓ **In Stock** Get it as early as Friday, April 11 if you order in the next 16 hr(s) 43 min(s)

Ship To: Los Angeles, US

[See our Full Selection of CNC Plasma Tables](#)



CNC Machine TORCH FOR CNC SMART CUT 50A PLASMA CUTTER - H136JACNCMT



60A @ 80% DUTY CYCLE

WHAT IS INCLUDED

- 1x CNC Machine Torch with 16.4ft/5M cable
- 2x Electrodes (1 assembled)
- 1x Cutting Tip, 0.9mm, 30-40A
- 1x Cutting Tip, 1.0mm, 40-50A (1 assembled)
- 1x Cutting Tip, 1.1mm, 50-60A
- 5m Cable

MOQ: 500PCS

PACKAGING: BROWN BOX (50x40x8.5cm/2.15kgs)

Master carton: 51x41x44cm/5pcs/11kgs



LOW FREQUENCY

CNC Torch UPM 105 25' Fits Hypertherm Consumables

★★★★★ 7 Reviews

\$399.00

Starting at \$37/mo or 0% APR with Affirm. See if you qualify

1 **OUT OF STOCK**

CLICK HERE TO ADD YOUR EMAIL TO THE WAITLIST



Eastwood Versa-Cut 40 CNC Plasma Cutter Machine Torch

[View Description](#)

View more

\$328.99

Starting at \$30/mo with affirm. [Check your eligibility here!](#)

✓ In Stock

Ship to [Hawaii, US](#)

We do not currently ship outside USA & Canada

- 1 +

Add to Cart

See It Later

ONE STOP SOLUTION TOOLS 42

HAND TORCH FOR CNC SMART CUT 50A PLASMA CUTTER - H136JAHT

HOTECH 卓

60A @ 80% DUTY CYCLE

**LOW
FREQUENCY**



WHAT IS INCLUDED

- 1x CNC HAND Torch with [16.4ft/5M cable](#)
- 2x Electrodes (1 assembled)
- 1x Cutting Tip, 0.9mm, 30-40A
- 1x Cutting Tip, 1.0mm, 40-50A (1 assembled)
- 1x Cutting Tip, 1.1mm, 50-60A
- 5m Cable

MOQ: 500PCS

PACKAGING: BROWN BOX (34x31x8.5cm/2kgs)

Master carton: 35x32x52cm/6pcs/13kgs

CUT 50A PLASMA CUTTER CONSUMABLES - H136JACNCTT & H136JACNCTE



10-PIECE SET



MODEL: H136JACNCTT

CUT 50A PLASMA CUTTER Tips 10-Piece

Choose Your Size: 0.6mm / 0.8mm / 0.9mm / 1.0mm / 1.1mm

Packing: Polybag + Label

10-PIECE SET



MODEL: H136JACNCTE

CUT 50A PLASMA CUTTER Electrodes 10-Piece

Packing: Polybag + Label

140A DUAL-VOLTAGE MULTI-PROCESS WELDER - MMA/LIFT-TIG/MIG/MAG/FLUX – H1314JMW



Input rated voltage:	AC220V±15%	AC110V±15%
Output current regulation:	MIG:35A -- 140A	MIG:35A -- 100A
	TIG:15A--140A	TIG:15A--100A
	MMA:20A--140A	MMA:20A--100A
No-load voltage:	65V	65V
Rate duty cycle:	60%	60%
Efficiency:	81%	81%
Working voltage:	MIG:35A/14.5V - 140A/20V	MIG:35A/14.5V - 130A/18.5V
	TIG:15A/10.6V - 140A/15.6V	TIG:15A/10.6V - 130A/15.2V
	MMA:20A/20.8V - 140A/25.6V	MMA:20A/20.8V - 130A/25.2V
Digital display:	15---140	15---100
Welding thickness:	0.3-4mm	0.3-3.2mm
Level of protectio:	IP21S	IP21S
Dimension:	350*165*286	

WELDER COVERS – H135WC

HOTECH 卓

Premium Design



Great Idea for
keeping Welders
clean



Fits like a glove!
Perfect fit and no more worry about dust and dirt
keep a lot of dirt and paint dust off the welder.

1. Large Side Pocket for Cable Storage
Conveniently store electrical cables and other accessories in the oversized side pocket, keeping your workspace neat and organized.
2. Zippered Access for Easy Handle Use
A practical zipper design lets you expose the welder's handle for carrying while protecting the machine from dust and debris when not in use.
3. Integrated Hanging Hook
Includes a durable hook for hanging the cover when the welder is in use, preventing it from being placed on the ground and keeping it clean.

Premium Design

- Universal Fit: Accommodates cutting machines up to 60A and multi-process welders.
- High-Quality Material: Crafted from Water-resistance, heavy-duty polyester for superior durability and protection against the elements.

Hanging Hook

Zippered Access for
Easy Handle Use



Large Side Pocket for
Cable Storage

Size: 22x8.5x11.22inch (560x216x285mm)

MOQ: 1000pcs

Packaging: Polybag+color card



Eastwood TIG 200 ACDC cover

TIG 200 ACDC cover
 ★★★★★ 4.8 (28) Write a review

\$29.97 ~~\$30.99~~ Save \$1.02

✓ **In Stock** Get it as early as Monday, December 46 min(s)!

Ship To: [Los Angeles, US](#)

- 1 + 

 Questions? Talk to an Expert

 1 Year Warranty Included



100% Satisfaction Guarantee:
 We stand behind our solutions and c
 • Lifetime Tech Support



Lincoln Electric Canvas Welder Covers K886-2

Welder Cover, Canvas, Red, Each

\$199.99

Part Number: LCN-K886-2

★★★★★ (2)

Only 8 left in stock - order soon

Estimated USA Ship Date: **Tomorrow**

Estimated International Ship Date: **Today**

1 
 Compare



Lincoln Electric Canvas Welder Covers KH495

Welder Cover, Canvas, Designed for Flux Core Welders, Each

\$37.99

Part Number: LCN-KH495

★★★★★ (4)

Only 6 left in stock - order soon

Estimated USA Ship Date: **Tomorrow**

Estimated International Ship Date: **Today**

1 
 Compare

THANK YOU